

Galena Levels 3400, 4300, 4900 and 5500 Drill Results - July 12, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
34-107		East Coeur	290	-68	74.82	76.95	2.13	-	<17	<0.1	<0.01	<22
34-107	Unknown	East Coeur	290	-68	76.95	77.44	0.49	0.18	2,150	<0.1	4.2	2,580
34-107	Unknown	East Coeur	290	-68	77.44	78.96	1.52	0.58	48	<0.1	0.074	56
34-107		East Coeur	290	-68	96.95	98.02	1.07	-	<17	<0.1	<0.01	<22
34-107		East Coeur	290	-68	98.02	98.93	0.91	-	<17	<0.1	<0.01	<22
34-107		East Coeur	290	-68	98.93	99.39	0.46	-	46	<0.1	0.095	56
34-107		East Coeur	290	-68	99.39	100.55	1.16	-	<17	<0.1	0.012	<22
34-107		East Coeur	290	-68	102.99	104.24	1.25	-	<17	<0.1	<0.01	<22
34-107		East Coeur	290	-68	112.80	113.11	0.30	-	24	<0.1	0.031	27
34-107		East Coeur	290	-68	114.39	114.57	0.18	-	<17	<0.1	0.034	24
34-107		East Coeur	290	-68	119.88	120.73	0.85	-	42	<0.1	0.107	53
34-107		East Coeur	290	-68	157.32	157.62	0.30	-	35	<0.1	0.092	45
34-110		East Coeur	272	-52	92.26	92.38	0.12	-	<17	<0.1	<0.01	<22
34-110		East Coeur	272	-52	210.24	211.46	1.22	-	<17	<0.1	<0.01	<22
34-110		East Coeur	272	-52	211.89	212.04	0.15	-	82	<0.1	0.391	123
34-110		East Coeur	272	-52	214.39	215.85	1.46	-	<17	<0.1	0.02	23
34-110		East Coeur	272	-52	232.47	232.71	0.24	-	<17	<0.1	<0.01	<22
34-111A		East Coeur	255	-53	21.80	22.56	0.76	-	<17	<0.1	<0.01	<22
34-113		East Coeur	260	-62	46.34	46.52	0.18	-	<17	<0.1	<0.01	<22
34-113		East Coeur	260	-62	82.13	83.35	1.22	-	<17	<0.1	<0.01	<22
34-113		East Coeur	260	-62	83.35	83.54	0.18	-	<17	<0.1	<0.01	<22
34-113		East Coeur	260	-62	83.54	84.76	1.22	-	<17	<0.1	<0.01	<22
34-113		East Coeur	260	-62	147.56	147.80	0.24	-	<17	<0.1	<0.01	<22
34-113		East Coeur	260	-62	147.80	148.84	1.04	-	<17	<0.1	<0.01	<22
34-113		East Coeur	260	-62	165.09	166.52	1.43	-	<17	<0.1	<0.01	<22
34-113		East Coeur	260	-62	166.52	167.01	0.49	-	<17	<0.1	<0.01	<22
34-113		East Coeur	260	-62	167.01	168.54	1.52	-	<17	<0.1	<0.01	<22
34-113		East Coeur	260	-62	168.54	168.72	0.18	-	<17	<0.1	0.012	<22
34-113		East Coeur	260	-62	168.72	169.21	0.49	-	<17	<0.1	0.018	23
34-113		East Coeur	260	-62	196.13	196.52	0.40	-	<17	<0.1	0.076	29
34-113		East Coeur	260	-62	196.52	197.50	0.98	-	80	<0.1	0.321	113
34-113		East Coeur	260	-62	197.50	198.17	0.67	-	<17	<0.1	0.085	29
34-113		East Coeur	260	-62	198.17	199.48	1.31	-	<17	<0.1	<0.01	<22
34-113		East Coeur	260	-62	199.48	200.09	0.61	-	<17	<0.1	<0.01	<22
34-113		East Coeur	260	-62	200.09	200.37	0.27	-	<17	<0.1	<0.01	<22
34-113		East Coeur	260	-62	200.37	201.37	1.01	-	<17	<0.1	<0.01	<22
34-113		East Coeur	260	-62	205.95	207.47	1.52	-	<17	<0.1	0.047	26
34-113		East Coeur	260	-62	207.47	207.93	0.46	-	<17	<0.1	0.136	35
34-113		East Coeur	260	-62	207.93	208.84	0.91	-	<17	<0.1	<0.01	<22
34-113		East Coeur	260	-62	208.84	209.54	0.70	-	<17	<0.1	<0.01	<22
34-113		East Coeur	260	-62	209.54	210.21	0.67	-	<17	<0.1	0.089	30
34-113	400	East Coeur	260	-62	210.21	210.67	0.46	0.34	4,550	<0.1	4.97	5,060
34-113		East Coeur	260	-62	210.67	212.20	1.52	-	<17	<0.1	0.018	23
34-114		East Coeur	305	-35	100.46	101.22	0.76	-	<17	<0.1	0.02	23
34-114		East Coeur	305	-35	101.22	101.52	0.30	-	1,170	<0.1	1.65	1,340
34-114		East Coeur	305	-35	101.52	101.74	0.21	-	290	<0.1	0.4	331
34-114	400	East Coeur	305	-35	155.49	156.40	0.91	0.79	288	<0.1	0.551	345
34-114	400	East Coeur	305	-35	156.40	156.59	0.18	0.15	439	<0.1	0.422	482
34-114	400	East Coeur	305	-35	156.59	156.86	0.27	0.24	<17	<0.1	<0.01	<22
34-114	400	East Coeur	305	-35	156.86	157.04	0.18	0.15	8,640	0.157	7.36	9,400
34-114		East Coeur	305	-35	157.04	158.57	1.52	-	55	<0.1	0.041	59
34-114		East Coeur	305	-35	158.57	158.87	0.30	-	51	<0.1	0.063	58
34-114		East Coeur	305	-35	158.87	160.27	1.40	-	<17	<0.1	<0.01	<22
34-114		East Coeur	305	-35	160.27	161.80	1.52	-	<17	<0.1	<0.01	<22
34-114	400 FW	East Coeur	305	-35	161.80	162.10	0.30	0.27	5,420	<0.1	3.56	5,790
34-114		East Coeur	305	-35	162.10	163.63	1.52	-	<17	<0.1	<0.01	<22
34-114		East Coeur	305	-35	177.13	177.74	0.61	-	<17	<0.1	0.014	<22
34-114	425	East Coeur	305	-35	177.74	179.18	1.43	-	41	<0.1	0.075	49
34-115		East Coeur	310	-20	148.57	150.09	1.52	-	19	<0.1	0.025	<22
34-115	400	East Coeur	310	-20	150.09	150.30	0.21	0.18	2,040	<0.1	3.23	2,370
34-115	400	East Coeur	310	-20	150.30	150.61	0.30	0.24	604	<0.1	0.915	698
34-115	400	East Coeur	310	-20	150.61	150.91	0.30	0.24	1,100	<0.1	1.67	1,270
34-115	400	East Coeur	310	-20	150.91	151.52	0.61	0.49	117	<0.1	0.197	137
34-115	400	East Coeur	310	-20	151.52	151.74	0.21	0.18	2,170	<0.1	2.64	2,440
34-115		East Coeur	310	-20	151.74	153.26	1.52	-	89	<0.1	0.16	105
34-115		East Coeur	310	-20	168.29	169.82	1.52	-	<17	<0.1	<0.01	<22
34-115		East Coeur	310	-20	169.82	170.43	0.61	-	<17	<0.1	<0.01	<22
34-115		East Coeur	310	-20	170.43	170.67	0.24	-	<17	<0.1	0.042	25
34-115		East Coeur	310	-20	170.67	171.40	0.73	-	<17	<0.1	<0.01	<22
34-115		East Coeur	310	-20	171.40	172.93	1.52	-	<17	<0.1	<0.01	<22
34-115		East Coeur	310	-20	195.46	196.55	1.10	-	<17	<0.1	<0.01	<22
34-115		East Coeur	310	-20	196.55	197.77	1.22	-	38	<0.1	0.052	43
34-115		East Coeur	310	-20	197.77	198.23	0.46	-	<17	<0.1	0.017	22
34-115	425 FW	East Coeur	310	-20	198.23	198.41	0.18	0.15	261	<0.1	0.243	286
34-115	425 FW	East Coeur	310	-20	198.41	198.63	0.21	0.18	652	<0.1	0.95	750
34-115		East Coeur	310	-20	198.63	200.12	1.49	-	<17	<0.1	<0.01	<22
34-118		East Coeur	292	-36.5	24.39	25.00	0.61	-	<17	<0.1	<0.01	<22
34-118		East Coeur	292	-36.5	103.35	103.96	0.61	-	<17	<0.1	0.078	25
34-118		East Coeur	292	-36.5	103.96	104.88	0.91	-	<17	<0.1	<0.01	<22
34-118		East Coeur	292	-36.5	104.88	106.40	1.52	-	<17	<0.1	0.014	<22

Galena Levels 3400, 4300, 4900 and 5500 Drill Results - July 12, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
34-118		East Coeur	292	-36.5	106.40	107.01	0.61	-	<17	<0.1	<0.01	<22
34-118		East Coeur	292	-36.5	107.01	107.93	0.91	-	105	<0.1	0.161	122
34-118		East Coeur	292	-36.5	107.93	108.29	0.37	-	<17	<0.1	<0.01	<22
34-118		East Coeur	292	-36.5	108.29	109.45	1.16	-	<17	<0.1	<0.01	<22
34-118		East Coeur	292	-36.5	147.87	148.29	0.43	-	<17	<0.1	0.021	<22
34-118	400	East Coeur	292	-36.5	148.29	149.27	0.98	0.91	686	<0.1	0.95	784
34-118		East Coeur	292	-36.5	149.27	150.34	1.07	-	<17	<0.1	0.035	<22
34-118		East Coeur	292	-36.5	153.51	153.75	0.24	-	21	<0.1	0.067	28
34-118		East Coeur	292	-36.5	168.54	168.84	0.30	-	<17	<0.1	0.018	<22
34-118		East Coeur	292	-36.5	168.84	169.24	0.40	-	796	<0.1	1.13	912
34-118		East Coeur	292	-36.5	169.24	169.54	0.30	-	<17	<0.1	0.024	<22
34-119		East Coeur	270	-57	147.26	147.96	0.70	-	<17	<0.1	<0.01	<22
34-119		East Coeur	270	-57	152.35	153.29	0.95	-	<17	<0.1	<0.01	<22
34-119		East Coeur	270	-57	156.92	158.02	1.10	-	<17	<0.1	0.03	<22
34-119		East Coeur	270	-57	240.58	241.34	0.76	-	<17	<0.1	0.04	<22
34-120A		East Coeur	300	-47	13.96	14.15	0.18	-	<17	<0.1	<0.01	<22
34-120A		East Coeur	300	-47	114.09	114.88	0.79	-	532	<0.1	0.699	604
34-120A		East Coeur	300	-47	156.59	157.01	0.43	-	22	<0.1	0.079	30
34-120A	425	East Coeur	300	-47	164.63	165.73	1.10	0.85	686	<0.1	0.651	753
34-120A	400	East Coeur	300	-47	181.10	181.31	0.21	0.15	2,510	<0.1	2.32	2,750
34-120A	400	East Coeur	300	-47	181.31	181.98	0.67	0.52	6,650	<0.1	2.8	6,940
34-120A		East Coeur	300	-47	187.20	187.96	0.76	-	<17	<0.1	0.011	<22
34-120A		East Coeur	300	-47	187.96	188.41	0.46	-	144	<0.1	0.431	188
34-120A		East Coeur	300	-47	196.83	198.05	1.22	-	35	<0.1	0.026	37
34-120A	425 FW1	East Coeur	300	-47	198.05	199.57	1.52	1.16	405	<0.1	0.258	432
34-120A		East Coeur	300	-47	199.57	201.10	1.52	-	32	<0.1	0.051	38
34-120A		East Coeur	300	-47	201.10	202.29	1.19	-	27	<0.1	0.05	33
34-120A		East Coeur	300	-47	202.29	203.54	1.25	-	123	<0.1	0.399	164
34-120A		East Coeur	300	-47	221.65	223.17	1.52	-	<17	<0.1	<0.01	<22
34-121		East Coeur	116	-43	87.50	87.80	0.30	-	<17	<0.1	<0.01	<22
34-122		East Coeur	101	-53	77.01	77.32	0.30	-	<17	<0.1	0.048	26
34-122	Unknown	East Coeur	101	-53	77.32	78.20	0.88	0.80	38	<0.1	0.107	49
34-122	Unknown	East Coeur	101	-53	78.20	79.33	1.13	1.03	2,060	<0.1	2.23	2,290
34-122		East Coeur	101	-53	79.33	80.18	0.85	-	26	<0.1	0.045	30
34-122		East Coeur	101	-53	80.18	80.79	0.61	-	<17	<0.1	<0.01	<22
34-123		East Coeur	124	-13.7	7.01	62.07	55.06	-	<17	<0.1	<0.01	<22
34-123		East Coeur	124	-13.7	67.77	68.54	0.76	-	<17	<0.1	<0.01	<22
34-124		East Coeur	107	-41.5	72.99	73.90	0.91	-	<17	<0.1	<0.01	<22
34-124	Unknown	East Coeur	107	-41.5	73.90	74.09	0.18	0.09	247	<0.1	0.526	301
34-124	Unknown	East Coeur	107	-41.5	74.09	74.27	0.18	0.09	4,940	<0.1	4.84	5,440
34-124		East Coeur	107	-41.5	74.27	74.51	0.24	-	30	<0.1	0.142	45
34-124		East Coeur	107	-41.5	74.51	74.70	0.18	-	<17	<0.1	<0.01	<22
34-124		East Coeur	107	-41.5	74.70	75.43	0.73	-	<17	<0.1	<0.01	<22
34-124		East Coeur	107	-41.5	88.60	89.21	0.61	-	155	<0.1	0.318	188
34-124		East Coeur	107	-41.5	89.21	90.12	0.91	-	25	<0.1	0.102	36
34-124		East Coeur	107	-41.5	90.12	91.34	1.22	-	108	<0.1	0.226	131
34-124		East Coeur	107	-41.5	91.34	92.26	0.91	-	31	<0.1	0.154	46
34-125		East Coeur	317	-10	23.51	24.02	0.52	-	<17	<0.1	<0.01	<22
34-125		East Coeur	317	-10	33.54	35.06	1.52	-	267	<0.1	0.408	309
34-125		East Coeur	317	-10	35.06	36.59	1.52	-	71	<0.1	0.094	81
34-125		East Coeur	317	-10	42.99	44.21	1.22	-	<17	<0.1	<0.01	<22
34-125		East Coeur	317	-10	44.21	45.73	1.52	-	<17	<0.1	<0.01	<22
34-125		East Coeur	317	-10	68.60	69.51	0.91	-	42	<0.1	0.094	52
34-125		East Coeur	317	-10	92.07	92.38	0.30	-	51	<0.1	0.091	60
34-125		East Coeur	317	-10	141.77	141.95	0.18	-	19	0.189	0.014	27
34-125		East Coeur	317	-10	146.98	147.56	0.58	-	<17	<0.1	<0.01	<22
34-125		East Coeur	317	-10	147.56	148.48	0.91	-	<17	<0.1	0.019	23
34-125		East Coeur	317	-10	148.48	148.93	0.46	-	473	<0.1	0.855	561
34-125		East Coeur	317	-10	155.49	156.10	0.61	-	21	0.45	0.29	67
34-125		East Coeur	317	-10	179.27	180.00	0.73	-	192	0.115	0.149	211
34-125		East Coeur	317	-10	180.00	180.27	0.27	-	<17	<0.1	<0.01	<22
34-125		East Coeur	317	-10	180.27	181.71	1.43	-	25	<0.1	0.024	27
34-125		East Coeur	317	-10	181.71	182.93	1.22	-	113	<0.1	0.121	125
34-125		East Coeur	317	-10	193.29	193.60	0.30	-	<17	<0.1	<0.01	<22
34-125		East Coeur	317	-10	193.60	195.12	1.52	-	27	<0.1	0.047	32
34-125		East Coeur	317	-10	195.12	195.82	0.70	-	29	<0.1	0.035	32
34-125		East Coeur	317	-10	195.82	197.16	1.34	-	<17	<0.1	<0.01	<22
34-125		East Coeur	317	-10	197.16	197.35	0.18	-	<17	<0.1	0.017	22
34-125		East Coeur	317	-10	197.35	198.87	1.52	-	<17	<0.1	0.011	<22
34-125	400	East Coeur	317	-10	198.87	199.48	0.61	0.40	1,900	0.136	2.42	2,150
34-125		East Coeur	317	-10	199.48	200.40	0.91	-	<17	<0.1	0.066	28
34-126		East Coeur	320	-45	36.65	37.50	0.85	-	<17	<0.1	<0.01	<22
34-126		East Coeur	320	-45	37.50	39.02	1.52	-	<17	<0.1	<0.01	<22
34-126		East Coeur	320	-45	39.02	40.55	1.52	-	<17	<0.1	<0.01	<22
34-126		East Coeur	320	-45	40.55	42.07	1.52	-	<17	<0.1	<0.01	<22
34-126		East Coeur	320	-45	42.07	43.60	1.52	-	<17	<0.1	<0.01	<22
34-126		East Coeur	320	-45	43.60	45.12	1.52	-	<17	<0.1	<0.01	<22
34-126		East Coeur	320	-45	45.12	45.30	0.18	-	367	<0.1	0.5	418
34-126		East Coeur	320	-45	45.30	46.83	1.52	-	<17	<0.1	<0.01	<22
34-126		East Coeur	320	-45	103.35	103.81	0.46	-	321	<0.1	0.596	382

Galena Levels 3400, 4300, 4900 and 5500 Drill Results - July 12, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
34-126	425	East Coeur	320	-45	107.32	107.50	0.18	0.09	6,000	<0.1	6.73	6,690
34-126	425	East Coeur	320	-45	107.50	108.72	1.22	0.61	<17	<0.1	0.092	30
34-126		East Coeur	320	-45	108.72	109.63	0.91	-	<17	<0.1	0.015	<22
34-126		East Coeur	320	-45	115.12	116.34	1.22	-	24	<0.1	0.079	32
34-126		East Coeur	320	-45	116.34	116.95	0.61	-	118	<0.1	0.204	139
34-126		East Coeur	320	-45	116.95	118.48	1.52	-	<17	<0.1	<0.01	<22
34-126		East Coeur	320	-45	120.43	121.04	0.61	-	42	<0.1	0.074	49
34-126		East Coeur	320	-45	128.35	129.57	1.22	-	<17	<0.1	<0.01	<22
34-127		East Coeur	317	-20	32.93	33.11	0.18	-	66	<0.1	0.09	75
34-127		East Coeur	317	-20	33.11	33.84	0.73	-	<17	<0.1	<0.01	<22
34-127		East Coeur	317	-20	33.84	35.06	1.22	-	81	<0.1	0.123	94
34-127		East Coeur	317	-20	35.06	35.24	0.18	-	1,440	<0.1	2.41	1,690
34-127		East Coeur	317	-20	35.24	36.28	1.04	-	66	<0.1	0.089	75
34-127		East Coeur	317	-20	36.28	37.56	1.28	-	<17	<0.1	<0.01	<22
34-127		East Coeur	317	-20	37.56	39.09	1.52	-	<17	<0.1	0.018	23
34-127		East Coeur	317	-20	39.09	39.33	0.24	-	175	<0.1	0.125	188
34-127		East Coeur	317	-20	39.33	40.85	1.52	-	<17	<0.1	0.016	22
34-127		East Coeur	317	-20	87.20	87.53	0.34	-	216	<0.1	0.566	274
34-127		East Coeur	317	-20	92.93	93.84	0.91	-	<17	<0.1	<0.01	<22
34-127		East Coeur	317	-20	93.84	94.12	0.27	-	237	<0.1	0.328	271
34-127		East Coeur	317	-20	94.12	94.30	0.18	-	2,030	<0.1	2.91	2,330
34-127		East Coeur	317	-20	94.30	95.21	0.91	-	<17	<0.1	0.022	23
34-127		East Coeur	317	-20	143.81	144.51	0.70	-	<17	<0.1	0.017	22
34-127	425	East Coeur	317	-20	144.51	145.34	0.82	-	590	<0.1	1.14	707
34-127	425	East Coeur	317	-20	145.34	146.55	1.22	-	233	<0.1	1.21	357
34-127		East Coeur	317	-20	146.55	147.87	1.31	-	<17	<0.1	0.028	24
34-127		East Coeur	317	-20	147.87	149.39	1.52	-	<17	<0.1	0.03	24
34-127		East Coeur	317	-20	149.39	150.91	1.52	-	<17	<0.1	<0.01	<22
34-127		East Coeur	317	-20	150.91	151.95	1.04	-	151	<0.1	0.521	205
34-127		East Coeur	317	-20	151.95	153.48	1.52	-	<17	<0.1	0.105	32
34-127	425 FW1	East Coeur	317	-20	153.48	153.84	0.37	0.11	2,980	<0.1	3.54	3,340
34-127	425 FW1	East Coeur	317	-20	153.84	154.88	1.04	0.32	442	<0.1	0.289	472
34-127		East Coeur	317	-20	154.88	156.40	1.52	-	<17	<0.1	0.028	24
34-127		East Coeur	317	-20	156.40	156.86	0.46	-	83	0.301	0.382	133
34-127		East Coeur	317	-20	169.21	169.51	0.30	-	309	<0.1	0.312	341
34-127		East Coeur	317	-20	176.89	177.13	0.24	-	64	<0.1	0.041	68
34-127		East Coeur	317	-20	179.76	181.07	1.31	-	18	<0.1	0.016	<22
34-127		East Coeur	317	-20	183.54	184.94	1.40	-	<17	<0.1	<0.01	<22
34-127	400	East Coeur	317	-20	184.94	185.12	0.18	0.12	2,430	<0.1	1.73	2,610
34-127		East Coeur	317	-20	185.12	186.65	1.52	-	<17	<0.1	<0.01	<22
34-127		East Coeur	317	-20	186.65	188.02	1.37	-	69	<0.1	0.117	81
34-127		East Coeur	317	-20	188.02	188.51	0.49	-	<17	<0.1	0.023	23
34-127		East Coeur	317	-20	188.51	189.02	0.52	-	<17	<0.1	<0.01	<22
34-127		East Coeur	317	-20	189.02	190.09	1.07	-	41	<0.1	0.066	48
34-127		East Coeur	317	-20	190.09	191.16	1.07	-	<17	<0.1	<0.01	<22
34-128		East Coeur	317	-35	40.85	41.86	1.01	-	<17	<0.1	0.016	22
34-128		East Coeur	317	-35	41.86	43.29	1.43	-	<17	<0.1	<0.01	<22
34-128		East Coeur	317	-35	43.29	44.82	1.52	-	<17	<0.1	<0.01	<22
34-128		East Coeur	317	-35	44.82	45.18	0.37	-	<17	<0.1	<0.01	<22
34-128		East Coeur	317	-35	102.74	103.35	0.61	-	<17	<0.1	0.011	<22
34-128		East Coeur	317	-35	103.35	103.54	0.18	0.06	2,030	<0.1	3.11	2,350
34-128		East Coeur	317	-35	103.54	103.72	0.18	0.06	267	<0.1	0.487	317
34-128		East Coeur	317	-35	103.72	104.51	0.79	-	<17	<0.1	<0.01	<22
34-128		East Coeur	317	-35	104.51	105.00	0.49	-	106	<0.1	0.144	121
34-128		East Coeur	317	-35	105.00	105.61	0.61	-	<17	<0.1	<0.01	<22
34-128		East Coeur	317	-35	115.18	115.43	0.24	-	98	<0.1	0.105	109
34-128		East Coeur	317	-35	120.12	121.65	1.52	-	57	<0.1	0.076	65
34-128		East Coeur	317	-35	121.65	122.65	1.01	-	<17	<0.1	0.039	25
34-128		East Coeur	317	-35	122.65	123.57	0.91	-	64	<0.1	0.447	110
34-128		East Coeur	317	-35	123.57	125.09	1.52	-	<17	<0.1	0.114	32
34-128	425	East Coeur	317	-35	125.09	125.91	0.82	0.27	398	<0.1	0.354	434
34-128	425	East Coeur	317	-35	125.91	126.43	0.52	0.18	1,060	<0.1	0.736	1,140
34-128	425	East Coeur	317	-35	126.43	127.13	0.70	0.21	398	<0.1	0.375	437
34-128	425	East Coeur	317	-35	127.13	128.11	0.98	0.34	241	<0.1	0.422	284
34-128	425	East Coeur	317	-35	128.11	128.66	0.55	0.18	128	<0.1	0.157	144
34-128		East Coeur	317	-35	128.66	129.88	1.22	-	20	<0.1	0.02	<22
34-128		East Coeur	317	-35	129.88	130.98	1.10	-	<17	<0.1	<0.01	<22
34-128		East Coeur	317	-35	130.98	131.89	0.91	-	131	<0.1	0.171	149
34-128		East Coeur	317	-35	134.57	134.76	0.18	-	27	<0.1	0.111	39
34-128		East Coeur	317	-35	134.76	135.98	1.22	-	20	<0.1	0.07	27
34-128		East Coeur	317	-35	144.15	144.51	0.37	-	86	<0.1	0.085	94
34-129		East Coeur	310	-55	89.12	89.27	0.15	-	<17	<0.1	<0.01	<22
34-129		East Coeur	310	-55	92.59	92.74	0.15	-	269	<0.1	0.269	297
34-129		East Coeur	310	-55	100.00	101.52	1.52	-	<17	<0.1	<0.01	<22
34-129		East Coeur	310	-55	101.52	102.13	0.61	-	<17	<0.1	<0.01	<22
34-129		East Coeur	310	-55	113.02	113.72	0.70	-	432	<0.1	0.542	488
34-129		East Coeur	310	-55	122.26	122.56	0.30	-	535	<0.1	1.17	655
34-129		East Coeur	310	-55	135.49	135.95	0.46	-	35	<0.1	0.289	65
34-129		East Coeur	310	-55	135.95	136.46	0.52	-	280	<0.1	0.45	326
34-129		East Coeur	310	-55	136.46	136.80	0.34	-	<17	<0.1	0.02	<22

Galena Levels 3400, 4300, 4900 and 5500 Drill Results - July 12, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
34-129		East Coeur	310	-55	140.70	141.01	0.30	-	<17	<0.1	0.015	<22
34-129		East Coeur	310	-55	141.01	141.37	0.37	-	203	<0.1	0.227	226
34-129		East Coeur	310	-55	141.37	141.77	0.40	-	<17	<0.1	<0.01	<22
34-129		East Coeur	310	-55	151.65	151.98	0.34	-	64	<0.1	0.098	74
34-129		East Coeur	310	-55	213.57	214.18	0.61	-	32	<0.1	0.068	39
34-130		East Coeur	296	-47	117.74	117.96	0.21	-	267	<0.1	0.587	327
34-130		East Coeur	296	-47	169.94	170.43	0.49	-	<17	<0.1	0.025	<22
34-130	400	East Coeur	296	-47	170.43	171.80	1.37	1.19	1,320	<0.1	1.33	1,460
34-130	400	East Coeur	296	-47	171.80	172.41	0.61	0.52	597	<0.1	0.661	665
34-130		East Coeur	296	-47	172.41	172.93	0.52	-	<17	<0.1	0.011	<22
34-130		East Coeur	296	-47	175.18	175.46	0.27	-	<17	<0.1	<0.01	<22
34-130		East Coeur	296	-47	175.46	176.59	1.13	-	<17	<0.1	0.014	<22
34-130		East Coeur	296	-47	176.59	176.77	0.18	-	116	<0.1	0.1	126
34-130		East Coeur	296	-47	179.48	180.70	1.22	-	<17	<0.1	<0.01	<22
34-130		East Coeur	296	-47	192.04	192.29	0.24	-	922	<0.1	1.07	1,030
34-131		East Coeur	280	-55	89.21	90.24	1.04	-	<17	<0.1	<0.01	<22
34-131		East Coeur	280	-55	90.24	90.49	0.24	-	1,430	<0.1	2.05	1,640
34-131		East Coeur	280	-55	90.49	91.49	1.01	-	<17	<0.1	<0.01	<22
34-131		East Coeur	280	-55	117.56	117.93	0.37	-	<17	<0.1	<0.01	<22
34-131		East Coeur	280	-55	135.18	136.68	1.49	-	<17	<0.1	<0.01	<22
34-131		East Coeur	280	-55	136.68	136.86	0.18	-	178	<0.1	0.474	227
34-131		East Coeur	280	-55	136.86	137.50	0.64	-	<17	<0.1	<0.01	<22
34-131		East Coeur	280	-55	171.80	172.07	0.27	-	46	<0.1	0.069	53
34-131		East Coeur	280	-55	172.07	172.50	0.43	-	<17	<0.1	<0.01	<22
34-131	400	East Coeur	280	-55	186.01	186.19	0.18	-	82	<0.1	0.173	100
34-131	425	East Coeur	280	-55	223.69	224.33	0.64	-	412	<0.1	0.208	433
34-131		East Coeur	280	-55	237.04	237.20	0.15	-	<17	<0.1	0.019	<22
34-131		East Coeur	280	-55	237.20	238.72	1.52	-	<17	<0.1	0.024	<22
34-131		East Coeur	280	-55	238.72	240.24	1.52	-	<17	<0.1	0.014	<22
34-131		East Coeur	280	-55	240.24	241.77	1.52	-	<17	<0.1	0.014	<22
34-131		East Coeur	280	-55	241.77	242.53	0.76	-	<17	<0.1	<0.01	<22
34-131		East Coeur	280	-55	242.53	243.14	0.61	-	<17	<0.1	0.014	<22
34-131		East Coeur	280	-55	246.49	246.80	0.30	-	<17	<0.1	0.056	23
34-131		East Coeur	280	-55	246.80	247.71	0.91	-	134	<0.1	0.373	172
34-132		East Coeur	297	-76	112.62	112.80	0.18	-	31	<0.1	0.048	36
34-132		East Coeur	297	-76	112.80	114.33	1.52	-	25	<0.1	0.056	31
34-132		East Coeur	297	-76	124.09	125.61	1.52	-	<17	<0.1	0.019	23
34-132	425	East Coeur	297	-76	125.61	126.01	0.40	0.18	2,360	<0.1	3.63	2,730
34-132		East Coeur	297	-76	126.01	126.22	0.21	-	<17	<0.1	0.044	25
34-132		East Coeur	297	-76	126.22	126.68	0.46	-	69	<0.1	0.202	89
34-132		East Coeur	297	-76	126.68	127.74	1.07	-	47	<0.1	0.124	60
34-132		East Coeur	297	-76	308.23	309.76	1.52	-	<17	<0.1	<0.01	<22
34-132		East Coeur	297	-76	312.20	312.50	0.30	-	528	<0.1	1.94	728
34-133		East Coeur	138	-14	372.56	372.99	0.43	-	91	<0.1	0.283	120
34-133		East Coeur	138	-14	372.99	373.48	0.49	-	290	<0.1	1.95	491
34-133		East Coeur	138	-14	373.48	374.30	0.82	-	18	<0.1	0.1	29
34-133		East Coeur	138	-14	374.30	375.30	1.01	-	<17	<0.1	0.079	25
34-133		East Coeur	138	-14	375.30	375.91	0.61	-	<17	<0.1	0.069	24
34-133		East Coeur	138	-14	384.63	386.16	1.52	-	34	<0.1	0.127	47
34-133	Unknown	East Coeur	138	-14	386.16	387.10	0.95	0.64	943	<0.1	2.39	1,190
34-133	Unknown	East Coeur	138	-14	387.10	387.90	0.79	0.52	408	<0.1	1.36	548
34-133	Unknown	East Coeur	138	-14	387.90	388.23	0.34	0.21	761	<0.1	2.09	976
34-133		East Coeur	138	-14	388.23	389.76	1.52	-	<17	<0.1	<0.01	<22
34-134		East Coeur	137	-27.6	7.74	8.87	1.13	-	134	<0.1	0.235	158
34-134		East Coeur	137	-27.6	285.76	287.29	1.52	-	<17	<0.1	0.013	<22
34-134		East Coeur	137	-27.6	383.78	383.93	0.15	-	132	<0.1	0.454	179
34-134		East Coeur	137	-27.6	390.79	391.10	0.30	-	<17	<0.1	0.024	23
34-134		East Coeur	137	-27.6	401.25	401.55	0.30	-	<17	<0.1	0.078	29
34-134		East Coeur	137	-27.6	401.55	402.44	0.88	-	<17	<0.1	0.018	23
34-134		East Coeur	137	-27.6	402.44	403.51	1.07	-	<17	<0.1	<0.01	<22
34-134		East Coeur	137	-27.6	403.51	403.87	0.37	-	<17	<0.1	0.035	24
34-134		East Coeur	137	-27.6	403.87	405.21	1.34	-	<17	<0.1	0.032	24
34-134		East Coeur	137	-27.6	405.21	405.73	0.52	-	219	<0.1	0.518	272
34-134		East Coeur	137	-27.6	405.73	406.22	0.49	-	<17	<0.1	0.024	23
43-254		360 Complex	356	-20	140.34	141.77	1.43	-	<17	0.164	<0.01	24
43-254		360 Complex	356	-20	153.05	153.51	0.46	-	<17	0.201	<0.01	25
43-261		360 Complex	49	-35	0.00	1.52	1.52	-	62	2.02	<0.01	134
43-261		360 Complex	49	-35	1.52	2.13	0.61	-	229	7.9	0.015	515
43-261		360 Complex	49	-35	2.13	3.05	0.91	-	97	3.69	<0.01	230
43-261		360 Complex	49	-35	3.05	3.96	0.91	-	191	7.58	<0.01	464
43-261		360 Complex	49	-35	3.96	5.03	1.07	-	106	3.94	<0.01	248
43-261		360 Complex	49	-35	5.03	6.10	1.07	-	33	1.22	<0.01	77
43-261		360 Complex	49	-35	6.10	7.62	1.52	-	36	1.43	<0.01	87
43-261		360 Complex	49	-35	7.62	9.15	1.52	-	56	2.16	<0.01	134
43-261		360 Complex	49	-35	9.15	10.67	1.52	-	35	1.44	<0.01	86
43-261		360 Complex	49	-35	10.67	12.20	1.52	-	25	1.12	<0.01	66
43-261		360 Complex	49	-35	12.20	13.72	1.52	-	61	2.82	<0.01	163
43-261		360 Complex	49	-35	13.72	15.24	1.52	-	35	1.57	<0.01	91
43-261		360 Complex	49	-35	19.63	19.91	0.27	-	<17	0.262	<0.01	28
43-261		360 Complex	49	-35	19.91	21.34	1.43	-	71	3.3	<0.01	190

Galena Levels 3400, 4300, 4900 and 5500 Drill Results - July 12, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
43-261		360 Complex	49	-35	21.34	22.87	1.52	-	39	1.76	<0.01	103
43-261		360 Complex	49	-35	22.87	24.09	1.22	-	21	0.843	<0.01	51
43-261		360 Complex	49	-35	24.09	24.79	0.70	-	21	0.91	0.017	56
43-261		360 Complex	49	-35	24.79	25.03	0.24	-	525	13.9	1.66	1,200
43-261		360 Complex	49	-35	25.03	25.49	0.46	-	20	1.16	0.011	62
43-261		360 Complex	49	-35	36.28	37.80	1.52	-	39	2.22	<0.01	119
43-261		360 Complex	49	-35	37.80	39.33	1.52	-	18	1.35	<0.01	66
43-261		360 Complex	49	-35	39.33	40.85	1.52	-	55	3.34	<0.01	175
43-261		360 Complex	49	-35	44.76	46.04	1.28	-	37	2.26	0.014	120
43-261		360 Complex	49	-35	46.04	47.56	1.52	-	30	2	<0.01	102
43-261		360 Complex	49	-35	47.56	49.09	1.52	-	20	1.41	<0.01	70
43-261		360 Complex	49	-35	67.38	67.99	0.61	-	33	1.03	0.102	81
43-261		360 Complex	49	-35	67.99	68.60	0.61	-	26	1.23	0.11	82
43-261		360 Complex	49	-35	68.60	69.82	1.22	-	112	4.92	0.123	302
43-261		360 Complex	49	-35	69.82	70.88	1.07	-	89	2.96	0.187	215
43-261		360 Complex	49	-35	98.17	99.09	0.91	-	47	0.655	0.162	87
43-261		360 Complex	49	-35	99.09	100.61	1.52	-	26	1.2	0.122	81
43-261		360 Complex	49	-35	100.61	102.13	1.52	-	92	1.7	0.361	191
43-261		360 Complex	49	-35	102.13	103.66	1.52	-	31	0.943	0.056	71
43-261		360 Complex	49	-35	103.66	105.18	1.52	-	26	1.01	0.119	74
43-261		360 Complex	49	-35	105.18	106.71	1.52	-	<17	0.605	0.021	41
43-262		360 Complex	196	2	36.37	36.74	0.37	-	<17	<0.1	<0.01	<22
43-262		360 Complex	196	2	107.93	108.11	0.18	-	40	<0.1	0.032	43
43-262		360 Complex	196	2	116.07	117.59	1.52	-	<17	<0.1	<0.01	<22
43-262		360 Complex	196	2	117.59	117.90	0.30	-	<17	<0.1	<0.01	<22
43-262		360 Complex	196	2	117.90	118.48	0.58	-	152	<0.1	0.098	162
43-262		360 Complex	196	2	217.68	218.29	0.61	-	<17	<0.1	0.632	86
43-262		360 Complex	196	2	218.29	218.90	0.61	-	<17	<0.1	0.071	28
43-262		360 Complex	196	2	218.90	220.12	1.22	-	<17	<0.1	0.027	24
43-262		360 Complex	196	2	220.12	221.65	1.52	-	<17	<0.1	0.102	31
43-262		360 Complex	196	2	262.20	263.26	1.07	-	<17	<0.1	0.488	71
43-262		360 Complex	196	2	397.87	398.32	0.46	-	<17	<0.1	0.356	57
43-263		360 Complex	30	-35	0.00	1.52	1.52	-	121	3.66	<0.01	253
43-263		360 Complex	30	-35	1.52	2.90	1.37	-	110	3.93	<0.01	251
43-263		360 Complex	30	-35	2.90	4.27	1.37	-	172	6.4	<0.01	402
43-263		360 Complex	30	-35	6.10	7.62	1.52	-	54	2.08	<0.01	128
43-263		360 Complex	30	-35	7.62	9.15	1.52	-	47	1.81	<0.01	112
43-263		360 Complex	30	-35	12.80	14.33	1.52	-	65	2.26	<0.01	146
43-263		360 Complex	30	-35	14.33	15.85	1.52	-	74	2.92	<0.01	179
43-263		360 Complex	30	-35	15.85	16.46	0.61	-	93	3.53	0.013	221
43-263		360 Complex	30	-35	16.46	17.68	1.22	-	50	2.19	<0.01	129
43-263		360 Complex	30	-35	17.68	18.90	1.22	-	43	1.91	<0.01	112
43-263		360 Complex	30	-35	24.39	25.61	1.22	-	62	2.7	0.024	162
43-263		360 Complex	30	-35	27.44	27.93	0.49	-	26	1.63	<0.01	85
43-263		360 Complex	30	-35	27.93	28.08	0.15	-	412	23.4	0.077	1,260
43-263		360 Complex	30	-35	28.08	28.99	0.91	-	37	1.89	<0.01	105
43-263		360 Complex	30	-35	32.93	34.45	1.52	-	23	1.61	<0.01	81
43-263		360 Complex	30	-35	34.45	35.98	1.52	-	<17	0.772	<0.01	46
43-263		360 Complex	30	-35	35.98	36.59	0.61	-	53	2.82	0.018	157
43-263		360 Complex	30	-35	36.59	38.11	1.52	-	50	2.79	<0.01	150
43-263		360 Complex	30	-35	38.11	39.63	1.52	-	22	1.41	<0.01	73
43-263		360 Complex	30	-35	39.63	41.16	1.52	-	62	4.17	<0.01	212
43-263		360 Complex	30	-35	41.16	42.68	1.52	-	39	2.26	<0.01	120
43-263		360 Complex	30	-35	42.68	43.81	1.13	-	25	1.58	<0.01	82
43-263		360 Complex	30	-35	48.17	49.70	1.52	-	24	1.68	<0.01	85
43-263		360 Complex	30	-35	49.70	51.22	1.52	-	<17	1.08	<0.01	56
43-263		360 Complex	30	-35	51.22	52.74	1.52	-	37	2.23	0.026	120
43-263		360 Complex	30	-35	52.74	54.27	1.52	-	20	1.34	0.02	70
43-263		360 Complex	30	-35	62.96	63.17	0.21	-	22	0.988	0.073	65
43-263		360 Complex	30	-35	73.17	74.18	1.01	-	24	0.612	0.064	52
43-263		360 Complex	30	-35	93.08	94.30	1.22	-	60	0.289	0.126	84
43-263		360 Complex	30	-35	108.69	108.84	0.15	-	80	9.21	0.259	439
43-263		360 Complex	30	-35	108.84	109.45	0.61	-	68	1.22	0.015	113
43-263		360 Complex	30	-35	109.45	109.76	0.30	-	658	19.7	0.11	1,380
43-263		360 Complex	30	-35	109.76	111.28	1.52	-	18	0.611	<0.01	40
43-263		360 Complex	30	-35	111.28	111.83	0.55	-	70	6.43	0.048	306
43-263		360 Complex	30	-35	111.83	112.80	0.98	-	22	2.19	<0.01	101
43-263		360 Complex	30	-35	112.80	114.33	1.52	-	42	4	<0.01	186
43-263		360 Complex	30	-35	114.33	115.85	1.52	1.40	106	9.29	<0.01	440
43-263		360 Complex	30	-35	115.85	116.71	0.85	0.79	412	20	0.02	1,130
43-263		360 Complex	30	-35	116.71	117.20	0.49	-	98	4.14	<0.01	247
43-263		360 Complex	30	-35	117.20	118.29	1.10	-	<17	0.256	<0.01	27
43-263		360 Complex	30	-35	118.29	118.90	0.61	-	<17	0.289	<0.01	29
43-263	350	360 Complex	30	-35	118.90	119.36	0.46	0.46	535	21.9	<0.01	1,320
43-263	350	360 Complex	30	-35	119.36	120.82	1.46	1.43	84	4.38	0.066	249
43-263	350	360 Complex	30	-35	120.82	121.95	1.13	1.10	153	9.92	0.015	512
43-263	350	360 Complex	30	-35	121.95	122.93	0.98	0.95	81	8.06	<0.01	371
43-263	350	360 Complex	30	-35	122.93	123.66	0.73	0.70	64	5.46	<0.01	261
43-263		360 Complex	30	-35	127.96	128.20	0.24	-	<17	<0.1	<0.01	<22
43-263		360 Complex	30	-35	137.20	137.38	0.18	-	<17	<0.1	<0.01	<22

Galena Levels 3400, 4300, 4900 and 5500 Drill Results - July 12, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
43-264		360 Complex	17	-42	4.39	5.91	1.52	-	155	5.34	<0.01	347
43-264		360 Complex	17	-42	5.91	7.44	1.52	-	96	3.89	<0.01	236
43-264		360 Complex	17	-42	7.44	8.14	0.70	-	69	2.12	<0.01	145
43-264		360 Complex	17	-42	8.14	9.36	1.22	-	<17	0.625	<0.01	41
43-264		360 Complex	17	-42	9.36	10.58	1.22	-	18	0.723	<0.01	44
43-264		360 Complex	17	-42	10.58	11.65	1.07	-	103	4.37	<0.01	260
43-264		360 Complex	17	-42	15.55	16.62	1.07	-	37	1.47	<0.01	90
43-264		360 Complex	17	-42	16.62	18.11	1.49	-	47	1.81	<0.01	112
43-264		360 Complex	17	-42	18.11	18.60	0.49	0.46	236	9.19	0.011	568
43-264		360 Complex	17	-42	18.60	19.42	0.82	0.79	150	6.37	<0.01	379
43-264		360 Complex	17	-42	19.42	20.55	1.13	-	81	3.16	<0.01	195
43-264		360 Complex	17	-42	33.23	33.54	0.30	-	32	1.45	<0.01	84
43-264		360 Complex	17	-42	33.54	34.15	0.61	-	121	5.27	0.029	314
43-264		360 Complex	17	-42	34.15	35.37	1.22	-	68	3.04	<0.01	177
43-264		360 Complex	17	-42	35.37	36.28	0.91	-	80	4.22	<0.01	232
43-264		360 Complex	17	-42	42.38	43.60	1.22	-	49	2.52	<0.01	140
43-264		360 Complex	17	-42	43.60	45.12	1.52	-	24	1.18	<0.01	67
43-264		360 Complex	17	-42	45.12	46.65	1.52	-	22	1.14	<0.01	63
43-264		360 Complex	17	-42	46.65	47.16	0.52	-	126	8.08	<0.01	417
43-264		360 Complex	17	-42	47.16	48.66	1.49	-	29	1.54	<0.01	84
43-264		360 Complex	17	-42	54.45	54.88	0.43	-	103	6.7	0.062	350
43-264		360 Complex	17	-42	54.88	56.37	1.49	-	32	1.53	<0.01	87
43-264		360 Complex	17	-42	59.85	60.03	0.18	-	75	5.13	<0.01	260
43-264		360 Complex	17	-42	60.03	60.67	0.64	-	18	0.839	<0.01	49
43-264		360 Complex	17	-42	60.67	61.74	1.07	-	44	2.24	<0.01	125
43-264		360 Complex	17	-42	61.74	62.59	0.85	-	<17	0.504	<0.01	36
43-264		360 Complex	17	-42	62.59	64.12	1.52	-	21	0.988	0.016	59
43-264		360 Complex	17	-42	64.12	65.64	1.52	-	<17	<0.1	<0.01	<22
43-264		360 Complex	17	-42	65.64	67.16	1.52	-	<17	0.504	0.033	39
43-264		360 Complex	17	-42	69.66	69.97	0.30	-	218	12.7	0.02	677
43-264		360 Complex	17	-42	69.97	70.70	0.73	-	<17	0.755	<0.01	45
43-264		360 Complex	17	-42	70.70	72.23	1.52	-	29	1.51	<0.01	83
43-264		360 Complex	17	-42	73.78	74.09	0.30	-	28	0.589	0.035	53
43-264		360 Complex	17	-42	87.10	88.63	1.52	-	<17	0.111	0.016	23
43-264		360 Complex	17	-42	92.04	92.32	0.27	-	65	0.382	0.131	92
43-264		360 Complex	17	-42	105.18	105.49	0.30	-	151	7.47	0.383	459
43-264		360 Complex	17	-42	113.48	115.00	1.52	-	31	0.829	0.013	62
43-264		360 Complex	17	-42	115.00	116.52	1.52	-	58	1.78	<0.01	122
43-264		360 Complex	17	-42	116.52	118.05	1.52	-	22	0.744	<0.01	49
43-264		360 Complex	17	-42	118.05	118.51	0.46	-	21	0.684	<0.01	46
43-264		360 Complex	17	-42	118.51	118.69	0.18	-	288	12	0.076	728
43-264		360 Complex	17	-42	118.69	119.27	0.58	-	92	4.27	<0.01	246
43-264		360 Complex	17	-42	119.27	120.58	1.31	-	<17	<0.1	<0.01	<22
43-264		360 Complex	17	-42	120.58	122.10	1.52	-	24	1.04	<0.01	62
43-264	350	360 Complex	17	-42	122.10	122.47	0.37	0.35	494	29.6	0.04	1,570
43-264	350	360 Complex	17	-42	122.47	122.65	0.18	0.17	<17	0.212	<0.01	26
43-264	350	360 Complex	17	-42	122.65	122.84	0.18	0.17	157	6.46	0.02	392
43-264		360 Complex	17	-42	122.84	123.57	0.73	-	<17	0.188	<0.01	25
43-264		360 Complex	17	-42	126.37	126.89	0.52	-	<17	<0.1	<0.01	<22
43-264		360 Complex	17	-42	129.79	130.24	0.46	-	111	3.17	0.022	227
43-264		360 Complex	17	-42	130.24	130.64	0.40	-	<17	<0.1	<0.01	<22
43-264		360 Complex	17	-42	130.64	130.95	0.30	-	133	3.7	<0.01	266
43-264		360 Complex	17	-42	130.98	132.50	1.52	-	209	5.59	<0.01	410
43-264		360 Complex	17	-42	132.50	132.99	0.49	-	121	5.96	0.177	354
43-264		360 Complex	17	-42	132.99	134.51	1.52	-	346	10.2	<0.01	713
43-264		360 Complex	17	-42	134.51	136.04	1.52	-	126	5.27	<0.01	316
43-264		360 Complex	17	-42	136.04	137.13	1.10	-	196	9.89	<0.01	552
43-264		360 Complex	17	-42	137.13	137.74	0.61	-	18	1.15	<0.01	59
43-264		360 Complex	17	-42	137.74	138.11	0.37	-	107	5.47	<0.01	304
43-264		360 Complex	17	-42	138.11	139.63	1.52	-	<17	0.256	<0.01	27
43-264		360 Complex	17	-42	139.63	141.16	1.52	-	49	1.64	<0.01	108
43-264		360 Complex	17	-42	141.16	142.07	0.91	-	<17	0.213	<0.01	26
43-264		360 Complex	17	-42	142.07	143.45	1.37	-	<17	<0.1	<0.01	<22
43-265		360 Complex	83	-38	0.00	1.52	1.52	-	18	0.587	<0.01	39
43-265		360 Complex	83	-38	1.52	3.05	1.52	-	142	5.17	<0.01	328
43-265		360 Complex	83	-38	3.05	4.12	1.07	-	77	2.73	<0.01	175
43-265		360 Complex	83	-38	4.12	4.48	0.37	-	398	12	0.13	843
43-265		360 Complex	83	-38	4.48	5.64	1.16	-	42	1.38	<0.01	92
43-265		360 Complex	83	-38	5.64	6.10	0.46	-	82	3.67	<0.01	214
43-265		360 Complex	83	-38	6.10	6.55	0.46	-	34	0.859	<0.01	65
43-265		360 Complex	83	-38	6.55	7.93	1.37	-	51	2	<0.01	123
43-265		360 Complex	83	-38	9.76	10.98	1.22	-	52	1.91	<0.01	121
43-265		360 Complex	83	-38	13.72	15.24	1.52	-	60	2.99	<0.01	168
43-265		360 Complex	83	-38	15.24	16.77	1.52	-	83	4.14	<0.01	232
43-265		360 Complex	83	-38	16.77	17.90	1.13	0.37	144	8.02	0.012	434
43-265		360 Complex	83	-38	17.90	19.15	1.25	0.40	274	18.4	0.035	940
43-265		360 Complex	83	-38	19.15	19.66	0.52	0.15	98	5.91	<0.01	311
43-265		360 Complex	83	-38	19.66	19.85	0.18	0.06	96	5.84	0.035	310
43-265		360 Complex	83	-38	19.85	20.40	0.55	-	<17	0.19	<0.01	25
43-265		360 Complex	83	-38	27.44	28.96	1.52	-	<17	0.571	<0.01	39

Galena Levels 3400, 4300, 4900 and 5500 Drill Results - July 12, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
43-265		360 Complex	83	-38	28.96	30.49	1.52	-	<17	0.561	0.025	40
43-265		360 Complex	83	-38	30.49	31.19	0.70	-	<17	0.261	0.035	30
43-265		360 Complex	83	-38	31.19	31.55	0.37	-	138	0.614	0.291	190
43-265		360 Complex	83	-38	31.55	31.83	0.27	-	<17	0.216	0.026	28
43-265		360 Complex	83	-38	31.83	32.53	0.70	-	<17	0.119	0.013	23
43-265		360 Complex	83	-38	32.53	32.87	0.34	-	55	1.51	0.369	148
43-265		360 Complex	83	-38	32.87	33.54	0.67	-	<17	0.275	0.061	33
43-265		360 Complex	83	-38	33.54	35.06	1.52	-	<17	0.515	0.124	48
43-265		360 Complex	83	-38	35.06	36.59	1.52	-	<17	0.361	0.014	32
43-265		360 Complex	83	-38	36.59	38.11	1.52	-	25	1.11	0.011	66
43-265		360 Complex	83	-38	38.11	39.39	1.28	-	97	3.8	0.02	236
43-265		360 Complex	83	-38	46.34	46.65	0.30	-	20	0.948	<0.01	54
43-265		360 Complex	83	-38	46.65	47.65	1.01	-	115	6.79	0.019	361
43-265		360 Complex	83	-38	47.65	48.78	1.13	-	31	1.63	<0.01	90
43-265		360 Complex	83	-38	48.78	50.30	1.52	-	<17	1	<0.01	54
43-265		360 Complex	83	-38	50.30	51.83	1.52	-	38	2.3	<0.01	121
43-265		360 Complex	83	-38	51.83	53.35	1.52	-	56	3.53	<0.01	183
43-265		360 Complex	83	-38	53.35	53.60	0.24	-	219	6.97	0.27	498
43-265		360 Complex	83	-38	53.60	54.05	0.46	-	<17	0.268	<0.01	28
43-265	257	360 Complex	83	-38	56.71	58.23	1.52	-	43	2.34	<0.01	127
43-265	257	360 Complex	83	-38	58.23	59.73	1.49	-	41	2.24	<0.01	121
43-265	257	360 Complex	83	-38	59.73	60.12	0.40	-	410	16.3	0.067	1,000
43-265		360 Complex	83	-38	60.12	60.98	0.85	-	<17	1.01	<0.01	55
43-265		360 Complex	83	-38	60.98	66.28	1.22	-	48	0.141	0.082	62
43-265		360 Complex	83	-38	66.28	66.92	0.64	-	302	0.577	0.482	372
43-265		360 Complex	83	-38	66.92	88.41	1.49	-	231	<0.1	0.399	272
43-265		360 Complex	83	-38	88.41	89.94	1.52	-	336	<0.1	0.551	393
43-265		360 Complex	83	-38	89.94	91.34	1.40	-	202	<0.1	0.329	236
43-265		360 Complex	83	-38	93.60	94.51	0.91	-	76	0.275	0.117	98
43-265		360 Complex	83	-38	94.51	95.00	0.49	-	44	0.12	0.077	56
43-265		360 Complex	83	-38	95.00	95.30	0.30	-	2,380	4.77	2.87	2,850
49-558		LCLZ	356	0	41.16	42.68	1.52	-	<17	0.373	<0.01	32
49-558		LCLZ	356	0	42.68	44.21	1.52	-	26	0.72	<0.01	52
49-558		LCLZ	356	0	44.21	45.73	1.52	-	94	3.45	<0.01	218
49-558	Unknown	LCLZ	356	0	45.73	47.26	1.52	1.25	153	5.04	<0.01	334
49-558	Unknown	LCLZ	356	0	47.26	48.78	1.52	1.25	219	6.64	<0.01	458
49-558	Unknown	LCLZ	356	0	48.78	49.24	0.46	0.40	357	12.3	<0.01	800
49-558		LCLZ	356	0	49.24	50.61	1.37	-	27	0.704	<0.01	53
49-558		LCLZ	356	0	50.61	51.83	1.22	-	49	1.38	<0.01	98
49-558		LCLZ	356	0	51.83	52.44	0.61	-	63	1.41	<0.01	114
49-558		LCLZ	356	0	58.08	58.69	0.61	-	131	3.41	<0.01	254
49-558		LCLZ	356	0	63.20	64.02	0.82	-	<17	<0.1	<0.01	<22
49-558		LCLZ	356	0	64.02	65.55	1.52	-	31	0.776	<0.01	59
49-558		LCLZ	356	0	65.55	67.07	1.52	-	31	0.88	<0.01	63
49-558		LCLZ	356	0	67.07	67.93	0.85	-	<17	<0.1	<0.01	<22
49-558		LCLZ	356	0	67.93	68.84	0.91	-	103	3.16	0.019	219
49-558		LCLZ	356	0	68.84	70.12	1.28	-	29	0.696	<0.01	54
49-558		LCLZ	356	0	70.12	71.19	1.07	-	<17	0.386	<0.01	32
49-558		LCLZ	356	0	71.19	71.74	0.55	-	125	4.6	0.012	292
49-558		LCLZ	356	0	71.74	73.17	1.43	-	<17	0.416	<0.01	33
49-558		LCLZ	356	0	73.17	73.90	0.73	-	41	1.15	<0.01	82
49-558		LCLZ	356	0	73.90	75.24	1.34	-	<17	0.114	<0.01	<22
49-558		LCLZ	356	0	75.24	75.73	0.49	-	82	3.34	<0.01	202
49-558		LCLZ	356	0	75.73	76.22	0.49	-	<17	0.404	<0.01	32
49-558		LCLZ	356	0	76.22	77.59	1.37	-	<17	<0.1	<0.01	<22
49-558		LCLZ	356	0	77.59	78.81	1.22	-	59	0.134	0.038	68
49-558	167	LCLZ	356	0	78.81	79.12	0.30	-	823	0.209	0.64	896
49-558		LCLZ	356	0	79.12	80.64	1.52	-	38	0.96	<0.01	72
49-558		LCLZ	356	0	80.64	81.86	1.22	-	18	0.64	<0.01	41
49-558		LCLZ	356	0	81.86	82.93	1.07	-	<17	0.412	<0.01	33
49-558		LCLZ	356	0	82.93	83.08	0.15	-	331	15.1	<0.01	875
49-558		LCLZ	356	0	83.08	83.38	0.30	-	18	0.696	<0.01	43
49-558	164	LCLZ	356	0	83.38	83.57	0.18	-	388	16.4	<0.01	978
49-558	164	LCLZ	356	0	83.57	84.05	0.49	-	46	1.79	<0.01	110
49-558		LCLZ	356	0	92.99	94.27	1.28	-	<17	<0.1	<0.01	<22
49-558		LCLZ	356	0	94.27	94.51	0.24	-	142	<0.1	0.102	153
49-558		LCLZ	356	0	94.51	95.27	0.76	-	35	<0.1	0.026	38
49-558		LCLZ	356	0	95.27	96.34	1.07	-	32	0.952	0.05	71
49-558		LCLZ	356	0	96.34	97.56	1.22	-	<17	0.492	<0.01	35
49-558		LCLZ	356	0	97.56	98.78	1.22	-	27	0.692	<0.01	52
49-558		LCLZ	356	0	98.78	99.39	0.61	-	31	0.313	0.021	45
49-558		LCLZ	356	0	101.22	102.74	1.52	-	26	0.76	<0.01	53
49-558		LCLZ	356	0	102.74	104.27	1.52	-	<17	0.367	<0.01	31
49-558		LCLZ	356	0	106.59	106.77	0.18	-	71	<0.1	0.029	74
49-558		LCLZ	356	0	106.77	107.38	0.61	-	133	1.32	0.056	186
49-558		LCLZ	356	0	107.38	108.23	0.85	-	<17	0.324	<0.01	30
49-559	Unknown	LCLZ	356	11	46.74	46.89	0.15	0.12	415	17.9	<0.01	1,060
49-559	Unknown	LCLZ	356	11	46.89	48.02	1.13	0.95	115	4.64	<0.01	282
49-559	Unknown	LCLZ	356	11	48.02	48.17	0.15	0.12	314	14.1	<0.01	822
49-559		LCLZ	356	11	49.73	51.22	1.49	-	97	4.13	<0.01	246

Galena Levels 3400, 4300, 4900 and 5500 Drill Results - July 12, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-559		LCLZ	356	11	54.94	55.12	0.18	-	74	1.36	0.02	125
49-559		LCLZ	356	11	64.02	64.24	0.21	-	<17	<0.1	<0.01	<22
49-559		LCLZ	356	11	64.24	65.21	0.98	-	64	1.54	<0.01	120
49-559		LCLZ	356	11	65.21	66.37	1.16	-	24	0.697	0.036	52
49-559		LCLZ	356	11	69.12	70.21	1.10	-	144	7.42	<0.01	411
49-559		LCLZ	356	11	70.21	71.65	1.43	-	<17	0.179	<0.01	25
49-559		LCLZ	356	11	71.65	72.07	0.43	-	<17	<0.1	<0.01	<22
49-559		LCLZ	356	11	72.07	72.35	0.27	-	230	9.54	0.032	576
49-559		LCLZ	356	11	72.35	73.87	1.52	-	<17	0.433	<0.01	34
49-559		LCLZ	356	11	73.87	74.91	1.04	-	<17	0.394	<0.01	32
49-559		LCLZ	356	11	74.91	75.49	0.58	-	106	3.7	0.048	244
49-559		LCLZ	356	11	75.49	77.01	1.52	-	22	0.609	0.019	46
49-559		LCLZ	356	11	77.01	77.62	0.61	-	<17	0.125	<0.01	23
49-559		LCLZ	356	11	77.62	78.60	0.98	-	31	0.562	0.042	55
49-559		LCLZ	356	11	78.60	79.27	0.67	-	<17	<0.1	<0.01	<22
49-559	1752	LCLZ	356	11	79.27	79.79	0.52	0.49	72	3.24	<0.01	189
49-559	1752	LCLZ	356	11	79.79	80.21	0.43	0.40	1,100	66.8	<0.01	3,500
49-559		LCLZ	356	11	80.21	81.52	1.31	-	54	2.65	<0.01	149
49-559		LCLZ	356	11	81.52	81.68	0.15	-	62	1.9	0.018	133
49-559		LCLZ	356	11	81.68	82.68	1.01	-	<17	0.389	<0.01	32
49-559		LCLZ	356	11	82.68	82.87	0.18	-	239	10.1	0.041	607
49-559		LCLZ	356	11	82.87	83.32	0.46	-	<17	0.215	<0.01	26
49-559		LCLZ	356	11	83.32	83.96	0.64	-	32	1.07	<0.01	71
49-559	167	LCLZ	356	11	83.96	85.37	1.40	1.31	652	0.39	0.67	735
49-559	167	LCLZ	356	11	85.37	85.95	0.58	0.55	645	0.531	0.65	731
49-559		LCLZ	356	11	85.95	87.35	1.40	-	171	4.92	0.024	351
49-559		LCLZ	356	11	92.53	92.68	0.15	-	82	3.12	<0.01	194
49-559		LCLZ	356	11	92.68	93.17	0.49	-	<17	0.39	<0.01	32
49-559		LCLZ	356	11	93.17	93.48	0.30	-	477	23	0.012	1,310
49-559		LCLZ	356	11	93.48	94.51	1.04	-	23	0.637	<0.01	46
49-559		LCLZ	356	11	97.01	97.16	0.15	-	101	<0.1	0.068	108
49-559		LCLZ	356	11	97.16	98.29	1.13	-	<17	0.102	<0.01	<22
49-559		LCLZ	356	11	98.29	99.82	1.52	-	<17	0.444	<0.01	34
49-559		LCLZ	356	11	99.82	100.61	0.79	-	21	0.688	<0.01	45
49-559		LCLZ	356	11	100.61	102.13	1.52	-	<17	0.163	0.021	25
49-559		LCLZ	356	11	102.13	102.44	0.30	-	<17	<0.1	<0.01	<22
49-559		LCLZ	356	11	102.44	102.80	0.37	-	183	<0.1	0.137	197
49-559		LCLZ	356	11	102.80	104.33	1.52	-	<17	<0.1	0.011	<22
49-559		LCLZ	356	11	104.33	105.40	1.07	-	<17	<0.1	<0.01	<22
49-559		LCLZ	356	11	105.40	105.55	0.15	-	229	9.59	0.011	575
49-559		LCLZ	356	11	105.55	106.04	0.49	-	41	0.176	0.031	50
49-559		LCLZ	356	11	106.04	106.95	0.91	-	176	0.262	0.109	197
49-559		LCLZ	356	11	106.95	107.35	0.40	-	<17	<0.1	<0.01	<22
49-559		LCLZ	356	11	107.35	108.78	1.43	-	58	<0.1	0.034	62
49-559		LCLZ	356	11	108.78	109.02	0.24	-	21	<0.1	0.012	<22
49-559		LCLZ	356	11	109.02	109.85	0.82	-	33	<0.1	0.017	34
49-559		LCLZ	356	11	109.85	111.28	1.43	-	60	<0.1	0.03	64
49-559		LCLZ	356	11	111.28	111.46	0.18	-	<17	<0.1	<0.01	<22
49-559		LCLZ	356	11	114.85	115.88	1.04	-	129	0.18	0.068	143
49-559		LCLZ	356	11	121.34	121.65	0.30	-	148	1.8	0.079	221
49-559		LCLZ	356	11	121.65	122.77	1.13	-	60	0.191	0.058	73
49-559		LCLZ	356	11	122.77	123.02	0.24	-	789	0.33	0.372	839
49-559		LCLZ	356	11	126.46	127.99	1.52	-	35	1.85	<0.01	101
49-559		LCLZ	356	11	127.99	129.51	1.52	-	42	1.87	<0.01	110
49-559		LCLZ	356	11	129.51	129.97	0.46	-	26	1.45	<0.01	78
49-559		LCLZ	356	11	129.97	130.98	1.01	-	34	1.49	<0.01	88
49-559		LCLZ	356	11	130.98	131.80	0.82	-	163	6.56	<0.01	399
49-559		LCLZ	356	11	131.80	132.68	0.88	-	24	0.831	<0.01	54
49-559		LCLZ	356	11	132.68	133.02	0.34	-	187	6.45	0.088	428
49-559		LCLZ	356	11	133.02	133.93	0.91	-	41	1.14	0.027	85
49-560		LCLZ	8	-5	44.97	46.07	1.10	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	46.07	46.25	0.18	0.15	960	41.6	0.445	2,510
49-560		LCLZ	8	-5	46.25	47.35	1.10	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	48.66	49.27	0.61	-	<17	0.117	<0.01	22
49-560		LCLZ	8	-5	52.16	52.96	0.79	-	79	2.89	<0.01	183
49-560		LCLZ	8	-5	52.96	54.27	1.31	-	21	1.2	<0.01	64
49-560		LCLZ	8	-5	54.27	54.63	0.37	-	102	4.04	<0.01	247
49-560		LCLZ	8	-5	54.63	55.34	0.70	-	<17	0.693	<0.01	43
49-560		LCLZ	8	-5	55.34	56.10	0.76	-	73	2.64	0.013	169
49-560		LCLZ	8	-5	56.10	57.26	1.16	-	<17	0.252	<0.01	27
49-560		LCLZ	8	-5	58.78	59.76	0.98	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	59.76	60.46	0.70	-	73	2.89	<0.01	177
49-560		LCLZ	8	-5	60.46	61.25	0.79	-	<17	0.16	<0.01	24
49-560		LCLZ	8	-5	63.84	64.09	0.24	-	<17	0.109	<0.01	<22
49-560		LCLZ	8	-5	64.09	65.58	1.49	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	66.68	66.86	0.18	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	66.86	67.07	0.21	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	67.07	67.44	0.37	-	121	0.124	0.079	134
49-560		LCLZ	8	-5	67.44	67.84	0.40	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	67.84	68.66	0.82	-	<17	<0.1	<0.01	<22

Galena Levels 3400, 4300, 4900 and 5500 Drill Results - July 12, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-560		LCLZ	8	-5	68.66	69.51	0.85	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	69.51	69.88	0.37	-	130	5.12	0.017	316
49-560		LCLZ	8	-5	69.88	70.12	0.24	-	<17	0.173	<0.01	24
49-560		LCLZ	8	-5	70.12	71.34	1.22	-	29	1.11	<0.01	69
49-560		LCLZ	8	-5	71.34	71.86	0.52	-	<17	0.189	<0.01	25
49-560	167	LCLZ	8	-5	71.86	72.04	0.18	-	57	1.73	0.017	121
49-560		LCLZ	8	-5	72.04	73.05	1.01	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	73.05	74.09	1.04	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	74.09	74.88	0.79	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	74.88	75.18	0.30	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	75.18	75.70	0.52	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	75.70	76.01	0.30	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	76.01	77.35	1.34	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	77.35	78.57	1.22	-	<17	0.169	<0.01	24
49-560		LCLZ	8	-5	78.57	79.39	0.82	-	18	<0.1	0.012	<22
49-560		LCLZ	8	-5	79.39	79.97	0.58	-	<17	0.376	<0.01	32
49-560		LCLZ	8	-5	79.97	80.40	0.43	-	<17	0.213	<0.01	26
49-560		LCLZ	8	-5	80.40	81.62	1.22	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	81.62	82.23	0.61	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	82.23	82.50	0.27	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	82.50	83.29	0.79	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	83.29	84.39	1.10	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	84.39	85.15	0.76	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	85.15	85.30	0.15	-	425	18.6	1.49	1,250
49-560		LCLZ	8	-5	85.30	85.88	0.58	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	87.47	87.65	0.18	-	55	1.92	<0.01	124
49-560		LCLZ	8	-5	87.65	88.72	1.07	-	21	0.986	<0.01	57
49-560	168 HW	LCLZ	8	-5	88.72	88.93	0.21	-	126	2.89	0.058	236
49-560	168 HW	LCLZ	8	-5	88.93	89.94	1.01	-	19	0.749	<0.01	46
49-560	168 HW	LCLZ	8	-5	89.94	90.15	0.21	-	274	11.2	0.235	701
49-560		LCLZ	8	-5	90.15	91.01	0.85	-	<17	0.656	<0.01	42
49-560		LCLZ	8	-5	92.68	93.32	0.64	-	<17	0.109	<0.01	<22
49-560		LCLZ	8	-5	93.32	93.54	0.21	-	70	0.758	0.066	104
49-560		LCLZ	8	-5	93.54	94.09	0.55	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	94.09	94.33	0.24	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	94.33	94.51	0.18	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	94.51	94.66	0.15	-	31	<0.1	0.022	33
49-560		LCLZ	8	-5	94.66	95.27	0.61	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	99.09	100.61	1.52	-	24	0.887	<0.01	56
49-560	168	LCLZ	8	-5	100.61	101.22	0.61	-	32	1.25	<0.01	77
49-560	168	LCLZ	8	-5	101.22	101.80	0.58	-	86	2.87	0.056	195
49-560		LCLZ	8	-5	101.80	102.84	1.04	-	<17	<0.1	<0.01	<22
49-561		LCLZ	9	5.9	40.30	40.70	0.40	-	<17	0.183	<0.01	25
49-561		LCLZ	9	5.9	43.41	44.63	1.22	-	<17	0.907	<0.01	51
49-561		LCLZ	9	5.9	56.68	57.29	0.61	-	106	3.08	0.031	220
49-561		LCLZ	9	5.9	63.78	63.93	0.15	-	<17	0.167	<0.01	24
49-561		LCLZ	9	5.9	71.16	72.56	1.40	-	<17	1.2	<0.01	61
49-561		LCLZ	9	5.9	74.24	75.00	0.76	-	<17	0.664	<0.01	42
49-561	1752	LCLZ	9	5.9	75.00	75.46	0.46	-	159	7.88	0.048	448
49-561		LCLZ	9	5.9	75.46	76.22	0.76	-	<17	0.794	<0.01	47
49-561	167	LCLZ	9	5.9	76.22	77.29	1.07	-	37	3.15	<0.01	150
49-561		LCLZ	9	5.9	77.29	78.35	1.07	-	<17	0.618	<0.01	40
49-561		LCLZ	9	5.9	78.35	78.90	0.55	-	<17	<0.1	<0.01	<22
49-561		LCLZ	9	5.9	78.90	79.27	0.37	-	<17	<0.1	<0.01	<22
49-561		LCLZ	9	5.9	79.27	79.73	0.46	-	22	0.232	0.026	33
49-561	164	LCLZ	9	5.9	79.73	81.16	1.43	-	202	0.351	0.126	228
49-561		LCLZ	9	5.9	81.16	82.32	1.16	-	<17	0.119	<0.01	22
49-561		LCLZ	9	5.9	83.84	85.37	1.52	-	20	2.31	<0.01	103
49-561		LCLZ	9	5.9	85.37	86.89	1.52	-	33	1.97	0.019	106
49-561		LCLZ	9	5.9	90.85	91.01	0.15	-	34	1.47	<0.01	87
49-561		LCLZ	9	5.9	91.01	92.20	1.19	-	65	2.82	<0.01	167
49-561		LCLZ	9	5.9	92.20	92.35	0.15	-	108	4.53	0.158	287
49-561		LCLZ	9	5.9	92.35	93.75	1.40	-	33	1.7	<0.01	94
49-561		LCLZ	9	5.9	93.75	94.88	1.13	-	33	1.71	0.012	96
49-561		LCLZ	9	5.9	94.88	95.18	0.30	-	84	3.55	0.022	214
49-561		LCLZ	9	5.9	95.18	95.49	0.30	-	<17	0.729	<0.01	44
49-561	168 HW	LCLZ	9	5.9	98.51	99.85	1.34	-	43	2.79	<0.01	143
49-561		LCLZ	9	5.9	101.77	102.38	0.61	-	32	2.34	<0.01	116
49-561		LCLZ	9	5.9	102.38	103.66	1.28	-	<17	<0.1	<0.01	<22
49-561		LCLZ	9	5.9	103.66	104.27	0.61	-	23	1.5	<0.01	77
49-561	168	LCLZ	9	5.9	104.27	105.73	1.46	1.31	480	19.5	0.124	1,190
49-561	168	LCLZ	9	5.9	105.73	106.19	0.46	0.43	1,320	30.7	3.07	2,750
49-561		LCLZ	9	5.9	106.19	107.47	1.28	-	36	2.23	<0.01	116
49-564		LCLZ	38	9	37.62	38.45	0.82	-	<17	0.456	<0.01	35
49-564		LCLZ	38	9	49.18	50.70	1.52	-	30	1.18	<0.01	72
49-564		LCLZ	38	9	50.70	52.23	1.52	-	90	3.67	<0.01	222
49-564	174	LCLZ	38	9	55.49	56.22	0.73	-	217	8.7	0.021	532
49-564		LCLZ	38	9	58.54	59.63	1.10	-	69	3.52	<0.01	196
49-564		LCLZ	38	9	59.63	60.98	1.34	-	36	1.87	<0.01	104
49-564		LCLZ	38	9	60.98	62.16	1.19	-	129	6.71	<0.01	371

Galena Levels 3400, 4300, 4900 and 5500 Drill Results - July 12, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-564	1752	LCLZ	38	9	62.04	62.65	0.61	0.48	521	27.8	0.016	1,520
49-564	1752	LCLZ	38	9	62.65	64.18	1.52	1.20	152	8	<0.1	440
49-564	1752	LCLZ	38	9	64.18	65.70	1.52	1.20	160	6.3	0.012	388
49-564	1752	LCLZ	38	9	65.70	66.01	0.30	0.24	466	23.2	0.027	1,300
49-564	1752	LCLZ	38	9	66.01	66.37	0.37	0.29	255	12.8	0.012	717
49-564	1752	LCLZ	38	9	66.37	67.16	0.79	0.63	184	8.41	0.012	488
49-564		LCLZ	38	9	77.87	78.05	0.18	-	45	1.95	<0.01	115
49-564		LCLZ	38	9	87.80	88.72	0.91	-	<17	<0.1	<0.01	<22
49-564		LCLZ	38	9	88.72	89.63	0.91	-	<17	<0.1	<0.01	<22
49-564		LCLZ	38	9	91.01	91.77	0.76	-	<17	<0.1	<0.01	<22
49-564		LCLZ	38	9	91.77	93.29	1.52	-	<17	<0.1	<0.01	<22
49-564		LCLZ	38	9	96.34	97.65	1.31	-	<17	<0.1	<0.01	<22
49-564		LCLZ	38	9	97.65	97.84	0.18	-	<17	0.219	<0.01	26
49-564		LCLZ	38	9	97.84	98.17	0.34	-	<17	<0.1	<0.01	<22
49-564		LCLZ	38	9	101.83	102.35	0.52	-	<17	0.436	<0.01	34
49-564		LCLZ	38	9	103.66	104.88	1.22	-	<17	<0.1	<0.01	<22
49-564		LCLZ	38	9	108.84	109.02	0.18	-	<17	0.379	<0.01	32
49-564		LCLZ	38	9	111.28	112.80	1.52	-	28	0.658	0.04	56
49-564		LCLZ	38	9	112.80	114.33	1.52	-	131	3.69	0.041	268
49-564		LCLZ	38	9	114.33	115.85	1.52	-	51	1.45	0.03	106
49-564		LCLZ	38	9	115.85	117.38	1.52	-	60	1.94	0.025	133
49-564		LCLZ	38	9	117.38	118.90	1.52	-	75	2.57	0.027	171
49-564		LCLZ	38	9	118.90	119.51	0.61	-	<17	0.127	<0.01	23
49-565		LCLZ	38	26	50.15	50.61	0.46	-	<17	0.488	<0.01	36
49-565		LCLZ	38	26	53.35	53.78	0.43	-	<17	<0.1	<0.01	<22
49-565		LCLZ	38	26	53.78	53.96	0.18	-	117	4.64	<0.01	284
49-565		LCLZ	38	26	53.96	55.49	1.52	-	<17	0.347	<0.01	31
49-565		LCLZ	38	26	55.49	57.01	1.52	-	<17	0.139	<0.01	23
49-565		LCLZ	38	26	57.01	58.54	1.52	-	24	0.577	<0.01	45
49-565		LCLZ	38	26	58.54	60.06	1.52	-	46	1.56	<0.01	102
49-565		LCLZ	38	26	60.06	60.37	0.30	-	95	3.94	<0.01	237
49-565		LCLZ	38	26	62.50	63.72	1.22	-	27	0.691	<0.01	52
49-565		LCLZ	38	26	63.72	65.24	1.52	-	48	2.14	0.016	127
49-565		LCLZ	38	26	65.24	66.77	1.52	-	90	4.37	0.013	248
49-565		LCLZ	38	26	66.77	68.29	1.52	-	192	6.52	<0.01	427
49-565		LCLZ	38	26	68.29	69.82	1.52	-	44	1.56	<0.01	100
49-565		LCLZ	38	26	69.82	71.34	1.52	-	<17	0.104	<0.01	<22
49-565		LCLZ	38	26	71.34	72.87	1.52	-	<17	0.307	<0.01	29
49-565		LCLZ	38	26	73.17	73.48	0.30	-	<17	0.383	<0.01	32
49-565		LCLZ	38	26	73.48	75.00	1.52	-	46	1.1	<0.01	85
49-565		LCLZ	38	26	75.00	76.52	1.52	-	20	0.671	<0.01	44
49-565		LCLZ	38	26	76.52	78.05	1.52	-	<17	0.541	<0.01	38
49-565		LCLZ	38	26	78.05	79.57	1.52	-	45	1.6	<0.01	102
49-565		LCLZ	38	26	79.57	80.64	1.07	-	110	5.88	<0.01	322
49-565		LCLZ	38	26	80.64	80.82	0.18	-	34	1.4	0.031	88
49-565		LCLZ	38	26	80.82	81.31	0.49	-	63	2.43	<0.01	151
49-565		LCLZ	38	26	82.32	83.84	1.52	-	26	0.86	<0.01	57
49-565		LCLZ	38	26	83.84	84.27	0.43	-	30	0.92	<0.01	63
49-565		LCLZ	38	26	85.37	86.89	1.52	-	34	0.46	0.014	52
49-565		LCLZ	38	26	86.89	87.35	0.46	-	44	1.25	0.095	99
49-565		LCLZ	38	26	88.41	89.94	1.52	-	31	0.901	<0.01	64
49-565		LCLZ	38	26	89.94	90.70	0.76	-	<17	0.545	<0.01	38
49-565		LCLZ	38	26	91.46	92.99	1.52	-	<17	0.225	<0.01	26
49-565		LCLZ	38	26	93.60	94.51	0.91	-	<17	0.488	<0.01	36
49-565		LCLZ	38	26	94.51	96.04	1.52	-	<17	0.16	<0.01	24
49-565		LCLZ	38	26	96.04	97.56	1.52	-	<17	0.36	<0.01	31
49-565		LCLZ	38	26	97.56	99.09	1.52	-	<17	<0.1	<0.01	<22
49-565		LCLZ	38	26	99.09	100.61	1.52	-	<17	0.55	<0.01	38
49-565		LCLZ	38	26	100.61	102.13	1.52	-	27	1.03	<0.01	64
49-565		LCLZ	38	26	102.13	103.66	1.52	-	20	0.839	<0.01	50
49-565		LCLZ	38	26	103.66	105.18	1.52	-	<17	0.422	<0.01	33
49-565		LCLZ	38	26	105.18	106.71	1.52	-	23	0.88	<0.01	55
49-565		LCLZ	38	26	106.71	108.23	1.52	-	44	1.62	<0.01	102
49-565		LCLZ	38	26	108.23	109.76	1.52	-	22	0.63	0.012	46
49-565		LCLZ	38	26	115.40	116.92	1.52	-	44	1.76	<0.01	107
49-565		LCLZ	38	26	116.92	118.45	1.52	-	18	0.636	<0.01	41
49-565		LCLZ	38	26	118.45	119.97	1.52	-	27	0.865	<0.01	58
49-565		LCLZ	38	26	119.97	121.49	1.52	-	<17	0.18	<0.01	25
49-565		LCLZ	38	26	121.49	123.02	1.52	-	<17	0.339	<0.01	30
49-565		LCLZ	38	26	123.02	124.54	1.52	-	26	0.802	<0.01	55
49-565		LCLZ	38	26	124.54	126.07	1.52	-	<17	0.647	<0.01	41
49-565		LCLZ	38	26	126.07	127.59	1.52	-	18	0.656	<0.01	41
49-565		LCLZ	38	26	127.59	128.96	1.37	-	<17	0.293	<0.01	29
49-565		LCLZ	38	26	128.96	129.57	0.61	-	57	1.83	<0.01	123
49-565		LCLZ	38	26	129.57	130.49	0.91	-	26	0.924	<0.01	60
49-565		LCLZ	38	26	130.49	131.55	1.07	-	22	0.838	<0.01	52
49-565		LCLZ	38	26	131.55	132.77	1.22	-	140	4.56	0.014	305
49-565		LCLZ	38	26	132.77	133.69	0.91	-	65	1.99	<0.01	136
49-565		LCLZ	38	26	133.69	134.60	0.91	-	78	2.29	0.013	162
49-565		LCLZ	38	26	138.72	139.33	0.61	-	<17	0.304	<0.01	29

Galena Levels 3400, 4300, 4900 and 5500 Drill Results - July 12, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-565		LCLZ	38	26	139.33	140.09	0.76	-	357	9.03	0.128	695
49-565		LCLZ	38	26	140.09	141.46	1.37	-	<17	0.21	<0.1	26
49-565		LCLZ	38	26	144.21	144.45	0.24	-	75	2.03	<0.1	148
49-565		LCLZ	38	26	146.65	147.56	0.91	-	116	0.837	0.079	154
49-565		LCLZ	38	26	149.82	150.12	0.30	-	48	2.23	<0.1	128
49-568		LCLZ	50	30	57.16	58.08	0.91	-	<17	<0.1	<0.1	<22
49-568		LCLZ	50	30	58.08	59.45	1.37	-	<17	<0.1	<0.1	<22
49-568		LCLZ	50	30	110.82	111.28	0.46	-	41	2.6	<0.1	134
55-122		Triple Point	19	-65	10.67	10.85	0.18	-	<17	0.165	<0.1	24
55-122		Triple Point	19	-65	18.29	18.48	0.18	-	72	1.91	0.013	142
55-122		Triple Point	19	-65	26.83	27.44	0.61	-	<17	<0.1	<0.1	<22
55-122		Triple Point	19	-65	27.44	27.62	0.18	-	48	1.49	<0.1	102
55-122		Triple Point	19	-65	27.62	28.05	0.43	-	47	1.45	<0.1	99
55-122	174	Triple Point	19	-65	52.01	52.13	0.12	0.09	4,050	14.5	3.9	4,970
55-122	174	Triple Point	19	-65	52.13	52.93	0.79	0.55	44	0.267	0.019	55
55-122	174	Triple Point	19	-65	52.93	53.35	0.43	0.30	20	0.673	<0.1	44
55-122		Triple Point	19	-65	62.04	62.35	0.30	-	54	2.28	<0.1	136
55-122		Triple Point	19	-65	62.35	63.87	1.52	-	<17	0.295	<0.1	29
55-122	175	Triple Point	19	-65	63.87	64.33	0.46	0.34	155	9.87	<0.1	510
55-122	175	Triple Point	19	-65	64.33	65.24	0.91	0.64	274	14.3	0.051	794
55-122	175	Triple Point	19	-65	65.24	65.70	0.46	0.34	228	10.7	0.271	641
55-122		Triple Point	19	-65	65.70	66.62	0.91	-	<17	<0.1	<0.1	<22
55-122		Triple Point	19	-65	85.98	86.71	0.73	-	68	4.46	<0.1	229
55-122	176	Triple Point	19	-65	86.71	87.26	0.55	0.38	480	30	0.05	1,570
55-122	176	Triple Point	19	-65	87.26	87.80	0.55	0.38	<17	0.459	0.011	35
55-122	176	Triple Point	19	-65	87.80	88.41	0.61	0.43	490	33.3	0.016	1,690
55-122	176	Triple Point	19	-65	88.41	89.33	0.91	0.64	823	46.7	0.053	2,510
55-122		Triple Point	19	-65	89.33	89.94	0.61	-	21	1.55	<0.1	76
55-122		Triple Point	19	-65	92.07	92.26	0.18	-	40	2.62	<0.1	134
55-122		Triple Point	19	-65	94.05	95.58	1.52	-	18	1.36	<0.1	67
55-122		Triple Point	19	-65	98.29	98.48	0.18	-	134	9.77	<0.1	486
55-122		Triple Point	19	-65	102.62	102.80	0.18	-	521	20	0.039	1,250
55-122		Triple Point	19	-65	102.80	103.96	1.16	-	<17	0.492	<0.1	36
55-122		Triple Point	19	-65	103.96	104.39	0.43	-	42	2.05	<0.1	115
55-122		Triple Point	19	-65	104.39	104.57	0.18	-	75	4.59	0.018	242
55-122	180	Triple Point	19	-65	108.90	109.39	0.49	-	233	8.84	0.025	554
55-122		Triple Point	19	-65	109.39	110.12	0.73	-	<17	<0.1	<0.1	<22
55-122		Triple Point	19	-65	110.12	110.30	0.18	-	<17	0.195	<0.1	25
55-122		Triple Point	19	-65	112.99	113.41	0.43	-	82	5.24	<0.1	271
55-123		Triple Point	94	-55	51.28	51.62	0.34	-	<17	0.193	<0.1	25
55-123		Triple Point	94	-55	60.98	62.01	1.04	-	<17	0.326	<0.1	30
55-123		Triple Point	94	-55	62.01	63.26	1.25	-	110	4.82	<0.1	284
55-123		Triple Point	94	-55	63.26	64.02	0.76	-	<17	0.24	<0.1	27
55-123		Triple Point	94	-55	64.02	65.24	1.22	-	<17	0.139	<0.1	23
55-123	175	Triple Point	94	-55	65.24	65.70	0.46	-	24	1.16	<0.1	66
55-123	175	Triple Point	94	-55	65.70	66.74	1.04	0.61	274	12.8	0.026	738
55-123		Triple Point	94	-55	66.74	67.07	0.34	-	<17	0.133	<0.1	23
55-123		Triple Point	94	-55	81.19	81.49	0.30	-	<17	<0.1	<0.1	<22
55-123	176	Triple Point	94	-55	81.49	82.32	0.82	0.61	184	10.9	<0.1	576
55-123	176	Triple Point	94	-55	82.32	83.08	0.76	0.55	132	7.07	0.016	389
55-123		Triple Point	94	-55	83.11	83.57	0.46	-	<17	0.239	<0.1	27
55-123		Triple Point	94	-55	92.84	93.60	0.76	-	75	3.18	0.015	190
55-123		Triple Point	94	-55	93.60	94.51	0.91	-	<17	0.575	<0.1	39
55-123		Triple Point	94	-55	94.51	95.88	1.37	-	49	1.94	<0.1	119
55-123	180	Triple Point	94	-55	101.74	103.05	1.31	-	311	0.182	0.348	353
55-123	180	Triple Point	94	-55	111.28	112.62	1.34	-	154	1.03	0.16	208
55-123	180	Triple Point	94	-55	112.62	112.80	0.18	0.12	1,780	5.12	3.15	2,290
55-123	180	Triple Point	94	-55	112.80	113.35	0.55	0.40	31	0.633	0.017	56
55-123	180	Triple Point	94	-55	113.35	114.18	0.82	0.61	181	6.27	0.03	410
55-123		Triple Point	94	-55	114.18	115.06	0.88	-	<17	<0.1	<0.1	<22
55-123		Triple Point	94	-55	229.42	229.88	0.46	-	31	<0.1	0.273	59
55-129		Triple Point	18	-45	12.50	13.11	0.61	-	102	1.81	<0.1	167
55-129		Triple Point	18	-45	42.68	43.08	0.40	-	<17	0.144	<0.1	23
55-129	174	Triple Point	18	-45	43.08	43.45	0.37	-	115	3.07	0.06	232
55-129		Triple Point	18	-45	43.45	44.66	1.22	-	22	0.283	0.039	36
55-129		Triple Point	18	-45	50.79	52.32	1.52	-	20	0.972	<0.1	55
55-129		Triple Point	18	-45	52.32	52.74	0.43	-	<17	<0.1	<0.1	<22
55-129	175	Triple Point	18	-45	52.74	54.27	1.52	-	20	1.03	<0.1	58
55-129	176	Triple Point	18	-45	73.72	74.70	0.98	-	47	2.37	<0.1	132
55-129		Triple Point	18	-45	74.70	76.22	1.52	-	31	1.57	<0.1	87
55-129		Triple Point	18	-45	88.14	88.29	0.15	-	241	14.7	<0.1	770
55-129		Triple Point	18	-45	91.31	92.68	1.37	-	18	1.18	<0.1	61
55-129		Triple Point	18	-45	92.68	94.09	1.40	-	48	3.62	<0.1	178
55-129		Triple Point	18	-45	94.09	94.70	0.61	-	<17	0.471	<0.1	35
55-129		Triple Point	18	-45	96.95	97.99	1.04	-	19	1.04	<0.1	57
55-129	180	Triple Point	18	-45	97.99	98.20	0.21	-	259	10.9	0.049	656
55-129	180	Triple Point	18	-45	98.20	99.09	0.88	-	27	0.837	0.018	59
55-130		Triple Point	43	-25	44.36	45.67	1.31	-	24	1.36	<0.1	73
55-130	175	Triple Point	43	-25	45.67	46.28	0.61	0.61	219	11.6	<0.1	637
55-130	175	Triple Point	43	-25	46.28	46.74	0.46	0.46	357	18.9	0.015	1,040

Galena Levels 3400, 4300, 4900 and 5500 Drill Results - July 12, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
55-130		Triple Point	43	-25	46.74	47.20	0.46	-	27	1.86	<0.01	94
55-130		Triple Point	43	-25	47.20	47.80	0.61	-	89	3.13	0.011	203
55-130		Triple Point	43	-25	47.80	49.12	1.31	-	<17	0.824	<0.01	48
55-130		Triple Point	43	-25	49.12	50.12	1.01	-	35	1.5	<0.01	89
55-130		Triple Point	43	-25	50.12	51.74	1.62	-	<17	0.207	<0.01	26
55-130		Triple Point	43	-25	51.74	52.35	0.61	-	<17	0.555	<0.01	38
55-130		Triple Point	43	-25	52.35	52.53	0.18	-	<17	0.682	<0.01	43
55-130		Triple Point	43	-25	64.33	65.55	1.22	-	38	1.39	<0.01	88
55-130		Triple Point	43	-25	65.55	66.62	1.07	-	178	6.26	0.103	414
55-130		Triple Point	43	-25	71.49	71.68	0.18	-	104	7.05	<0.01	358
55-130		Triple Point	43	-25	76.62	76.80	0.18	-	68	3.28	<0.01	186
55-130	180	Triple Point	43	-25	80.43	81.10	0.67	-	203	6.04	0.032	423
55-130		Triple Point	43	-25	83.45	83.93	0.49	-	46	3.8	<0.01	183
55-131		Triple Point	60	-48	50.64	51.55	0.91	-	<17	1.15	<0.01	60
55-131	175	Triple Point	60	-48	51.55	51.83	0.27	0.21	213	9.41	<0.01	552
55-131	175	Triple Point	60	-48	51.83	53.35	1.52	1.22	39	2.45	<0.01	127
55-131	175	Triple Point	60	-48	53.35	53.99	0.64	0.52	610	8.08	0.316	934
55-131		Triple Point	60	-48	53.99	55.21	1.22	-	<17	0.721	<0.01	44
55-131		Triple Point	60	-48	63.11	64.09	0.98	-	33	0.345	0.091	55
55-131		Triple Point	60	-48	68.90	69.09	0.18	-	35	1.2	<0.01	78
55-131		Triple Point	60	-48	70.34	70.52	0.18	-	<17	0.814	<0.01	47
55-131	176	Triple Point	60	-48	74.09	74.70	0.61	-	60	3.29	<0.01	178
55-131		Triple Point	60	-48	84.15	85.67	1.52	-	48	2.33	<0.01	132
55-131		Triple Point	60	-48	85.67	87.20	1.52	-	36	2.13	<0.01	112
55-131		Triple Point	60	-48	87.20	88.72	1.52	-	30	1.74	<0.01	93
55-131		Triple Point	60	-48	88.72	90.24	1.52	-	22	1.29	<0.01	69
55-131	180	Triple Point	60	-48	90.24	91.01	0.76	-	72	5.14	<0.01	257
55-131	180	Triple Point	60	-48	91.01	91.46	0.46	-	132	10.4	<0.01	506
55-131	180	Triple Point	60	-48	91.46	92.99	1.52	-	39	1.9	<0.01	108
55-135		Triple Point	150	-45	71.80	73.17	1.37	-	<17	<0.1	<0.01	<22
55-135		Triple Point	150	-45	73.17	74.70	1.52	-	<17	<0.1	<0.01	<22
55-135		Triple Point	150	-45	74.70	76.04	1.34	-	<17	<0.1	<0.01	<22
55-135		Triple Point	150	-45	80.49	81.71	1.22	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	38.02	38.26	0.24	-	146	<0.1	0.059	152
55-137		Triple Point	206	-45	40.91	41.34	0.43	-	90	<0.1	0.036	94
55-137		Triple Point	206	-45	44.82	45.43	0.61	-	59	<0.1	0.026	62
55-137		Triple Point	206	-45	69.21	69.66	0.46	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	73.35	73.78	0.43	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	103.81	104.36	0.55	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	104.36	104.97	0.61	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	104.97	105.95	0.98	-	<17	<0.1	0.015	<22
55-137		Triple Point	206	-45	113.41	113.81	0.40	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	117.23	117.84	0.61	-	<17	<0.1	0.041	25
55-137		Triple Point	206	-45	117.84	118.45	0.61	-	35	<0.1	0.04	39
55-137		Triple Point	206	-45	120.73	121.71	0.98	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	121.71	121.95	0.24	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	121.95	122.56	0.61	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	122.56	123.93	1.37	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	123.93	124.33	0.40	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	124.33	125.30	0.98	-	<17	<0.1	0.014	<22
55-137		Triple Point	206	-45	135.67	136.46	0.79	-	<17	<0.1	0.013	<22
55-137		Triple Point	206	-45	144.82	146.10	1.28	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	146.10	147.56	1.46	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	147.56	147.87	0.30	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	147.87	149.39	1.52	-	42	<0.1	0.076	49
55-137		Triple Point	206	-45	149.39	150.91	1.52	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	150.91	152.44	1.52	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	152.44	152.99	0.55	-	1,020	<0.1	0.78	1,100
55-137		Triple Point	206	-45	152.99	153.81	0.82	-	<17	<0.1	0.02	<22
55-137		Triple Point	206	-45	153.81	155.18	1.37	-	367	<0.1	0.253	393
55-137		Triple Point	206	-45	155.18	156.71	1.52	-	23	<0.1	0.039	27
55-137		Triple Point	206	-45	159.18	159.51	0.34	-	29	<0.1	0.026	32
55-137		Triple Point	206	-45	173.78	174.02	0.24	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	197.26	198.41	1.16	-	<17	<0.1	<0.01	<22
55-138		Triple Point	226	-20	39.15	39.33	0.18	-	<17	<0.1	<0.01	<22
55-138	Silver	Triple Point	226	-20	150.00	150.30	0.30	0.18	1,300	<0.1	0.707	1,370
55-138		Triple Point	226	-20	150.30	150.82	0.52	-	31	<0.1	0.028	34
55-138		Triple Point	226	-20	153.41	153.66	0.24	-	62	<0.1	0.047	67
55-138		Triple Point	226	-20	163.84	165.24	1.40	-	38	<0.1	0.051	43
55-138		Triple Point	226	-20	165.24	166.46	1.22	-	61	<0.1	0.051	67
55-138		Triple Point	226	-20	166.46	167.68	1.22	-	105	<0.1	0.178	123
55-138		Triple Point	226	-20	167.68	169.05	1.37	-	22	<0.1	0.017	24
55-138		Triple Point	226	-20	169.05	170.43	1.37	-	<17	<0.1	<0.01	<22
55-138		Triple Point	226	-20	170.43	171.04	0.61	-	<17	<0.1	0.019	<22
55-138		Triple Point	226	-20	171.04	172.41	1.37	-	<17	<0.1	0.016	<22
55-138		Triple Point	226	-20	172.41	173.78	1.37	-	<17	<0.1	<0.01	<22
55-138		Triple Point	226	-20	175.15	176.37	1.22	-	242	<0.1	0.117	254
55-138		Triple Point	226	-20	177.44	178.29	0.85	-	70	<0.1	0.048	75
55-138		Triple Point	226	-20	182.62	183.45	0.82	-	164	<0.1	0.053	170
55-138		Triple Point	226	-20	183.93	184.70	0.76	-	104	<0.1	0.04	108

Galena Levels 3400, 4300, 4900 and 5500 Drill Results - July 12, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
55-139		Triple Point	236	-30	70.18	70.58	0.40	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	72.62	73.17	0.55	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	74.33	75.30	0.98	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	94.51	95.27	0.76	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	95.27	95.70	0.43	-	521	0.267	0.297	561
55-139		Triple Point	236	-30	95.70	96.07	0.37	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	149.24	149.39	0.15	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	151.01	151.22	0.21	-	<17	<0.1	0.011	<22
55-139		Triple Point	236	-30	165.09	165.37	0.27	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	165.37	165.61	0.24	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	165.61	165.82	0.21	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	175.91	176.07	0.15	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	185.37	185.55	0.18	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	187.87	189.33	1.46	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	199.42	199.79	0.37	-	122	<0.1	0.078	130
55-139		Triple Point	236	-30	203.75	205.15	1.40	-	<17	0.106	0.013	<22
55-139		Triple Point	236	-30	205.15	206.25	1.10	-	20	<0.1	0.017	<22
55-139		Triple Point	236	-30	210.21	210.67	0.46	-	<17	<0.1	0.022	23
55-139		Triple Point	236	-30	210.67	211.89	1.22	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	211.89	212.50	0.61	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	216.01	217.38	1.37	-	<17	<0.1	0.014	<22
55-139		Triple Point	236	-30	217.38	217.99	0.61	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	217.99	218.60	0.61	-	24	<0.1	0.017	25
55-139		Triple Point	236	-30	219.82	220.21	0.40	-	<17	<0.1	<0.01	<22
55-143		Silver HW	21	0	3.26	3.48	0.21	-	226	<0.1	0.09	235
55-143		Silver HW	21	0	5.40	5.58	0.18	-	176	<0.1	0.066	183
55-143		Silver HW	21	0	18.75	18.90	0.15	-	295	0.124	0.117	312
55-143		Silver HW	21	0	27.65	28.87	1.22	-	41	<0.1	0.02	43
55-143		Silver HW	21	0	34.76	35.15	0.40	-	569	<0.1	0.281	598
55-143		Silver HW	21	0	59.45	60.00	0.55	-	98	<0.1	0.104	108
55-143	Silver HW	Silver HW	21	0	60.00	60.15	0.15	0.15	2,240	<0.1	2.15	2,460
55-143	Silver HW	Silver HW	21	0	60.15	60.76	0.61	0.58	<17	<0.1	0.072	28
55-143	Silver HW	Silver HW	21	0	60.76	61.31	0.55	0.52	4,080	<0.1	4.2	4,510
55-143	Silver HW	Silver HW	21	0	61.31	62.50	1.19	1.10	1,340	<0.1	1.11	1,450
55-143	Silver HW	Silver HW	21	0	62.50	63.11	0.61	0.58	3,500	<0.1	2.89	3,800
55-143	Silver HW	Silver HW	21	0	63.11	63.72	0.61	0.58	<17	<0.1	0.012	<22
55-143	Silver HW	Silver HW	21	0	63.72	64.33	0.61	0.58	7,060	<0.1	5.4	7,620
55-143		Silver HW	21	0	64.33	64.94	0.61	-	37	<0.1	0.038	41
55-143		Silver HW	21	0	68.99	69.09	0.09	-	148	<0.1	0.117	160
55-143		Silver HW	21	0	69.09	69.97	0.88	-	139	<0.1	0.149	154
55-143		Silver HW	21	0	69.97	70.18	0.21	-	221	<0.1	0.227	244
55-144		Triple Point	0	-48	3.66	3.84	0.18	-	<17	<0.1	<0.01	<22
55-144		Triple Point	0	-48	9.88	10.49	0.61	-	205	<0.1	0.081	213
55-144		Triple Point	0	-48	60.76	61.68	0.91	-	<17	<0.1	<0.01	<22
55-144	Silver HW	Triple Point	0	-48	61.68	62.20	0.52	0.37	528	<0.1	0.556	585
55-144	Silver HW	Triple Point	0	-48	62.20	62.44	0.24	0.15	1,780	0.357	1.43	1,940
55-144	Silver HW	Triple Point	0	-48	62.44	62.93	0.49	0.34	521	<0.1	0.386	561
55-144		Triple Point	0	-48	62.93	64.15	1.22	-	<17	<0.1	<0.01	<22
55-144		Triple Point	0	-48	64.15	65.00	0.85	-	34	<0.1	0.046	39
55-144		Triple Point	0	-48	65.00	65.91	0.91	-	<17	<0.1	<0.01	<22
55-144		Triple Point	0	-48	151.95	153.05	1.10	-	<17	<0.1	<0.01	<22
55-144	Silver	Triple Point	0	-48	153.05	153.38	0.34	-	607	7.01	0.022	861
55-144	Silver	Triple Point	0	-48	153.38	154.73	1.34	-	55	0.758	0.035	86
55-144	Silver	Triple Point	0	-48	154.73	154.91	0.18	-	231	3.53	0.078	366
55-144		Triple Point	0	-48	154.91	155.79	0.88	-	<17	0.212	<0.01	26
55-144		Triple Point	0	-48	155.79	155.98	0.18	-	47	1.05	<0.01	85
55-144		Triple Point	0	-48	155.98	157.26	1.28	-	<17	<0.1	<0.01	<22
55-144		Triple Point	0	-48	157.26	157.50	0.24	-	264	<0.1	0.115	276
55-144		Triple Point	0	-48	157.50	159.02	1.52	-	37	0.618	<0.01	59
55-144		Triple Point	0	-48	176.07	176.68	0.61	-	91	1.13	0.157	148
55-144		Triple Point	0	-48	178.51	179.57	1.07	-	<17	0.342	0.012	31
55-145		Triple Point	0	-60	7.65	7.84	0.18	-	97	<0.1	0.051	103
55-145		Triple Point	0	-60	10.55	11.13	0.58	-	58	<0.1	0.029	61
55-145		Triple Point	0	-60	11.13	11.31	0.18	-	1,920	0.103	1.03	2,030
55-145		Triple Point	0	-60	11.31	11.83	0.52	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	11.83	13.11	1.28	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	13.87	14.39	0.52	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	21.37	21.55	0.18	-	236	<0.1	0.117	248
55-145		Triple Point	0	-60	68.75	70.12	1.37	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	70.12	70.88	0.76	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	70.88	71.65	0.76	-	100	<0.1	0.204	121
55-145		Triple Point	0	-60	71.65	71.83	0.18	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	71.83	71.95	0.12	-	79	<0.1	0.085	88
55-145		Triple Point	0	-60	71.95	72.41	0.46	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	72.41	72.59	0.18	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	73.17	73.48	0.30	-	<17	<0.1	<0.01	<22
55-145	Silver HW	Triple Point	0	-60	73.48	73.78	0.30	0.24	473	<0.1	0.445	519
55-145		Triple Point	0	-60	73.78	74.09	0.30	-	56	<0.1	0.05	61
55-145		Triple Point	0	-60	74.09	75.46	1.37	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	76.22	76.43	0.21	-	<17	<0.1	<0.01	<22

Galena Levels 3400, 4300, 4900 and 5500 Drill Results - July 12, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
55-145		Triple Point	0	-60	76.43	77.84	1.40	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	86.71	86.89	0.18	-	1,090	<0.1	1.03	1,200
55-145		Triple Point	0	-60	88.41	88.72	0.30	-	226	<0.1	0.181	245
55-145		Triple Point	0	-60	128.05	128.96	0.91	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	128.96	129.27	0.30	-	98	<0.1	0.088	107
55-145		Triple Point	0	-60	129.27	130.18	0.91	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	147.01	147.56	0.55	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	169.63	170.43	0.79	-	19	0.446	<0.1	35
55-145		Triple Point	0	-60	172.87	174.39	1.52	-	<17	0.105	<0.01	<22
55-145		Triple Point	0	-60	177.44	178.11	0.67	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	178.11	178.63	0.52	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	178.63	178.81	0.18	-	727	0.101	0.367	768
55-145		Triple Point	0	-60	178.81	179.42	0.61	-	65	0.429	0.042	85
55-145		Triple Point	0	-60	187.96	188.17	0.21	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	188.87	190.40	1.52	-	<17	0.359	<0.1	31
55-145		Triple Point	0	-60	190.40	191.31	0.91	-	<17	0.151	<0.01	24
55-145		Triple Point	0	-60	193.90	194.97	1.07	-	18	0.153	<0.01	23
55-145		Triple Point	0	-60	194.97	195.88	0.91	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	195.88	197.41	1.52	-	32	0.117	0.046	41
55-146		Triple Point	42	-14.5	9.15	10.58	1.43	-	22	<0.1	<0.01	27
55-146		Triple Point	42	-14.5	13.72	13.90	0.18	-	442	<0.1	0.17	460
55-146		Triple Point	42	-14.5	68.29	69.66	1.37	-	<17	<0.1	0.014	<22
55-146	Silver HW	Triple Point	42	-14.5	69.66	69.97	0.30	0.24	2,230	<0.1	2.1	2,450
55-146	Silver HW	Triple Point	42	-14.5	69.97	70.61	0.64	0.49	<17	<0.1	0.024	23
55-146	Silver HW	Triple Point	42	-14.5	70.61	70.79	0.18	0.14	1,540	<0.1	1.49	1,690
55-146	Silver HW	Triple Point	42	-14.5	70.79	70.98	0.18	0.14	21,800	<0.1	18.9	23,700
55-146	Silver HW	Triple Point	42	-14.5	70.98	71.16	0.18	0.14	1,220	<0.1	1.44	1,370
55-146		Triple Point	42	-14.5	71.16	72.56	1.40	-	76	<0.1	0.116	88
55-146		Triple Point	42	-14.5	72.56	72.96	0.40	-	<17	<0.1	<0.01	<22
55-146		Triple Point	42	-14.5	72.96	73.14	0.18	-	83	<0.1	0.071	90
55-146		Triple Point	42	-14.5	73.14	74.05	0.91	-	<17	<0.1	<0.01	<22
55-146		Triple Point	42	-14.5	136.28	137.50	1.22	-	83	0.355	0.038	100
55-146	185	Triple Point	42	-14.5	137.50	138.20	0.70	0.57	1,820	3.76	1.26	2,090
55-146	185	Triple Point	42	-14.5	138.20	138.57	0.37	0.30	905	11.8	0.302	1,360
55-146	185	Triple Point	42	-14.5	138.57	139.02	0.46	0.37	217	9.8	<0.01	570
55-146	185	Triple Point	42	-14.5	139.02	139.45	0.43	0.35	260	5.75	0.087	476
55-146	185	Triple Point	42	-14.5	139.45	139.70	0.24	0.20	153	5.18	0.025	342
55-146	185	Triple Point	42	-14.5	139.70	139.94	0.24	0.20	837	17.3	0.634	1,530
55-146		Triple Point	42	-14.5	139.94	141.16	1.22	-	148	0.126	0.176	171
55-147		Triple Point	44	-6	3.54	3.69	0.15	-	<17	<0.1	<0.01	<22
55-147		Triple Point	44	-6	11.65	12.26	0.61	-	<17	<0.1	<0.01	<22
55-147		Triple Point	44	-6	15.34	16.31	0.98	-	<17	<0.1	<0.01	<22
55-147		Triple Point	44	-6	30.09	30.67	0.58	-	<17	<0.1	<0.01	<22
55-147		Triple Point	44	-6	68.60	69.82	1.22	-	<17	<0.1	<0.01	<22
55-147	Silver HW	Triple Point	44	-6	69.82	70.58	0.76	0.58	621	<0.1	0.768	700
55-147	Silver HW	Triple Point	44	-6	70.58	70.88	0.30	0.21	4,660	<0.1	5.63	5,240
55-147	Silver HW	Triple Point	44	-6	70.88	71.65	0.76	0.58	1,540	<0.1	2	1,750
55-147	Silver HW	Triple Point	44	-6	71.65	73.17	1.52	1.16	5,250	<0.1	5.73	5,840
55-147		Triple Point	44	-6	73.17	74.70	1.52	-	18	<0.1	0.022	<22
55-147		Triple Point	44	-6	110.21	111.28	1.07	-	<17	<0.1	<0.01	<22
55-147		Triple Point	44	-6	111.28	111.43	0.15	-	73	0.174	0.05	84
55-147		Triple Point	44	-6	111.43	112.20	0.76	-	<17	<0.1	<0.01	<22
55-147		Triple Point	44	-6	112.20	112.47	0.27	-	<17	<0.1	<0.01	<22
55-147		Triple Point	44	-6	112.47	113.05	0.58	-	<17	<0.1	<0.01	<22
55-147		Triple Point	44	-6	113.05	113.35	0.30	-	31	0.27	0.023	43
55-147		Triple Point	44	-6	139.48	140.24	0.76	-	<17	0.409	<0.01	33
55-147	185	Triple Point	44	-6	140.24	140.49	0.24	0.21	556	4.77	0.629	793
55-147	185	Triple Point	44	-6	140.49	141.16	0.67	0.55	436	0.476	0.476	502
55-147	185	Triple Point	44	-6	141.16	141.77	0.61	0.52	1,030	17.6	0.425	1,710
55-147	185	Triple Point	44	-6	141.77	142.23	0.46	0.37	2,540	2.37	1.83	2,810
55-147		Triple Point	44	-6	142.23	143.54	1.31	-	94	3.19	<0.01	209
55-147		Triple Point	44	-6	143.54	144.82	1.28	-	19	0.138	<0.01	24
55-147		Triple Point	44	-6	145.79	146.34	0.55	-	946	0.197	0.82	1,040
55-147		Triple Point	44	-6	146.34	147.41	1.07	-	20	<0.1	0.041	24
55-147		Triple Point	44	-6	150.85	151.16	0.30	-	<17	<0.1	0.017	22
55-148		Triple Point	43	-40	15.79	17.32	1.52	-	62	<0.1	0.028	65
55-148		Triple Point	43	-40	17.32	17.59	0.27	-	1,220	<0.1	0.588	1,280
55-148		Triple Point	43	-40	17.59	19.12	1.52	-	<17	<0.1	<0.01	<22
55-148		Triple Point	43	-40	67.07	68.54	1.46	-	<17	<0.1	<0.01	<22
55-148	Silver HW	Triple Point	43	-40	68.54	68.99	0.46	0.37	25	<0.1	0.036	29
55-148	Silver HW	Triple Point	43	-40	68.99	69.51	0.52	0.40	10,200	<0.1	7.92	11,000
55-148		Triple Point	43	-40	69.51	71.04	1.52	-	<17	<0.1	0.014	<22
55-148		Triple Point	43	-40	142.96	144.48	1.52	-	<17	0.16	<0.01	24
55-148		Triple Point	43	-40	144.48	145.43	0.95	-	37	1	0.028	76
55-148		Triple Point	43	-40	145.43	145.61	0.18	-	384	23.2	0.019	1,220
55-148		Triple Point	43	-40	145.61	146.49	0.88	-	60	3.38	<0.01	182
55-148		Triple Point	43	-40	146.49	147.38	0.88	-	25	1.8	<0.01	89
55-148		Triple Point	43	-40	147.38	147.84	0.46	-	113	4.44	<0.01	273
55-148		Triple Point	43	-40	147.84	148.41	0.58	-	251	11.8	0.011	677
55-148		Triple Point	43	-40	148.41	149.27	0.85	-	28	1.59	<0.01	85

Galena Levels 3400, 4300, 4900 and 5500 Drill Results - July 12, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
55-148		Triple Point	43	-40	149.27	150.00	0.73	-	29	2	<0.01	101
55-148		Triple Point	43	-40	150.00	150.76	0.76	-	71	4.73	<0.01	241
55-148		Triple Point	43	-40	150.76	152.29	1.52	-	<17	0.343	<0.01	30
55-156		Triple Point	58	-74	15.70	15.88	0.18	-	350	11.3	0.012	758
55-156		Triple Point	58	-74	22.26	23.02	0.76	-	<17	<0.1	<0.01	<22
55-156	174	Triple Point	58	-74	63.02	63.20	0.18	-	127	<0.1	0.159	143
55-156		Triple Point	58	-74	69.66	71.19	1.52	-	<17	0.724	<0.01	44
55-156		Triple Point	58	-74	71.19	71.65	0.46	0.30	248	10.4	0.016	624
55-156		Triple Point	58	-74	71.65	72.44	0.79	-	<17	0.537	<0.01	37
55-156		Triple Point	58	-74	72.44	72.99	0.55	-	<17	0.352	<0.01	31
55-156		Triple Point	58	-74	72.99	73.38	0.40	-	<17	<0.1	<0.01	<22
55-156		Triple Point	58	-74	73.38	74.21	0.82	0.55	216	11	0.025	615
55-156		Triple Point	58	-74	74.21	75.09	0.88	-	<17	0.648	<0.01	41
55-156		Triple Point	58	-74	75.09	76.22	1.13	-	<17	1.03	<0.01	55
55-156	175	Triple Point	58	-74	76.22	77.38	1.16	0.76	284	13.5	0.024	773
55-156	176	Triple Point	58	-74	77.38	78.20	0.82	0.55	196	8.62	0.016	508
55-156		Triple Point	58	-74	78.20	79.27	1.07	-	<17	0.708	<0.01	44
55-156		Triple Point	58	-74	79.27	79.79	0.52	-	<17	0.615	<0.01	40
55-156		Triple Point	58	-74	79.79	80.37	0.58	-	105	3.37	0.015	228
55-156		Triple Point	58	-74	80.37	80.79	0.43	-	<17	<0.1	<0.01	<22
55-156		Triple Point	58	-74	91.40	91.59	0.18	-	32	2.46	<0.01	121
55-156		Triple Point	58	-74	100.37	100.73	0.37	-	66	4.01	<0.01	210
55-156	176	Triple Point	58	-74	103.72	103.93	0.21	-	50	1.36	0.014	101
55-156		Triple Point	58	-74	116.16	116.34	0.18	-	66	2.05	0.014	141
55-156	180	Triple Point	58	-74	125.61	126.46	0.85	-	208	6.22	0.054	438
55-156		Triple Point	58	-74	129.15	129.82	0.67	-	<17	1.24	<0.01	63
55-156		Triple Point	58	-74	132.87	133.54	0.67	-	56	2.68	<0.01	152
55-167	174	Triple Point	82	-70	55.64	55.82	0.18	-	429	17.6	<0.01	1,060
55-167		Triple Point	82	-70	64.63	66.16	1.52	-	<17	0.544	<0.01	38
55-167		Triple Point	82	-70	66.16	67.68	1.52	-	<17	0.261	<0.01	28
55-167		Triple Point	82	-70	67.68	68.54	0.85	-	97	3.32	<0.01	217
55-167		Triple Point	82	-70	68.54	69.60	1.07	-	<17	0.428	<0.01	34
55-167	175	Triple Point	82	-70	69.60	70.58	0.98	0.58	83	3.62	<0.01	213
55-167	175	Triple Point	82	-70	70.58	70.76	0.18	0.12	521	13.5	0.064	1,010
55-167	175	Triple Point	82	-70	70.76	71.19	0.43	0.27	315	17.7	0.115	964
55-167		Triple Point	82	-70	71.19	72.71	1.52	-	<17	0.23	<0.01	26
55-167		Triple Point	82	-70	118.90	119.45	0.55	-	<17	0.232	<0.01	27
55-167	180	Triple Point	82	-70	119.45	119.91	0.46	-	41	2.24	<0.01	121
55-167	180	Triple Point	82	-70	119.91	120.21	0.30	-	59	4.64	<0.01	226
55-167		Triple Point	82	-70	120.21	121.25	1.04	-	<17	0.76	<0.01	46
55-167		Triple Point	82	-70	121.25	122.10	0.85	-	28	0.969	0.018	65
55-167		Triple Point	82	-70	122.10	123.72	1.62	-	<17	<0.1	<0.01	<22
55-167		Triple Point	82	-70	123.72	124.15	0.43	-	55	3.28	0.014	175
55-167		Triple Point	82	-70	124.15	124.45	0.30	-	<17	<0.1	<0.01	<22
55-168		Triple Point	87	-10	45.91	46.13	0.21	-	78	1.8	<0.01	142
55-168		Triple Point	87	-10	65.24	65.70	0.46	-	<17	0.202	<0.01	25
55-168	175	Triple Point	87	-10	65.70	66.77	1.07	0.67	329	15.8	0.039	902
55-168	175	Triple Point	87	-10	66.77	68.17	1.40	0.88	65	3.16	<0.01	179
55-168	175	Triple Point	87	-10	68.17	69.63	1.46	0.91	127	6.64	<0.01	366
55-168		Triple Point	87	-10	69.63	71.16	1.52	-	47	2.34	<0.01	131
55-168	176	Triple Point	87	-10	71.16	72.68	1.52	0.98	343	13.2	0.073	826
55-168	176	Triple Point	87	-10	72.68	73.05	0.37	0.23	123	2.8	0.135	238
55-168	176	Triple Point	87	-10	73.05	74.09	1.04	0.64	23	1.51	<0.01	78
55-168	176	Triple Point	87	-10	74.09	74.45	0.37	0.23	312	7.6	0.09	595
55-168	176	Triple Point	87	-10	74.45	75.91	1.46	-	48	1.84	<0.01	114
55-168		Triple Point	87	-10	75.91	77.44	1.52	-	30	1.35	<0.01	78
55-168		Triple Point	87	-10	77.44	78.96	1.52	-	41	2.03	<0.01	114
55-168		Triple Point	87	-10	78.96	80.49	1.52	-	132	6	0.044	353
55-168		Triple Point	87	-10	80.49	82.01	1.52	-	93	5.04	<0.01	274
55-168		Triple Point	87	-10	82.01	82.87	0.85	-	155	8.52	<0.01	462
55-168		Triple Point	87	-10	82.87	84.15	1.28	-	<17	0.672	<0.01	42
55-168		Triple Point	87	-10	86.74	87.96	1.22	-	75	3.86	<0.01	214
55-168		Triple Point	87	-10	87.96	89.33	1.37	-	70	3.9	<0.01	210
55-168		Triple Point	87	-10	96.04	97.26	1.22	-	39	2.15	<0.01	116
55-168	180	Triple Point	87	-10	101.59	102.90	1.31	-	84	6.16	<0.01	306
55-168	180	Triple Point	87	-10	102.90	103.05	0.15	-	58	3.08	0.029	172
55-168		Triple Point	87	-10	106.10	107.32	1.22	-	<17	0.282	<0.01	28
55-168		Triple Point	87	-10	107.32	107.93	0.61	-	<17	0.267	<0.01	28
55-168		Triple Point	87	-10	107.93	108.23	0.30	-	<17	<0.1	<0.01	<22
55-169A		Triple Point	61	20	36.40	36.71	0.30	-	41	0.804	0.034	74
55-169A		Triple Point	61	20	36.71	37.20	0.49	-	57	1	0.044	98
55-169A		Triple Point	61	20	39.02	39.27	0.24	-	38	1.17	0.012	82
55-169A		Triple Point	61	20	39.27	39.63	0.37	-	<17	0.154	<0.01	24
55-169A		Triple Point	61	20	39.63	39.97	0.34	-	151	6.08	0.019	372
55-169A	175	Triple Point	61	20	65.55	65.85	0.30	0.24	789	15.1	0.403	1,370
55-169A	175	Triple Point	61	20	65.85	66.07	0.21	0.15	658	24.6	0.259	1,570
55-169A	175	Triple Point	61	20	66.07	66.34	0.27	0.21	398	20	0.013	1,120
55-169A	175	Triple Point	61	20	66.34	67.29	0.95	0.73	42	2.51	<0.01	133
55-169A		Triple Point	61	20	67.29	68.81	1.52	-	<17	0.317	<0.01	30
55-169A		Triple Point	61	20	68.81	70.09	1.28	-	<17	1.13	<0.01	59

Galena Levels 3400, 4300, 4900 and 5500 Drill Results - July 12, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
55-169A		Triple Point	61	20	70.09	70.30	0.21	-	131	5.46	<0.01	328
55-169A		Triple Point	61	20	70.30	71.52	1.22	-	27	1.91	<0.01	96
55-169A		Triple Point	61	20	71.52	72.26	0.73	-	<17	<0.1	<0.01	<22
55-169A		Triple Point	61	20	72.26	73.17	0.91	-	63	3	<0.01	171
55-169A		Triple Point	61	20	73.17	74.70	1.52	-	<17	1.22	<0.01	62
55-169A	176	Triple Point	61	20	74.70	76.22	1.52	-	57	3.57	<0.01	186
55-169A	176	Triple Point	61	20	76.22	76.46	0.24	-	274	6.32	0.691	573
55-169A	176	Triple Point	61	20	76.46	76.71	0.24	-	56	4.47	<0.01	217
55-169A	176	Triple Point	61	20	76.71	77.87	1.16	-	107	5.05	0.014	290
55-169A		Triple Point	61	20	107.62	107.80	0.18	-	85	0.963	0.071	127
55-169A		Triple Point	61	20	107.80	108.84	1.04	-	<17	0.221	<0.01	26
55-169A		Triple Point	61	20	108.84	109.05	0.21	-	67	1.96	<0.01	137
55-169A		Triple Point	61	20	109.05	109.30	0.24	-	62	2.5	<0.01	152
55-169A	180	Triple Point	61	20	115.73	115.91	0.18	-	204	8.83	0.109	533
55-169A	180	Triple Point	61	20	115.91	117.07	1.16	-	<17	0.189	<0.01	25
55-169A	180	Triple Point	61	20	117.07	118.14	1.07	-	75	2.47	0.021	167
55-170		Triple Point	75	20	9.24	9.42	0.18	-	62	1.78	<0.01	127
55-170		Triple Point	75	20	15.73	15.91	0.18	-	<17	0.346	<0.01	31
55-170		Triple Point	75	20	20.15	20.34	0.18	-	18	0.173	0.029	27
55-170		Triple Point	75	20	24.57	24.76	0.18	-	<17	<0.1	0.011	<22
55-170		Triple Point	75	20	42.23	42.47	0.24	-	39	1.44	<0.01	91
55-170		Triple Point	75	20	74.15	74.63	0.49	-	39	1.71	<0.01	101
55-170	175	Triple Point	75	20	74.63	74.94	0.30	0.21	648	33.5	0.011	1,860
55-170	175	Triple Point	75	20	74.94	76.22	1.28	0.91	93	5.1	<0.01	277
55-170	175	Triple Point	75	20	76.22	77.13	0.91	0.64	132	6.86	<0.01	379
55-170	175	Triple Point	75	20	77.13	78.14	1.01	0.46	270	15.5	0.093	838
55-170		Triple Point	75	20	78.14	79.36	1.22	-	98	5.08	<0.01	281
55-170		Triple Point	75	20	79.36	80.79	1.43	-	35	2.2	<0.01	115
55-170		Triple Point	75	20	80.79	82.32	1.52	-	<17	1.24	<0.01	63
55-170		Triple Point	75	20	82.32	83.84	1.52	-	36	1.99	<0.01	108
55-170	176	Triple Point	75	20	83.84	84.94	1.10	-	255	9.38	0.09	602
55-170	176	Triple Point	75	20	84.94	85.98	1.04	-	64	3.44	<0.01	188
55-170	176	Triple Point	75	20	85.98	86.89	0.91	-	60	3.3	<0.01	179
55-170	176	Triple Point	75	20	86.89	87.04	0.15	-	98	4.83	<0.01	272
55-170	176	Triple Point	75	20	87.04	88.26	1.22	-	202	10.2	0.057	575
55-170	176	Triple Point	75	20	88.26	88.93	0.67	-	398	23.5	<0.01	1,240
55-170	176	Triple Point	75	20	88.93	90.09	1.16	-	34	2.23	<0.01	114
55-170		Triple Point	75	20	94.24	95.76	1.52	-	62	3.15	<0.01	175
55-170		Triple Point	75	20	117.99	119.51	1.52	-	81	3.28	0.029	202
55-170		Triple Point	75	20	122.56	123.48	0.91	-	<17	1.4	<0.01	69
55-170	180	Triple Point	75	20	123.48	123.93	0.46	-	442	27.3	0.048	1,430
55-170		Triple Point	75	20	123.93	124.54	0.61	-	<17	0.174	<0.01	24
55-171		Triple Point	85	14	37.56	37.74	0.18	-	<17	0.205	<0.01	26
55-171		Triple Point	85	14	41.59	41.83	0.24	-	<17	0.156	0.014	24
55-171		Triple Point	85	14	46.01	46.22	0.21	-	21	0.489	0.061	45
55-171		Triple Point	85	14	79.66	80.12	0.46	-	<17	<0.1	<0.01	<22
55-171	175	Triple Point	85	14	80.12	80.58	0.46	-	370	18.6	<0.01	1,040
55-171	175	Triple Point	85	14	80.58	81.71	1.13	-	43	2.1	<0.01	119
55-171	175	Triple Point	85	14	81.71	82.32	0.61	-	175	11.1	0.081	583
55-171	175	Triple Point	85	14	82.32	83.23	0.91	-	84	5.16	<0.01	270
55-171	175	Triple Point	85	14	83.23	84.60	1.37	-	207	15.6	<0.01	769
55-171		Triple Point	85	14	84.60	85.37	0.76	-	56	3.69	<0.01	189
55-171		Triple Point	85	14	97.87	99.39	1.52	-	44	2	0.012	117
55-171	176	Triple Point	85	14	99.39	100.91	1.52	-	105	5.08	0.017	290
55-171	176	Triple Point	85	14	100.91	102.44	1.52	-	111	5.28	0.011	302
55-171	176	Triple Point	85	14	102.44	103.90	1.46	-	84	4.52	<0.01	247
55-171		Triple Point	85	14	103.90	104.51	0.61	-	<17	0.266	<0.01	28
55-171		Triple Point	85	14	104.51	105.79	1.28	-	27	1.26	<0.01	72
55-171		Triple Point	85	14	105.79	107.26	1.46	-	43	1.87	<0.01	110
55-172		Silver HW	0	0	21.59	22.71	1.13	-	62	<0.1	0.03	66
55-172		Silver HW	0	0	56.86	57.04	0.18	-	266	<0.1	0.27	294
55-172		Silver HW	0	0	57.04	57.59	0.55	-	<17	<0.1	<0.01	<22
55-172		Silver HW	0	0	57.59	57.74	0.15	-	27	<0.1	0.067	34
55-172		Silver HW	0	0	57.74	58.08	0.34	-	<17	<0.1	<0.01	<22
55-172	Silver HW	Silver HW	0	0	58.08	58.54	0.46	0.43	274	<0.1	0.264	301
55-172	Silver HW	Silver HW	0	0	58.54	58.90	0.37	0.37	79	<0.1	0.117	91
55-172		Silver HW	0	0	68.48	70.00	1.52	-	<17	<0.1	<0.01	<22
55-172	Unknown	Silver HW	0	0	70.00	70.64	0.64	0.61	1,020	<0.1	1.11	1,130
55-172		Silver HW	0	0	70.64	72.16	1.52	-	<17	<0.1	<0.01	<22
55-172		Silver HW	0	0	80.61	82.04	1.43	-	<17	<0.1	<0.01	<22
55-172		Silver HW	0	0	82.04	82.50	0.46	-	<17	<0.1	<0.01	<22
55-172		Silver HW	0	0	82.50	83.11	0.61	-	<17	<0.1	<0.01	<22
55-172		Silver HW	0	0	83.11	84.63	1.52	-	<17	<0.1	<0.01	<22
55-172		Silver HW	0	0	84.63	84.82	0.18	-	<17	<0.1	<0.01	<22
55-172		Silver HW	0	0	90.73	90.91	0.18	-	<17	<0.1	<0.01	<22
55-172		Silver HW	0	0	90.91	91.40	0.49	-	91	<0.1	0.69	162
55-173		Silver HW	60	-35	2.74	3.57	0.82	-	41	<0.1	0.019	43
55-173		Silver HW	60	-35	18.90	19.12	0.21	-	18	<0.1	<0.01	<22
55-173		Silver HW	60	-35	19.12	19.76	0.64	-	<17	<0.1	<0.01	<22
55-173		Silver HW	60	-35	19.76	20.61	0.85	-	<17	<0.1	<0.01	<22

Galena Levels 3400, 4300, 4900 and 5500 Drill Results - July 12, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
55-173		Silver HW	60	-35	20.61	20.79	0.18	-	22	<0.1	0.013	23
55-173		Silver HW	60	-35	20.79	20.98	0.18	-	32	<0.1	0.014	33
55-173	Unknown	Silver HW	60	-35	20.98	21.43	0.46	-	47	<0.1	0.021	50
55-173	Unknown	Silver HW	60	-35	21.43	21.65	0.21	-	1,300	<0.1	0.544	1,360
55-173	Silver HW	Silver HW	60	-35	81.74	83.26	1.52	1.01	184	<0.1	0.117	196
55-173	Silver HW	Silver HW	60	-35	83.26	83.63	0.37	0.24	1,880	<0.1	1.81	2,070
55-173	Silver HW	Silver HW	60	-35	83.63	83.84	0.21	0.14	12,400	<0.1	16.2	14,100
55-173	Silver HW	Silver HW	60	-35	83.84	84.05	0.21	0.14	2,320	<0.1	2.18	2,540
55-173		Silver HW	60	-35	84.05	85.58	1.52	-	<17	<0.1	<0.01	<22
55-173		Silver HW	60	-35	132.84	132.99	0.15	-	203	7.55	<0.01	475
55-173		Silver HW	60	-35	149.54	150.30	0.76	-	<17	0.57	<0.01	39
55-173		Silver HW	60	-35	150.30	150.37	0.06	-	412	30.2	0.013	1,500
55-173		Silver HW	60	-35	150.37	151.22	0.85	-	<17	<0.1	<0.01	<22
55-173		Silver HW	60	-35	151.22	152.59	1.37	-	<17	<0.1	<0.01	<22
55-174		Triple Point	30	-25	0.21	0.40	0.18	-	<17	<0.1	<0.01	<22
55-174		Triple Point	30	-25	5.18	5.37	0.18	-	59	<0.1	0.023	61
55-174		Triple Point	30	-25	6.71	6.89	0.18	-	63	<0.1	0.026	66
55-174		Triple Point	30	-25	6.89	7.62	0.73	-	<17	<0.1	<0.01	<22
55-174		Triple Point	30	-25	7.62	7.80	0.18	-	17	<0.1	<0.01	<22
55-174		Triple Point	30	-25	10.21	10.82	0.61	-	123	<0.1	0.049	128
55-174		Triple Point	30	-25	16.77	16.95	0.18	-	394	<0.1	0.152	410
55-174		Triple Point	30	-25	57.16	58.38	1.22	-	<17	<0.1	<0.01	<22
55-174	Silver HW	Triple Point	30	-25	58.38	58.66	0.27	0.23	177	<0.1	0.162	194
55-174	Silver HW	Triple Point	30	-25	58.66	58.96	0.30	0.26	346	<0.1	0.219	369
55-174	Silver HW	Triple Point	30	-25	58.96	59.57	0.61	0.52	2,690	0.135	3.56	3,060
55-174	Silver HW	Triple Point	30	-25	59.57	60.37	0.79	0.67	2,770	0.134	2.54	3,040
55-174	Silver HW	Triple Point	30	-25	60.37	60.67	0.30	0.26	1,670	0.234	2.76	1,960
55-174	Silver HW	Triple Point	30	-25	60.67	60.98	0.30	0.26	141	<0.1	0.124	154
55-174		Triple Point	30	-25	60.98	62.20	1.22	-	77	<0.1	0.193	96
55-174		Triple Point	30	-25	133.69	134.70	1.01	-	54	1.84	<0.01	120
55-174		Triple Point	30	-25	134.70	135.15	0.46	-	159	4.49	0.306	353
55-174		Triple Point	30	-25	135.15	135.98	0.82	-	51	1.59	<0.01	108
55-174		Triple Point	30	-25	135.98	136.28	0.30	-	62	0.508	0.049	85
55-174	185	Triple Point	30	-25	136.28	136.55	0.27	0.25	648	22.1	0.184	1,460
55-174	185	Triple Point	30	-25	136.55	137.71	1.16	1.06	87	2.6	0.017	182
55-174	185	Triple Point	30	-25	137.71	138.23	0.52	0.47	19	0.363	<0.01	32
55-174	185	Triple Point	30	-25	138.23	138.60	0.37	0.33	102	0.474	0.091	129
55-174	185	Triple Point	30	-25	138.60	138.93	0.34	0.30	<17	0.135	<0.01	23
55-174	185	Triple Point	30	-25	138.93	139.09	0.15	0.14	4,630	9.45	2.96	5,270
55-174		Triple Point	30	-25	139.09	140.24	1.16	-	78	1.56	<0.01	134
55-174		Triple Point	30	-25	140.24	140.85	0.61	-	69	2.47	<0.01	158
55-174		Triple Point	30	-25	140.85	142.07	1.22	-	<17	0.189	<0.01	25
55-175A		Triple Point	45	-26.5	12.62	14.33	1.71	-	<17	<0.1	<0.01	<22
55-175A		Triple Point	45	-26.5	14.33	14.51	0.18	-	<17	<0.1	<0.01	<22
55-175A		Triple Point	45	-26.5	14.51	14.94	0.43	-	<17	<0.1	<0.01	<22
55-175A		Triple Point	45	-26.5	14.94	15.61	0.67	-	33	<0.1	0.016	35
55-175A		Triple Point	45	-26.5	18.90	19.21	0.30	-	108	<0.1	0.045	113
55-175A		Triple Point	45	-26.5	28.69	28.87	0.18	-	38	0.129	0.016	44
55-175A		Triple Point	45	-26.5	40.24	40.43	0.18	-	140	0.131	0.073	152
55-175A		Triple Point	45	-26.5	68.29	69.82	1.52	-	36	<0.1	0.07	43
55-175A	Silver HW	Triple Point	45	-26.5	69.82	70.18	0.37	0.28	6,620	<0.1	6.04	7,240
55-175A	Silver HW	Triple Point	45	-26.5	70.18	70.85	0.67	0.50	151	<0.1	0.206	172
55-175A	Silver HW	Triple Point	45	-26.5	70.85	71.04	0.18	0.14	6,620	<0.1	6.54	7,290
55-175A	Silver HW	Triple Point	45	-26.5	71.04	71.71	0.67	0.50	573	<0.1	0.779	653
55-175A	Silver HW	Triple Point	45	-26.5	71.71	72.04	0.34	0.25	30,200	<0.1	26.1	32,900
55-175A	Silver HW	Triple Point	45	-26.5	72.04	72.29	0.24	0.18	23,000	<0.1	17	24,800
55-175A	Silver HW	Triple Point	45	-26.5	72.29	72.59	0.30	0.23	11,500	<0.1	9.97	12,500
55-175A	Silver HW	Triple Point	45	-26.5	72.59	72.80	0.21	0.16	101	<0.1	0.176	119
55-175A	Silver HW	Triple Point	45	-26.5	72.80	73.48	0.67	0.50	5,380	<0.1	4.75	5,870
55-175A		Triple Point	45	-26.5	73.48	74.39	0.91	-	155	<0.1	0.116	167
55-175A		Triple Point	45	-26.5	74.39	74.54	0.15	-	720	<0.1	0.788	801
55-175A		Triple Point	45	-26.5	74.54	75.00	0.46	-	<17	<0.1	<0.01	<22
55-175A		Triple Point	45	-26.5	116.68	116.89	0.21	-	84	2.21	0.019	166
55-175A		Triple Point	45	-26.5	136.28	137.50	1.22	-	98	2.52	0.019	191
55-175A		Triple Point	45	-26.5	137.50	138.93	1.43	-	31	0.891	<0.01	63
55-175A		Triple Point	45	-26.5	138.93	139.51	0.58	-	67	2.03	<0.01	140
55-175A	185	Triple Point	45	-26.5	139.51	139.82	0.30	0.24	460	9.4	0.099	808
55-175A	185	Triple Point	45	-26.5	139.82	140.24	0.43	0.34	26	1.07	<0.01	64
55-175A	185	Triple Point	45	-26.5	140.24	140.76	0.52	0.41	164	7.77	<0.01	444
55-175A	185	Triple Point	45	-26.5	140.76	141.01	0.24	0.19	35	1.57	<0.01	91
55-175A	185	Triple Point	45	-26.5	141.01	141.40	0.40	0.31	343	12.8	0.055	810
55-175A	185	Triple Point	45	-26.5	141.40	141.71	0.30	0.24	27	1.59	<0.01	84
55-175A	185	Triple Point	45	-26.5	141.71	141.83	0.12	0.09	56	2.67	<0.01	152
55-175A	185	Triple Point	45	-26.5	141.83	142.10	0.27	0.22	67	2.86	<0.01	170
55-175A	185	Triple Point	45	-26.5	142.10	142.53	0.43	0.34	552	12	0.443	1,030
55-175A	185	Triple Point	45	-26.5	142.53	142.93	0.40	0.31	614	12.2	0.714	1,130
55-175A		Triple Point	45	-26.5	142.93	143.48	0.55	-	<17	0.784	<0.01	46
55-175A		Triple Point	45	-26.5	143.48	143.81	0.34	-	206	7.51	0.047	481
55-175A		Triple Point	45	-26.5	143.81	145.00	1.19	-	18	0.797	<0.01	47
55-175A	Unknown	Triple Point	45	-26.5	145.00	145.55	0.55	0.43	384	22.3	0.025	1,190

Galena Levels 3400, 4300, 4900 and 5500 Drill Results - July 12, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
55-175A	Unknown	Triple Point	45	-26.5	145.55	146.04	0.49	0.38	87	2.26	0.017	170
55-175A		Triple Point	45	-26.5	146.04	146.46	0.43	-	26	1.05	<0.01	64
55-175A		Triple Point	45	-26.5	146.46	146.80	0.34	-	196	2.69	0.129	306
55-175A		Triple Point	45	-26.5	146.80	147.01	0.21	-	<17	<0.1	<0.01	<22
55-175A		Triple Point	45	-26.5	147.01	148.17	1.16	-	<17	<0.1	<0.01	<22
55-176		Triple Point	41	0	58.08	59.60	1.52	-	<17	<0.1	<0.01	<22
55-176	Unknown	Triple Point	41	0	59.60	60.18	0.58	0.43	1,690	<0.1	1.12	1,810
55-176		Triple Point	41	0	60.18	61.71	1.52	-	<17	<0.1	<0.01	<22
55-176	Unknown	Triple Point	41	0	66.74	68.26	1.52	1.16	62	<0.1	0.039	66
55-176	Unknown	Triple Point	41	0	68.26	69.02	0.76	0.58	2,150	<0.1	1.75	2,330
55-176		Triple Point	41	0	69.02	70.55	1.52	-	<17	<0.1	<0.01	<22
55-176		Triple Point	41	0	70.55	71.86	1.31	-	<17	<0.1	<0.01	<22
55-176	Silver HW	Triple Point	41	0	71.86	72.07	0.21	0.15	6,580	<0.1	5.52	7,150
55-176	Silver HW	Triple Point	41	0	72.07	72.32	0.24	0.18	23,900	<0.1	17.5	25,700
55-176	Silver HW	Triple Point	41	0	72.32	73.84	1.52	1.16	99	<0.1	0.105	110
55-176	Silver HW	Triple Point	41	0	73.84	74.27	0.43	0.34	576	<0.1	0.54	632
55-176		Triple Point	41	0	74.27	75.79	1.52	-	<17	<0.1	<0.01	<22
55-177		Silver HW	50	0	24.09	24.54	0.46	-	<17	<0.1	<0.01	<22
55-177		Silver HW	50	0	24.54	25.43	0.88	-	18	<0.1	<0.01	23
55-177		Silver HW	50	0	25.43	26.52	1.10	-	<17	<0.1	<0.01	<22
55-177		Silver HW	50	0	26.52	27.93	1.40	-	<17	<0.1	<0.01	<22
55-177		Silver HW	50	0	27.93	28.60	0.67	-	96	<0.1	0.041	101
55-177		Triple Point	50	0	28.60	28.96	0.37	-	<17	<0.1	<0.01	<22
55-177	Unknown	Triple Point	50	0	60.98	61.49	0.52	0.31	21	<0.1	0.018	23
55-177	Unknown	Triple Point	50	0	61.49	61.74	0.24	0.15	2,830	<0.1	1.41	2,980
55-177		Triple Point	50	0	61.74	62.04	0.30	-	<17	<0.1	<0.01	<22
55-177		Triple Point	50	0	70.82	71.13	0.30	-	187	<0.1	0.092	197
55-177		Triple Point	50	0	76.83	77.01	0.18	-	124	<0.1	0.071	131
55-178		Triple Point	60	-20	10.98	11.16	0.18	-	258	<0.1	0.101	268
55-178		Triple Point	60	-20	83.63	84.85	1.22	-	<17	<0.1	<0.01	<22
55-178	Silver HW	Triple Point	60	-20	84.85	85.15	0.30	0.16	278	<0.1	0.221	301
55-178	Silver HW	Triple Point	60	-20	85.15	85.37	0.21	0.11	25,800	<0.1	18.4	27,700
55-178	Silver HW	Triple Point	60	-20	85.37	85.52	0.15	0.08	1,960	<0.1	1.6	2,130
55-178	Silver HW	Triple Point	60	-20	85.52	85.70	0.18	0.09	5,490	<0.1	3.94	5,900
55-178	Silver HW	Triple Point	60	-20	85.70	86.49	0.79	-	243	<0.1	0.207	264
55-178		Triple Point	60	-20	86.49	87.87	1.37	-	<17	<0.1	<0.01	<22
55-178		Triple Point	60	-20	87.87	88.35	0.49	-	<17	<0.1	<0.01	<22
55-178		Triple Point	60	-20	88.35	88.72	0.37	-	162	<0.1	0.134	176
55-178		Triple Point	60	-20	88.72	89.33	0.61	-	70	<0.1	0.119	83
55-178		Triple Point	60	-20	89.33	90.85	1.52	-	<17	<0.1	0.022	23
55-179		Triple Point	60	-5	144.82	146.34	1.52	-	43	0.104	0.013	48
55-179		Triple Point	60	-5	146.34	147.87	1.52	-	206	0.828	0.062	242
55-179		Triple Point	60	-5	147.87	148.41	0.55	-	272	0.924	0.092	315
55-179		Triple Point	60	-5	157.16	157.38	0.21	-	<17	<0.1	<0.01	<22
55-180		Triple Point	60	10	38.41	38.72	0.30	-	<17	<0.1	<0.01	<22
55-180		Triple Point	60	10	38.72	38.87	0.15	-	562	<0.1	0.316	595
55-180		Triple Point	60	10	38.87	39.63	0.76	-	24	<0.1	0.012	25
55-180		Triple Point	60	10	67.47	68.11	0.64	-	55	<0.1	0.037	58
55-181		Silver HW	0	20	10.34	10.49	0.15	-	374	<0.1	0.14	388
55-181		Silver HW	0	20	13.23	13.48	0.24	-	401	<0.1	0.163	418
55-181		Silver HW	0	20	23.38	23.81	0.43	-	170	<0.1	0.062	176
55-181	Silver HW	Silver HW	0	20	67.59	67.77	0.18	-	353	<0.1	0.193	373
55-181		Silver HW	0	20	72.56	72.87	0.30	-	<17	<0.1	<0.01	<22
55-181	Silver HW	Silver HW	0	20	72.87	73.17	0.30	0.27	1,650	<0.1	0.97	1,750
55-181	Silver HW	Silver HW	0	20	73.17	74.09	0.91	0.81	991	<0.1	0.71	1,060
55-181	Silver HW	Silver HW	0	20	74.09	75.00	0.91	0.81	1,220	<0.1	2.26	1,450
55-181		Silver HW	0	20	75.00	75.30	0.30	-	<17	<0.1	0.032	24
55-181		Silver HW	0	20	94.82	95.12	0.30	-	<17	<0.1	<0.01	<22
55-181	Unknown	Silver HW	0	20	95.12	95.88	0.76	0.67	477	<0.1	0.312	509
55-181	Unknown	Silver HW	0	20	95.88	96.80	0.91	0.82	408	<0.1	0.253	434
55-181	Unknown	Silver HW	0	20	96.80	97.50	0.70	0.61	1,470	<0.1	1.04	1,580
55-181		Silver HW	0	20	97.50	98.14	0.64	-	<17	<0.1	0.029	24
55-182		Silver HW	0	35	18.14	18.45	0.30	-	38	<0.1	0.013	39
55-182		Silver HW	0	35	20.49	20.70	0.21	-	221	<0.1	0.079	229
55-182		Silver HW	0	35	31.59	32.20	0.61	-	21	<0.1	<0.01	26
55-182		Silver HW	0	35	32.20	33.45	1.25	-	<17	<0.1	<0.01	<22
55-182		Silver HW	0	35	33.45	33.84	0.40	-	<17	<0.1	<0.01	<22
55-182	Silver HW	Silver HW	0	35	82.99	83.35	0.37	0.34	149	<0.1	0.129	162
55-182		Silver HW	0	35	106.37	106.65	0.27	-	183	<0.1	0.137	197
55-183		Silver HW	45	20	61.68	61.83	0.15	-	39	<0.1	0.025	41
55-183		Silver HW	45	20	85.06	85.46	0.40	-	<17	<0.1	0.057	27
55-183	Silver HW	Silver HW	45	20	85.46	85.76	0.30	0.21	2,080	<0.1	1.92	2,280
55-183	Silver HW	Silver HW	45	20	85.76	86.59	0.82	0.55	484	<0.1	0.516	537
55-183	Silver HW	Silver HW	45	20	86.59	87.50	0.91	0.61	2,620	<0.1	2.43	2,870
55-183	Silver HW	Silver HW	45	20	87.50	88.35	0.85	0.58	4,730	<0.1	3.97	5,140
55-183	Silver HW	Silver HW	45	20	88.35	89.33	0.98	0.64	134	<0.1	0.182	153
55-183	Silver HW	Silver HW	45	20	89.33	90.40	1.07	0.70	206	<0.1	0.377	245
55-183	Silver HW	Silver HW	45	20	90.40	91.22	0.82	0.55	13,800	0.202	11.1	14,900
55-183		Silver HW	45	20	91.22	92.07	0.85	-	130	<0.1	0.115	142
55-183		Silver HW	45	20	97.10	97.26	0.15	-	1,440	<0.1	1.63	1,610

Galena Levels 3400, 4300, 4900 and 5500 Drill Results - July 12, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
55-183		Silver HW	45	20	105.95	106.86	0.91	-	<17	<0.1	0.014	<22
55-184		Silver HW	48	10	1.83	2.23	0.40	-	477	<0.1	0.17	495
55-184		Silver HW	48	10	15.40	15.58	0.18	-	133	<0.1	0.05	138
55-184		Silver HW	48	10	16.55	16.77	0.21	-	32	<0.1	0.014	34
55-184		Silver HW	48	10	24.76	26.01	1.25	-	<17	<0.1	<0.01	<22
55-184		Silver HW	48	10	32.32	32.68	0.37	-	190	<0.1	0.067	197
55-184		Silver HW	48	10	59.57	60.27	0.70	-	33	<0.1	0.02	35
55-184		Silver HW	48	10	68.57	68.90	0.34	-	190	<0.1	0.185	209
55-184		Silver HW	48	10	79.27	79.45	0.18	-	22	<0.1	0.015	23
55-184		Silver HW	48	10	81.10	82.35	1.25	-	<17	<0.1	<0.01	<22
55-184		Silver HW	48	10	82.35	83.48	1.13	-	<17	<0.1	<0.01	<22
55-184		Silver HW	48	10	84.33	84.48	0.15	-	41	<0.1	0.028	44
55-184		Silver HW	48	10	86.68	86.83	0.15	-	154	<0.1	0.104	165
55-184		Silver HW	48	10	87.44	88.05	0.61	-	29	<0.1	0.072	37
55-184	Silver HW	Silver HW	48	10	88.05	88.41	0.37	0.27	2,730	<0.1	2.88	3,030
55-184	Silver HW	Silver HW	48	10	88.41	89.18	0.76	0.55	275	<0.1	0.273	303
55-184	Silver HW	Silver HW	48	10	89.18	89.54	0.37	0.27	7,780	<0.1	7.74	8,580
55-184	Silver HW	Silver HW	48	10	89.54	90.27	0.73	0.52	2,650	<0.1	2.56	2,910
55-184	Silver HW	Silver HW	48	10	90.27	91.04	0.76	0.55	7,610	<0.1	7.6	8,390
55-184		Silver HW	48	10	91.04	91.46	0.43	-	33	<0.1	0.028	36
55-184		Silver HW	48	10	91.46	92.50	1.04	-	111	<0.1	0.097	121
55-184		Silver HW	48	10	92.50	93.72	1.22	-	<17	<0.1	<0.01	<22
55-184		Silver HW	48	10	143.84	145.12	1.28	-	183	6.13	0.028	407
55-184	185	Silver HW	48	10	147.50	147.65	0.15	0.09	412	17.8	0.035	1,060
55-184	185	Silver HW	48	10	147.65	148.23	0.58	0.40	54	1.64	<0.01	113
55-184	185	Silver HW	48	10	148.23	149.09	0.85	0.58	251	6.05	0.054	475
55-184		Silver HW	48	10	157.35	157.56	0.21	-	76	0.73	0.036	106
55-184		Silver HW	48	10	157.56	158.02	0.46	-	210	3.21	0.085	335
55-184		Silver HW	48	10	158.02	158.81	0.79	-	<17	<0.1	<0.01	<22
55-184		Silver HW	48	10	158.81	159.60	0.79	-	49	1.95	0.034	123
55-185		Silver HW	60	-10	12.07	12.41	0.34	-	152	<0.1	0.06	158
55-185	Silver HW	Silver HW	60	-10	84.70	84.85	0.15	0.09	2,610	<0.1	2.36	2,850
55-185		Silver HW	60	-10	93.99	94.73	0.73	-	<17	<0.1	<0.01	<22
55-185		Silver HW	60	-10	140.55	141.77	1.22	-	82	1.55	<0.01	138
55-185	185	Silver HW	60	-10	141.77	142.93	1.16	0.67	281	0.953	0.104	326
55-185	185	Silver HW	60	-10	142.93	143.23	0.30	0.18	453	2.63	0.131	561
55-185		Silver HW	60	-10	143.23	144.51	1.28	-	41	0.397	0.017	57
55-185		Silver HW	60	-10	144.51	145.52	1.01	-	22	1.15	<0.01	64
55-185		Silver HW	60	-10	145.52	145.85	0.34	-	<17	0.633	<0.01	41
55-185		Silver HW	60	-10	145.85	146.34	0.49	-	<17	<0.1	<0.01	<22
55-186		Silver HW	48	-50	26.55	26.83	0.27	-	163	<0.1	0.092	173
55-186		Silver HW	48	-50	74.39	75.91	1.52	-	59	<0.1	0.049	64
55-186	Silver HW	Silver HW	48	-50	75.91	76.37	0.46	0.30	1,580	<0.1	2.19	1,810
55-186	Silver HW	Silver HW	48	-50	76.37	76.68	0.30	0.21	3,240	<0.1	4.51	3,700
55-186		Silver HW	48	-50	76.68	78.20	1.52	-	30	<0.1	0.061	36
55-186		Silver HW	48	-50	84.76	85.21	0.46	-	<17	<0.1	<0.01	<22
55-186		Silver HW	48	-50	159.63	160.24	0.61	-	<17	0.314	<0.01	29
55-186	185	Silver HW	48	-50	160.24	161.59	1.34	0.98	128	7.27	0.022	392
55-186	185	Silver HW	48	-50	161.59	162.13	0.55	0.40	125	8.38	<0.01	427
55-186		Silver HW	48	-50	162.13	162.65	0.52	-	<17	1.03	<0.01	55
55-218		Silver HW	287	-56	30.67	30.91	0.24	-	<17	3.8	<0.01	155
55-218		Silver HW	287	-56	61.10	61.43	0.34	-	<17	3.8	0.013	155
55-218		Silver HW	287	-56	113.66	114.27	0.61	-	<17	4.8	<0.01	191
55-218		Silver HW	287	-56	114.27	114.79	0.52	-	<17	4.8	0.014	192
55-218		Silver HW	287	-56	114.79	115.85	1.07	-	23	5.8	0.069	239
55-218		Silver HW	287	-56	115.85	116.77	0.91	-	<17	4.8	0.023	193
55-218		Silver HW	287	-56	116.77	117.68	0.91	-	<17	3.8	<0.01	155
55-218		Silver HW	287	-56	120.52	121.13	0.61	-	<17	3.8	0.025	157
55-218		Silver HW	287	-56	147.56	148.87	1.31	-	<17	4.8	0.015	192
55-218		Silver HW	287	-56	233.38	233.78	0.40	-	75	3.8	0.371	251
55-218		Silver HW	287	-56	273.87	274.09	0.21	-	26	3.8	0.092	173
55-219		Silver HW	300	-70	6.28	6.43	0.15	-	132	<0.1	0.056	138
55-219		Silver HW	300	-70	16.95	17.10	0.15	-	384	<0.1	0.149	399
55-219		Silver HW	300	-70	21.43	21.59	0.15	-	<17	<0.1	<0.01	<22
- True Width is calculated for significant intercepts only and based on orientation axis of core across the estimated dip of the vein												
- AgEq is calculated using metal prices of \$20.00/oz silver, \$3.00/lb copper and \$1.05/lb lead												
- Numbers may not add up correctly due to rounding												