

Galena Levels 4300 and 5500 Drill Results - December 18, 2020

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
43-248		360 Complex	128	-11	164.8	165.9	1.1	-	<17	<0.1	<0.01	<22
43-248		360 Complex	128	-11	191.8	192.7	0.9	-	<17	<0.1	<0.01	<22
43-249		360 Complex	70	-10	13.4	14.3	0.9	-	259	11.50	0.03	677
43-249		360 Complex	70	-10	14.3	15.2	0.9	-	154	6.76	0.02	399
43-249		360 Complex	70	-10	15.2	16.8	1.5	-	73	3.30	<0.01	191
43-249		360 Complex	70	-10	16.8	18.3	1.5	-	134	6.40	<0.01	364
43-249		360 Complex	70	-10	18.3	18.7	0.4	-	99	4.84	<0.01	273
43-249		360 Complex	70	-10	18.7	18.9	0.2	-	504	29.00	0.04	1,552
43-249		360 Complex	70	-10	18.9	19.8	1.0	-	81	4.68	<0.01	249
43-249		360 Complex	70	-10	19.8	21.3	1.5	-	83	4.40	0.02	243
43-249		360 Complex	70	-10	21.3	22.1	0.8	-	144	7.24	0.02	406
43-249		360 Complex	70	-10	24.4	25.9	1.5	-	98	5.36	<0.01	291
43-249		360 Complex	70	-10	25.9	27.4	1.5	-	105	5.60	<0.01	307
43-249		360 Complex	70	-10	27.4	29.0	1.5	-	113	7.00	<0.01	365
43-249		360 Complex	70	-10	55.6	56.6	1.1	-	77	4.60	0.01	242
43-249		360 Complex	70	-10	56.6	57.9	1.3	-	67	3.62	0.01	197
43-249		360 Complex	70	-10	57.9	59.5	1.5	-	107	6.60	<0.01	345
43-249		360 Complex	70	-10	59.5	60.4	0.9	-	65	4.28	<0.01	219
43-249	257	360 Complex	70	-10	60.4	61.4	1.1	-	166	13.00	0.01	634
43-249	257	360 Complex	70	-10	61.4	61.9	0.5	-	46	2.85	<0.01	149
43-249		360 Complex	70	-10	61.9	62.0	0.2	-	425	26.10	0.06	1,371
43-249		360 Complex	70	-10	62.0	63.1	1.1	-	113	8.00	<0.01	401
43-249		360 Complex	70	-10	67.1	68.6	1.5	-	82	5.12	<0.01	266
43-249		360 Complex	70	-10	68.6	70.1	1.5	-	101	6.32	<0.01	328
43-249		360 Complex	70	-10	73.2	74.7	1.5	-	55	2.99	0.01	163
43-249		360 Complex	70	-10	74.7	76.2	1.5	-	51	2.44	<0.01	139
43-249	BR3	360 Complex	70	-10	76.2	77.7	1.5	1.0	174	6.87	<0.01	422
43-249	178	360 Complex	70	-10	77.7	78.2	0.5	0.3	1,248	32.40	0.53	2,470
43-249	BR3	360 Complex	70	-10	78.2	79.3	1.0	0.7	255	9.47	0.01	596
43-249	BR3	360 Complex	70	-10	79.3	80.2	0.9	0.6	466	23.50	0.02	1,315
43-249	BR3	360 Complex	70	-10	80.2	81.1	0.9	0.6	401	28.20	0.02	1,419
43-249	BR3	360 Complex	70	-10	81.1	82.0	0.9	0.6	391	25.20	0.04	1,302
43-249	BR3	360 Complex	70	-10	82.0	82.3	0.4	0.2	206	15.90	<0.01	778
43-249	BR3	360 Complex	70	-10	82.3	83.2	0.9	0.6	118	6.46	<0.01	351
43-249	BR3	360 Complex	70	-10	83.2	84.1	0.9	0.6	127	9.34	<0.01	463
43-249		360 Complex	70	-10	84.1	85.4	1.2	-	27	2.14	<0.01	104
43-249		360 Complex	70	-10	85.4	86.9	1.5	-	46	3.23	<0.01	163
43-249		360 Complex	70	-10	86.9	88.4	1.5	-	<17	1.21	<0.01	62
43-249		360 Complex	70	-10	88.4	89.9	1.5	-	46	3.55	<0.01	173
43-249		360 Complex	70	-10	89.9	90.9	0.9	-	91	6.85	<0.01	338
43-249		360 Complex	70	-10	90.9	91.0	0.2	-	466	24.90	0.48	1,412
43-249	BR2	360 Complex	70	-10	91.0	92.1	1.0	-	205	17.80	<0.01	846
43-249	BR2	360 Complex	70	-10	92.1	93.2	1.1	-	84	5.78	<0.01	292
43-249	BR2	360 Complex	70	-10	93.2	94.1	0.9	-	189	12.30	<0.01	632
43-249	BR2	360 Complex	70	-10	94.1	95.4	1.4	-	203	15.80	<0.01	771
43-249	BR2	360 Complex	70	-10	95.4	97.0	1.5	-	74	5.25	<0.01	263
43-249	BR2	360 Complex	70	-10	97.0	97.6	0.6	-	224	17.40	<0.01	850
43-249	BR2	360 Complex	70	-10	97.6	98.8	1.3	-	211	13.50	0.01	697
43-249	BR2	360 Complex	70	-10	98.8	99.9	1.1	-	54	3.59	0.02	186
43-249	348	360 Complex	70	-10	99.9	100.2	0.2	-	412	36.00	0.02	1,710
43-249	348	360 Complex	70	-10	100.2	101.4	1.2	-	126	8.17	0.02	423
43-249	348	360 Complex	70	-10	101.4	102.4	1.1	-	126	10.00	<0.01	486
43-249	348	360 Complex	70	-10	102.4	103.7	1.2	-	299	22.70	0.02	1,118
43-249	348	360 Complex	70	-10	103.7	105.2	1.5	-	293	21.50	<0.01	1,067
43-249	BR2	360 Complex	70	-10	105.2	106.7	1.5	-	80	4.89	<0.01	256
43-249	BR2	360 Complex	70	-10	106.7	108.2	1.5	-	176	11.40	<0.01	586
43-249	BR2	360 Complex	70	-10	108.2	109.6	1.3	-	173	9.64	0.05	526
43-249		360 Complex	70	-10	109.6	111.0	1.5	-	80	2.68	<0.01	176
43-249		360 Complex	70	-10	111.0	112.5	1.5	-	<17	0.59	<0.01	40
43-249	BR1	360 Complex	70	-10	112.5	112.8	0.3	0.2	346	15.20	2.04	1,103
43-249	BR1	360 Complex	70	-10	112.8	114.3	1.5	0.9	320	13.30	0.01	799
43-249	BR1	360 Complex	70	-10	114.3	115.9	1.5	0.9	367	20.50	0.03	1,108
43-249	BR1	360 Complex	70	-10	115.9	116.3	0.5	0.3	317	18.00	0.01	965
43-249	BR1	360 Complex	70	-10	116.3	117.5	1.2	0.7	88	4.62	<0.01	255
43-249	BR1	360 Complex	70	-10	117.5	118.8	1.2	0.7	53	2.87	<0.01	156
43-249	BR1	360 Complex	70	-10	118.8	119.7	0.9	0.5	216	11.80	0.08	649
43-249		360 Complex	70	-10	119.7	121.2	1.5	-	49	2.36	0.02	136
43-250		360 Complex	67	10	6.3	7.8	1.5	-	66	2.53	<0.01	157
43-250		360 Complex	67	10	7.8	8.1	0.3	-	152	5.72	<0.01	358
43-250		360 Complex	67	10	8.1	9.1	1.0	-	54	2.15	<0.01	131
43-250		360 Complex	67	10	15.5	16.9	1.4	-	80	3.50	<0.01	206
43-250		360 Complex	67	10	16.9	18.3	1.4	-	101	4.22	<0.01	253
43-250		360 Complex	67	10	18.3	19.2	0.9	-	70	3.47	<0.01	195
43-250		360 Complex	67	10	19.2	20.0	0.8	-	<17	0.63	<0.01	41
43-250		360 Complex	67	10	20.0	21.0	1.1	-	23	1.12	<0.01	63
43-250		360 Complex	67	10	21.0	21.2	0.2	-	741	37.00	0.14	2,087
43-250		360 Complex	67	10	21.2	22.4	1.2	-	27	1.16	<0.01	68
43-250		360 Complex	67	10	22.4	23.9	1.5	-	31	1.35	<0.01	80
43-250		360 Complex	67	10	23.9	24.7	0.8	-	<17	0.23	<0.01	26
43-250		360 Complex	67	10	24.7	26.1	1.4	-	23	1.04	<0.01	60
43-250		360 Complex	67	10	26.1	27.4	1.4	-	31	1.24	<0.01	75
43-250		360 Complex	67	10	30.5	32.0	1.5	-	35	1.51	0.01	90

Galena Levels 4300 and 5500 Drill Results - December 18, 2020

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
43-250		360 Complex	67	10	32.0	33.5	1.5	-	85	3.09	0.04	200
43-250		360 Complex	67	10	50.0	50.6	0.6	-	156	8.43	0.04	464
43-250		360 Complex	67	10	50.6	51.5	0.9	-	21	1.18	<0.01	63
43-250		360 Complex	67	10	51.5	52.7	1.2	-	92	6.22	<0.01	316
43-250		360 Complex	67	10	52.7	54.3	1.5	-	<17	1.10	<0.01	58
43-250		360 Complex	67	10	54.3	54.9	0.6	-	99	4.79	0.06	278
43-250		360 Complex	67	10	71.0	71.2	0.2	-	470	20.10	0.07	1,201
43-250		360 Complex	67	10	71.2	72.7	1.5	-	<17	0.80	<0.01	47
43-250		360 Complex	67	10	108.5	108.8	0.3	-	41	<0.1	0.09	50
43-250	306	360 Complex	67	10	108.8	110.1	1.3	0.9	1,231	32.60	0.73	2,479
43-250	306	360 Complex	67	10	110.1	110.3	0.2	0.2	50	0.51	0.06	74
43-250	306	360 Complex	67	10	110.3	110.5	0.2	0.1	4,287	44.40	4.55	6,353
43-250	306	360 Complex	67	10	110.5	110.6	0.2	0.1	75	0.34	0.09	97
43-250	306	360 Complex	67	10	110.6	111.1	0.5	0.3	335	0.46	0.53	406
43-250		360 Complex	67	10	111.1	111.3	0.2	-	<17	<0.1	0.01	<22
43-250		360 Complex	67	10	111.3	111.6	0.3	-	115	0.34	0.17	144
43-250		360 Complex	67	10	168.6	169.7	1.1	-	<17	0.98	<0.01	53
43-250	367	360 Complex	67	10	169.7	170.3	0.6	-	46	4.07	<0.01	192
43-250	367	360 Complex	67	10	170.3	170.6	0.3	-	308	22.20	0.02	1,109
43-250	367	360 Complex	67	10	170.6	171.3	0.7	-	497	32.70	0.13	1,688
43-250		360 Complex	67	10	171.3	171.5	0.2	-	<17	0.60	<0.01	40
43-250		360 Complex	67	10	171.5	172.8	1.3	-	<17	0.19	<0.01	25
43-251		360 Complex	80	-29	0.5	0.7	0.2	-	35	0.97	0.03	73
43-251		360 Complex	80	-29	0.7	2.1	1.4	-	259	9.05	<0.01	584
43-251		360 Complex	80	-29	15.6	15.9	0.3	-	<17	0.94	<0.01	52
43-251		360 Complex	80	-29	15.9	16.1	0.2	-	658	21.20	0.20	1,442
43-251		360 Complex	80	-29	16.1	17.3	1.2	-	<17	0.94	<0.01	52
43-251		360 Complex	80	-29	17.3	17.5	0.2	-	274	13.30	0.94	850
43-251		360 Complex	80	-29	17.5	18.8	1.4	-	36	1.46	0.04	92
43-251		360 Complex	80	-29	20.5	22.1	1.5	-	73	4.05	0.02	221
43-251		360 Complex	80	-29	26.6	27.3	0.6	-	73	3.76	<0.01	208
43-251		360 Complex	80	-29	27.3	27.6	0.4	-	137	5.61	0.38	378
43-251		360 Complex	80	-29	27.6	28.5	0.9	-	37	2.29	<0.01	119
43-251		360 Complex	80	-29	28.5	28.7	0.2	-	288	16.30	0.13	888
43-251		360 Complex	80	-29	28.7	28.8	0.1	-	91	6.68	0.03	334
43-251		360 Complex	80	-29	28.8	29.2	0.4	-	343	13.30	0.60	883
43-251		360 Complex	80	-29	29.2	30.6	1.4	-	71	4.49	<0.01	233
43-251		360 Complex	80	-29	45.4	47.0	1.5	-	36	2.21	<0.01	116
43-251		360 Complex	80	-29	47.0	48.5	1.5	-	62	3.83	0.01	200
43-251		360 Complex	80	-29	48.5	50.0	1.5	-	40	2.24	0.02	123
43-251		360 Complex	80	-29	50.0	50.6	0.6	-	51	3.16	<0.01	165
43-251		360 Complex	80	-29	88.1	89.6	1.5	-	22	0.91	0.01	55
43-251		360 Complex	80	-29	100.7	102.1	1.4	-	50	1.07	0.16	104
43-251	348	360 Complex	80	-29	102.1	102.4	0.2	0.1	1,481	54.00	1.67	3,597
43-251	348	360 Complex	80	-29	102.4	103.4	1.0	0.6	167	7.36	0.05	437
43-251		360 Complex	80	-29	103.4	104.5	1.1	-	57	2.38	<0.01	143
43-251	306	360 Complex	80	-29	111.2	111.8	0.6	-	174	0.59	0.26	222
43-251	306	360 Complex	80	-29	111.8	112.2	0.4	-	2,263	28.60	0.69	3,363
43-251	306	360 Complex	80	-29	112.2	113.5	1.3	-	160	0.89	0.17	210
43-251	306	360 Complex	80	-29	113.5	113.8	0.3	-	241	1.81	0.30	337
43-251	350	360 Complex	80	-29	152.1	153.0	0.9	-	290	7.47	<0.01	559
43-251	350	360 Complex	80	-29	153.0	154.0	0.9	-	287	9.00	<0.01	611
43-251	350	360 Complex	80	-29	154.0	154.3	0.3	-	456	23.70	<0.01	1,309
43-251		360 Complex	80	-29	154.3	155.7	1.4	-	57	1.67	<0.01	117
43-251		360 Complex	80	-29	157.3	158.7	1.3	-	130	6.75	<0.01	373
43-251		360 Complex	80	-29	164.9	165.9	0.9	-	139	6.76	<0.01	383
43-251		360 Complex	80	-29	165.9	167.1	1.2	-	48	2.19	0.01	127
43-251	BR1	360 Complex	80	-29	171.3	172.5	1.1	-	138	5.91	<0.01	351
43-251	BR1	360 Complex	80	-29	172.5	173.5	1.1	-	168	6.93	<0.01	418
43-251		360 Complex	80	-29	192.4	193.3	0.9	-	216	4.20	0.20	388
43-251		360 Complex	80	-29	193.3	194.2	0.9	-	128	1.95	0.13	211
43-251		360 Complex	80	-29	199.7	201.1	1.4	-	57	1.39	0.06	113
43-251		360 Complex	80	-29	209.0	209.4	0.4	-	102	3.20	0.07	223
43-257		360 Complex	22	9	9.1	10.7	1.5	-	51	1.92	<0.01	120
43-257		360 Complex	22	9	18.4	19.2	0.8	-	95	3.53	0.04	227
43-257		360 Complex	22	9	22.0	23.3	1.4	-	122	2.30	0.33	239
43-257		360 Complex	22	9	23.3	24.8	1.4	-	66	2.54	<0.01	157
43-257		360 Complex	22	9	24.8	25.9	1.2	-	35	1.44	<0.01	87
43-257		360 Complex	22	9	25.9	26.8	0.9	-	64	2.66	<0.01	160
43-257		360 Complex	22	9	38.4	39.6	1.2	-	50	2.08	0.02	128
43-257		360 Complex	22	9	39.6	41.0	1.4	-	20	0.79	<0.01	49
43-257		360 Complex	22	9	46.0	47.5	1.5	-	98	4.62	0.02	266
43-257		360 Complex	22	9	54.9	56.4	1.5	-	55	2.57	<0.01	147
43-257		360 Complex	22	9	56.4	57.9	1.5	-	108	5.51	<0.01	306
43-257		360 Complex	22	9	61.0	61.2	0.2	-	51	2.23	<0.01	131
43-257		360 Complex	22	9	61.2	62.7	1.5	-	<17	0.41	<0.01	33
43-257		360 Complex	22	9	62.7	64.3	1.5	-	<17	0.33	<0.01	30
43-257		360 Complex	22	9	64.3	65.4	1.1	-	30	1.45	<0.01	82
43-257		360 Complex	22	9	65.4	66.2	0.8	-	<17	0.51	<0.01	37
43-257		360 Complex	22	9	66.2	67.1	0.9	-	<17	0.34	<0.01	30
43-257		360 Complex	22	9	67.1	68.1	1.1	-	33	1.64	<0.01	92
43-257		360 Complex	22	9	68.1	68.8	0.6	-	262	15.20	<0.01	809

Galena Levels 4300 and 5500 Drill Results - December 18, 2020

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
43-257		360 Complex	22	9	68.8	69.4	0.6	-	198	9.33	0.05	539
43-257		360 Complex	22	9	69.4	70.0	0.6	-	198	8.83	<0.01	516
43-257		360 Complex	22	9	70.0	71.3	1.4	-	<17	0.42	0.01	34
43-257		360 Complex	22	9	71.3	72.9	1.5	-	<17	0.36	<0.01	31
43-257		360 Complex	22	9	72.9	74.1	1.2	-	<17	0.29	0.01	29
43-257		360 Complex	22	9	74.1	75.3	1.2	-	81	3.10	0.13	206
43-257		360 Complex	22	9	75.3	76.8	1.5	-	115	5.03	<0.01	296
43-257		360 Complex	22	9	76.8	77.2	0.4	-	480	22.40	0.02	1,288
43-257		360 Complex	22	9	77.2	78.7	1.5	-	135	5.97	<0.01	350
43-257		360 Complex	22	9	78.7	79.6	0.9	-	68	2.91	<0.01	173
43-257		360 Complex	22	9	79.6	80.3	0.8	-	398	20.10	0.02	1,124
43-257		360 Complex	22	9	80.3	80.7	0.3	-	490	24.50	0.09	1,381
43-257		360 Complex	22	9	80.7	81.4	0.7	-	111	4.99	<0.01	291
43-257		360 Complex	22	9	81.4	81.6	0.2	-	302	18.00	0.03	953
43-257		360 Complex	22	9	81.6	82.5	0.8	-	200	12.90	<0.01	664
43-257		360 Complex	22	9	82.5	84.0	1.5	-	139	8.32	<0.01	438
43-257		360 Complex	22	9	84.0	85.4	1.4	-	117	6.29	<0.01	344
43-257		360 Complex	22	9	85.4	87.0	1.7	-	78	4.68	<0.01	246
43-257		360 Complex	22	9	87.0	88.0	0.9	-	143	10.30	0.01	513
43-257		360 Complex	22	9	88.0	89.5	1.5	-	<17	1.08	<0.01	57
43-257		360 Complex	22	9	89.5	90.5	1.1	-	21	1.25	<0.01	66
43-257		360 Complex	22	9	90.5	92.1	1.5	-	70	4.52	<0.01	233
43-257		360 Complex	22	9	92.1	93.6	1.5	-	129	6.52	<0.01	363
43-257		360 Complex	22	9	93.6	94.5	0.9	-	118	3.55	<0.01	245
43-257		360 Complex	22	9	94.5	95.1	0.6	-	<17	0.26	<0.01	27
43-257		360 Complex	22	9	95.1	96.5	1.4	-	154	3.99	0.02	299
43-257		360 Complex	22	9	96.5	98.0	1.5	-	26	0.77	0.03	57
43-257		360 Complex	22	9	98.0	99.5	1.5	-	<17	0.49	0.04	39
43-257		360 Complex	22	9	99.5	100.9	1.4	-	28	1.21	0.01	71
43-257		360 Complex	22	9	100.9	101.4	0.5	-	117	4.51	0.01	279
43-257		360 Complex	22	9	101.4	102.6	1.2	-	<17	0.77	0.03	48
43-258		360 Complex	22	-30	0.6	2.0	1.3	-	128	4.52	<0.01	290
43-258		360 Complex	22	-30	2.0	3.4	1.4	-	79	2.89	<0.01	183
43-258		360 Complex	22	-30	3.4	4.6	1.2	-	195	7.58	<0.01	468
43-258		360 Complex	22	-30	13.9	15.4	1.5	-	69	2.37	<0.01	154
43-258		360 Complex	22	-30	15.4	15.5	0.2	-	343	14.30	0.20	878
43-258		360 Complex	22	-30	15.5	16.8	1.2	-	58	2.00	<0.01	130
43-258		360 Complex	22	-30	16.8	18.3	1.5	-	53	1.80	<0.01	118
43-258		360 Complex	22	-30	18.3	19.5	1.2	-	19	0.68	<0.01	44
43-258		360 Complex	22	-30	19.5	20.5	1.0	-	26	0.92	<0.01	59
43-258		360 Complex	22	-30	20.5	20.9	0.4	-	245	9.78	0.31	629
43-258		360 Complex	22	-30	20.9	22.3	1.3	-	37	1.49	0.05	96
43-258		360 Complex	22	-30	22.3	23.2	0.9	-	52	2.04	<0.01	126
43-258		360 Complex	22	-30	23.2	24.4	1.2	-	42	1.75	<0.01	105
43-258		360 Complex	22	-30	26.8	28.4	1.5	-	76	2.32	0.01	160
43-258		360 Complex	22	-30	29.6	30.5	0.9	-	170	7.61	0.01	444
43-258		360 Complex	22	-30	36.6	38.1	1.5	-	54	2.84	<0.01	156
43-258		360 Complex	22	-30	38.1	39.6	1.5	-	97	5.04	<0.01	278
43-258		360 Complex	22	-30	39.6	41.2	1.5	-	68	3.90	<0.01	209
43-258		360 Complex	22	-30	41.2	42.7	1.5	-	42	2.23	<0.01	122
43-258		360 Complex	22	-30	51.2	52.7	1.5	-	37	2.00	<0.01	109
43-258		360 Complex	22	-30	57.4	58.4	0.9	-	34	1.82	<0.01	99
43-258		360 Complex	22	-30	58.4	58.5	0.2	-	68	3.54	0.03	198
43-258		360 Complex	22	-30	62.0	62.3	0.4	-	156	6.64	0.04	400
43-258		360 Complex	22	-30	64.4	65.2	0.8	-	21	0.86	<0.01	52
43-258		360 Complex	22	-30	68.9	69.8	0.9	-	53	2.21	<0.01	132
43-258		360 Complex	22	-30	80.0	80.3	0.3	-	69	1.45	0.12	133
43-258		360 Complex	22	-30	94.2	94.4	0.2	-	46	1.01	0.27	111
43-258	242	360 Complex	22	-30	100.4	100.6	0.2	-	1,193	3.90	0.36	1,371
43-258		360 Complex	22	-30	104.7	105.1	0.4	-	18	1.16	0.04	64
43-258		360 Complex	22	-30	108.4	109.8	1.3	-	35	1.95	<0.01	106
43-258		360 Complex	22	-30	109.8	111.0	1.2	-	51	3.11	<0.01	163
43-258		360 Complex	22	-30	111.0	112.1	1.1	-	18	1.29	<0.01	65
43-258		360 Complex	22	-30	112.1	112.3	0.2	-	645	37.10	0.05	1,985
43-258		360 Complex	22	-30	112.3	113.1	0.8	-	228	7.96	0.01	515
43-258		360 Complex	22	-30	113.1	114.3	1.2	-	239	7.85	<0.01	522
43-258		360 Complex	22	-30	114.3	115.5	1.2	-	66	2.08	0.02	143
43-258		360 Complex	22	-30	115.5	116.3	0.8	-	549	24.60	0.05	1,439
43-258		360 Complex	22	-30	116.3	117.3	1.0	-	28	0.97	<0.01	63
43-258		360 Complex	22	-30	117.3	118.8	1.5	-	228	13.00	<0.01	696
43-258		360 Complex	22	-30	118.8	120.1	1.4	-	135	7.92	<0.01	420
43-258		360 Complex	22	-30	120.1	121.3	1.2	-	103	4.04	<0.01	248
43-259		360 Complex	29	25	3.8	4.1	0.3	-	61	1.94	<0.01	131
43-259		360 Complex	29	25	7.5	9.0	1.5	-	79	3.06	<0.01	189
43-259		360 Complex	29	25	9.0	9.7	0.7	-	65	2.47	<0.01	154
43-259		360 Complex	29	25	9.7	11.2	1.5	-	20	0.77	<0.01	47
43-259		360 Complex	29	25	17.5	18.1	0.6	-	103	4.29	<0.01	257
43-259		360 Complex	29	25	19.8	20.4	0.6	-	71	2.68	<0.01	168
43-259		360 Complex	29	25	20.4	20.5	0.2	-	151	5.88	0.01	363
43-259		360 Complex	29	25	24.8	26.4	1.5	-	50	2.18	<0.01	129
43-259		360 Complex	29	25	26.4	26.8	0.5	-	106	4.74	0.02	278
43-259		360 Complex	29	25	26.8	28.4	1.5	-	30	1.41	<0.01	81

Galena Levels 4300 and 5500 Drill Results - December 18, 2020

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
43-260		360 Complex	42	8	2.2	3.3	1.1	-	109	4.18	<0.01	260
43-260		360 Complex	42	8	6.1	7.0	0.9	-	60	2.38	<0.01	145
43-260		360 Complex	42	8	18.3	19.7	1.4	-	55	2.55	0.01	147
43-260		360 Complex	42	8	19.7	19.8	0.2	-	274	11.30	0.56	739
43-260		360 Complex	42	8	19.8	21.3	1.4	-	17	1.29	<0.01	64
43-260		360 Complex	42	8	21.3	22.3	1.0	-	183	11.60	0.01	600
43-260		360 Complex	42	8	22.3	23.3	1.1	-	31	2.05	<0.01	105
43-260		360 Complex	42	8	27.4	28.7	1.3	-	49	2.75	<0.01	148
43-260		360 Complex	42	8	28.7	28.9	0.2	-	106	6.51	0.02	343
43-260		360 Complex	42	8	28.9	30.4	1.5	-	82	4.62	0.01	249
43-260		360 Complex	42	8	56.6	57.2	0.6	-	131	8.38	<0.01	433
43-260		360 Complex	42	8	77.7	78.7	1.0	-	70	4.58	<0.01	235
43-260		360 Complex	42	8	78.7	79.0	0.3	-	258	19.10	0.06	952
43-260		360 Complex	42	8	79.0	79.9	0.9	-	34	1.98	<0.01	105
43-260		360 Complex	42	8	80.2	81.6	1.4	-	27	1.16	<0.01	68
43-260		360 Complex	42	8	81.6	83.1	1.5	-	<17	0.62	<0.01	39
43-260		360 Complex	42	8	83.1	83.7	0.6	-	53	2.73	<0.01	151
43-260		360 Complex	42	8	83.6	85.1	1.5	-	<17	0.26	<0.01	28
43-260		360 Complex	42	8	85.2	86.0	0.8	-	97	3.89	<0.01	237
43-260		360 Complex	42	8	90.2	91.8	1.5	-	69	3.19	<0.01	184
43-260		360 Complex	42	8	91.8	93.3	1.5	-	32	1.30	<0.01	79
55-133		Triple Point	117	-45	127.7	129.0	1.3	-	<17	0.26	<0.01	27
55-133		Triple Point	117	-45	129.0	129.3	0.3	-	<17	0.30	<0.01	29
55-133		Triple Point	117	-45	129.3	129.6	0.3	-	<17	0.17	<0.01	24
55-133		Triple Point	117	-45	129.6	130.6	1.1	0.4	146	4.76	0.03	320
55-133		Triple Point	117	-45	130.6	131.0	0.3	0.1	<17	0.25	<0.01	27
55-133		Triple Point	117	-45	131.0	132.4	1.4	0.5	<17	0.10	<0.01	<22
55-133		Triple Point	117	-45	132.4	133.9	1.5	0.5	23	0.82	<0.01	53
55-133	175	Triple Point	117	-45	133.9	134.6	0.7	0.3	864	18.40	0.23	1,550
55-133	175	Triple Point	117	-45	134.6	134.8	0.2	0.1	121	1.41	0.03	175
55-133	175	Triple Point	117	-45	134.8	136.0	1.2	0.5	50	0.42	0.02	67
55-133	175	Triple Point	117	-45	136.0	137.2	1.2	0.5	183	0.24	0.10	202
55-133	175	Triple Point	117	-45	137.2	137.5	0.3	0.1	521	0.43	0.28	566
55-133	175	Triple Point	117	-45	137.5	138.2	0.7	0.3	494	1.43	0.26	572
55-133		Triple Point	117	-45	138.2	138.7	0.5	-	70	1.62	0.01	129
55-133		Triple Point	117	-45	138.7	140.2	1.5	-	<17	<0.1	<0.01	<22
55-133		Triple Point	117	-45	140.2	141.8	1.5	-	<17	<0.1	<0.01	<22
55-133		Triple Point	117	-45	141.8	143.1	1.4	-	<17	<0.1	<0.01	<22
55-133		Triple Point	117	-45	143.1	143.9	0.8	-	<17	<0.1	<0.01	<22
55-133	Silver	Triple Point	117	-45	143.9	144.5	0.6	0.3	201	1.90	0.05	274
55-133	Silver	Triple Point	117	-45	144.5	144.8	0.2	0.1	1,399	0.49	0.64	1,482
55-133		Triple Point	117	-45	144.8	145.3	0.6	-	38	0.11	0.02	44
55-133		Triple Point	117	-45	145.3	145.6	0.2	-	106	0.41	0.04	124
55-133		Triple Point	117	-45	145.6	146.1	0.5	-	<17	<0.1	<0.01	<22
55-133		Triple Point	117	-45	184.4	185.9	1.5	-	<17	<0.1	<0.01	<22
55-133	185	Triple Point	117	-45	185.9	186.8	0.9	0.2	1,015	41.40	0.03	2,509
55-133	185	Triple Point	117	-45	186.8	187.0	0.2	0.0	508	1.90	0.24	600
55-133	185	Triple Point	117	-45	187.0	187.8	0.8	0.2	809	23.70	0.23	1,686
55-133	185	Triple Point	117	-45	187.8	188.0	0.2	0.0	590	7.53	0.60	923
55-133	185	Triple Point	117	-45	188.0	188.1	0.2	0.0	1,715	17.30	2.36	2,580
55-133	185	Triple Point	117	-45	188.1	189.6	1.5	0.3	617	<0.1	0.29	647
55-133	185	Triple Point	117	-45	189.6	190.5	0.9	0.2	1,989	1.67	1.09	2,161
55-133	185	Triple Point	117	-45	190.5	190.9	0.3	0.1	23	<0.1	0.01	24
55-133	185	Triple Point	117	-45	190.9	192.4	1.5	0.3	1,495	20.20	0.76	2,300
55-133	185	Triple Point	117	-45	192.4	193.6	1.2	0.2	33	1.42	<0.01	84
55-133	185	Triple Point	117	-45	193.6	193.8	0.2	0.0	178	10.30	<0.01	549
55-133	185	Triple Point	117	-45	193.8	194.2	0.5	0.1	192	10.50	<0.01	570
55-133	185	Triple Point	117	-45	194.2	194.5	0.2	0.0	823	43.20	0.04	2,382
55-133	185	Triple Point	117	-45	194.5	195.7	1.3	0.3	80	3.26	<0.01	197
55-133	185	Triple Point	117	-45	195.7	197.0	1.3	0.3	165	6.11	<0.01	385
55-133		Triple Point	117	-45	197.0	198.4	1.4	0.2	61	2.49	<0.01	151
55-133		Triple Point	117	-45	198.4	199.3	0.9	0.1	83	3.75	<0.01	218
55-133		Triple Point	117	-45	199.3	200.1	0.8	-	26	1.16	<0.01	68
55-134		Triple Point	128	-30	9.1	9.5	0.3	-	<17	<0.1	<0.01	<22
55-134		Triple Point	128	-30	27.1	27.3	0.2	-	<17	0.12	0.01	23
55-134		Triple Point	128	-30	49.3	49.5	0.2	-	20	0.15	<0.01	25
55-134		Triple Point	128	-30	60.5	61.5	0.9	-	<17	0.10	<0.01	<22
55-134		Triple Point	128	-30	61.5	61.9	0.4	-	432	0.13	0.36	474
55-134		Triple Point	128	-30	61.9	63.3	1.4	-	<17	<0.1	<0.01	<22
55-134		Triple Point	128	-30	63.3	63.9	0.6	-	90	2.55	<0.01	182
55-134		Triple Point	128	-30	63.9	64.2	0.3	-	<17	<0.1	<0.01	<22
55-134		Triple Point	128	-30	69.1	69.2	0.2	-	146	3.80	<0.01	283
55-134		Triple Point	128	-30	74.5	75.4	0.9	-	<17	0.34	<0.01	30
55-134		Triple Point	128	-30	75.4	76.5	1.1	-	128	2.68	0.02	227
55-134		Triple Point	128	-30	76.5	76.8	0.3	-	216	6.77	<0.01	460
55-134		Triple Point	128	-30	76.8	77.7	0.9	-	25	1.19	<0.01	68
55-134		Triple Point	128	-30	77.7	79.1	1.4	-	56	2.48	<0.01	145
55-134		Triple Point	128	-30	79.1	80.5	1.4	-	29	1.19	<0.01	72
55-134		Triple Point	128	-30	80.5	81.5	1.0	-	29	1.20	<0.01	72
55-134	185	Triple Point	128	-30	81.5	82.3	0.8	-	247	8.91	<0.01	568
55-134	185	Triple Point	128	-30	82.3	83.7	1.4	-	78	2.43	<0.01	165
55-134	185	Triple Point	128	-30	83.7	84.0	0.3	-	288	9.69	0.05	642

Galena Levels 4300 and 5500 Drill Results - December 18, 2020

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
55-134		Triple Point	128	-30	84.0	84.5	0.5	-	<17	0.33	<0.01	30
55-134	Silver	Triple Point	128	-30	89.9	90.6	0.7	-	97	<0.1	0.06	103
55-134	Silver	Triple Point	128	-30	90.6	91.6	0.9	-	<17	<0.1	<0.01	<22
55-134	Silver	Triple Point	128	-30	91.6	92.5	0.9	-	497	<0.1	0.25	523
55-134		Triple Point	128	-30	92.5	93.0	0.5	-	<17	<0.1	<0.01	<22
55-136		Triple Point	163	-55	82.2	82.8	0.6	-	34	<0.1	0.03	37
55-136		Triple Point	163	-55	82.8	84.0	1.2	-	55	<0.1	0.03	58
55-136		Triple Point	163	-55	92.2	92.7	0.5	-	<17	<0.1	<0.01	<22
55-136		Triple Point	163	-55	92.7	94.1	1.4	-	<17	<0.1	<0.01	<22
55-136		Triple Point	163	-55	94.1	94.8	0.7	-	<17	<0.1	<0.01	<22
55-136		Triple Point	163	-55	94.8	96.2	1.3	-	<17	<0.1	<0.01	<22
55-136		Triple Point	163	-55	96.2	96.7	0.5	-	<17	<0.1	<0.01	<22
55-136		Triple Point	163	-55	96.7	97.6	0.9	-	<17	<0.1	<0.01	<22
55-136		Triple Point	163	-55	97.6	99.1	1.5	-	<17	<0.1	<0.01	<22
55-136		Triple Point	163	-55	99.1	100.6	1.5	-	22	<0.1	<0.01	26
55-136		Triple Point	163	-55	100.6	101.2	0.6	-	<17	<0.1	<0.01	<22
55-136		Triple Point	163	-55	101.2	102.3	1.1	-	<17	<0.1	<0.01	<22
55-136	Silver FW	Triple Point	163	-55	102.3	103.0	0.6	0.5	828	<0.1	0.75	905
55-136		Triple Point	163	-55	103.0	104.5	1.5	-	<17	<0.1	<0.01	<22
55-136		Triple Point	163	-55	110.5	111.1	0.5	-	23	0.00	0.02	25
55-136		Triple Point	163	-55	118.4	118.7	0.3	-	34	0.00	0.02	36
55-136		Triple Point	163	-55	121.1	121.9	0.8	-	<17	0.00	<0.01	<22
55-136	Silver	Triple Point	163	-55	121.9	123.1	1.3	0.5	1,269	0.00	0.85	1,356
55-136		Triple Point	163	-55	123.1	124.3	1.2	-	<17	0.00	<0.01	<22
55-136		Triple Point	163	-55	124.3	124.8	0.5	-	30	0.00	0.02	32
55-136		Triple Point	163	-55	135.7	136.0	0.4	-	<17	0.00	<0.01	<22
55-154		Triple Point	135	-55	9.6	9.9	0.3	-	<17	<0.1	<0.01	<22
55-154		Triple Point	135	-55	13.4	13.8	0.5	-	131	0.30	0.06	148
55-154		Triple Point	135	-55	13.8	14.9	1.1	-	37	0.46	0.01	54
55-154		Triple Point	135	-55	14.9	15.4	0.5	-	18	0.27	<0.01	28
55-154A		Triple Point	135	-52	12.2	12.8	0.6	-	<17	<0.1	<0.01	<22
55-154A		Triple Point	135	-52	12.8	13.0	0.2	-	346	1.03	0.23	407
55-154A		Triple Point	135	-52	13.0	14.2	1.2	-	<17	<0.1	<0.01	<22
55-154A		Triple Point	135	-52	16.2	16.4	0.2	-	116	2.55	0.03	211
55-154A		Triple Point	135	-52	16.4	17.3	0.9	-	<17	0.30	<0.01	29
55-154A		Triple Point	135	-52	87.8	89.3	1.5	-	<17	<0.1	<0.01	<22
55-154A		Triple Point	135	-52	89.3	90.1	0.8	-	<17	0.11	<0.01	<22
55-154A		Triple Point	135	-52	90.1	90.6	0.5	-	<17	0.25	<0.01	27
55-154A		Triple Point	135	-52	90.6	90.8	0.2	-	254	9.02	<0.01	578
55-154A		Triple Point	135	-52	90.8	91.3	0.5	-	25	1.03	<0.01	63
55-154A		Triple Point	135	-52	91.3	92.1	0.7	-	49	2.22	<0.01	129
55-154A		Triple Point	135	-52	92.1	93.4	1.3	-	<17	0.11	<0.01	<22
55-154A		Triple Point	135	-52	93.4	94.1	0.7	-	<17	<0.1	<0.01	<22
55-154A		Triple Point	135	-52	94.1	94.3	0.2	-	77	1.34	0.02	127
55-154A		Triple Point	135	-52	94.3	95.8	1.5	-	<17	<0.1	<0.01	<22
55-154A		Triple Point	135	-52	95.8	97.3	1.5	-	<17	<0.1	<0.01	<22
55-154A		Triple Point	135	-52	149.7	150.9	1.2	-	<17	0.00	<0.01	<22
55-154A		Triple Point	135	-52	150.9	151.5	0.6	-	<17	0.00	<0.01	<22
55-154A		Triple Point	135	-52	151.5	152.0	0.5	-	<17	0.00	<0.01	<22
55-154A		Triple Point	135	-52	152.0	152.2	0.2	-	<17	0.00	0.01	<22
55-154A		Triple Point	135	-52	152.2	153.4	1.2	-	<17	0.00	<0.01	<22
55-155		Triple Point	125	-60	57.9	58.1	0.2	-	331	8.56	0.04	644
55-155		Triple Point	125	-60	144.8	145.0	0.2	-	103	3.64	<0.01	234
55-155		Triple Point	125	-60	182.0	182.4	0.4	-	63	1.84	0.03	132