

## Galena Levels 4900 and 5500 Drill Results - November 4, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-556		LCLZ	335	-7	30.12	30.27	0.15	-	30	0.72	<0.01	56
49-556		LCLZ	335	-7	41.89	43.41	1.52	-	84	2.93	<0.01	189
49-556	130	LCLZ	335	-7	43.41	44.94	1.52	1.19	346	12.5	0.017	798
49-556		LCLZ	335	-7	44.94	45.91	0.98	-	104	3.31	0.011	224
49-556		LCLZ	335	-7	45.91	47.44	1.52	-	48	1.65	<0.01	107
49-556		LCLZ	335	-7	47.44	47.71	0.27	-	160	4.8	0.049	338
49-556		LCLZ	335	-7	47.71	48.90	1.19	-	19	0.393	<0.01	33
49-556		LCLZ	335	-7	54.45	55.67	1.22	-	<17	0.109	<0.01	<22
49-556		LCLZ	335	-7	55.67	55.82	0.15	-	43	1.29	<0.01	90
49-556		LCLZ	335	-7	55.82	57.35	1.52	-	<17	0.414	<0.01	33
49-556		LCLZ	335	-7	57.35	58.63	1.28	-	<17	0.44	<0.01	34
49-556		LCLZ	335	-7	58.63	58.78	0.15	-	<17	0.18	<0.01	25
49-556		LCLZ	335	-7	58.78	59.94	1.16	-	<17	0.136	<0.01	23
49-556		LCLZ	335	-7	59.94	61.13	1.19	-	<17	0.162	<0.01	24
49-556		LCLZ	335	-7	61.13	62.35	1.22	-	<17	0.121	<0.01	23
49-556		LCLZ	335	-7	62.35	62.50	0.15	-	<17	0.142	<0.01	23
49-556		LCLZ	335	-7	62.50	64.02	1.52	-	19	0.53	<0.01	38
49-556		LCLZ	335	-7	64.02	64.91	0.88	-	<17	<0.1	<0.01	<22
49-556		LCLZ	335	-7	64.91	65.06	0.15	-	<17	<0.1	<0.01	<22
49-556		LCLZ	335	-7	65.06	66.31	1.25	-	34	0.966	0.015	71
49-556		LCLZ	335	-7	66.31	66.95	0.64	-	<17	0.144	<0.01	23
49-556		LCLZ	335	-7	66.95	68.14	1.19	-	75	1.94	<0.01	145
49-556		LCLZ	335	-7	68.14	68.29	0.15	-	192	5.36	0.432	429
49-556		LCLZ	335	-7	68.29	69.82	1.52	-	<17	<0.1	<0.01	<22
49-556		LCLZ	335	-7	69.82	70.00	0.18	-	<17	0.152	<0.01	24
49-556		LCLZ	335	-7	70.00	71.52	1.52	-	<17	0.463	<0.01	35
49-556	146	LCLZ	335	-7	71.52	71.68	0.15	-	412	13.3	0.047	896
49-556	146	LCLZ	335	-7	71.68	71.92	0.24	-	<17	0.563	<0.01	38
49-556	146	LCLZ	335	-7	71.92	72.16	0.24	-	138	4.43	0.06	303
49-556		LCLZ	335	-7	72.16	73.35	1.19	-	<17	0.358	<0.01	31
49-556		LCLZ	335	-7	73.35	73.60	0.24	-	88	3.81	<0.01	225
49-556		LCLZ	335	-7	73.63	75.15	1.52	-	20	1.1	<0.01	59
49-556		LCLZ	335	-7	75.15	76.68	1.52	-	18	1.07	<0.01	56
49-556		LCLZ	335	-7	76.68	78.20	1.52	-	<17	0.63	<0.01	41
49-556		LCLZ	335	-7	78.20	78.96	0.76	-	<17	0.173	<0.01	24
49-556		LCLZ	335	-7	78.96	79.30	0.34	-	68	2.81	0.013	170
49-556		LCLZ	335	-7	79.30	79.76	0.46	-	<17	0.184	<0.01	25
49-556		LCLZ	335	-7	79.76	79.97	0.21	-	84	3.96	<0.01	227
49-556		LCLZ	335	-7	79.97	81.49	1.52	-	<17	0.11	<0.01	<22
49-556		LCLZ	335	-7	81.49	82.41	0.91	-	<17	0.115	<0.01	<22
49-556		LCLZ	335	-7	82.41	83.93	1.52	-	20	1.33	<0.01	68
49-556		LCLZ	335	-7	83.93	85.46	1.52	-	53	2.76	<0.01	152
49-556		LCLZ	335	-7	85.46	86.80	1.34	-	<17	0.595	<0.01	40
49-556		LCLZ	335	-7	86.80	87.16	0.37	-	439	18.1	0.015	1,090
49-556		LCLZ	335	-7	87.16	88.66	1.49	-	<17	0.639	<0.01	41
49-556		LCLZ	335	-7	88.66	88.99	0.34	-	108	3.9	0.011	249
49-556		LCLZ	335	-7	88.99	90.52	1.52	-	25	1.09	<0.01	64
49-556		LCLZ	335	-7	90.52	91.19	0.67	-	<17	0.699	<0.01	42
49-556		LCLZ	335	-7	91.19	92.16	0.98	-	59	2.43	<0.01	147
49-556		LCLZ	335	-7	92.16	93.69	1.52	-	<17	0.682	0.011	43
49-556		LCLZ	335	-7	93.69	94.60	0.91	-	<17	<0.1	<0.01	<22
49-556		LCLZ	335	-7	94.60	95.24	0.64	-	55	0.548	0.026	78
49-556	167	LCLZ	335	-7	95.24	95.82	0.58	0.46	1,770	0.127	1.57	1,940
49-556	167	LCLZ	335	-7	95.82	96.55	0.73	0.61	418	0.452	0.324	468
49-556		LCLZ	335	-7	96.55	97.77	1.22	-	<17	<0.1	<0.01	<22
49-556		LCLZ	335	-7	97.84	98.48	0.64	-	<17	<0.1	<0.01	<22
49-556		LCLZ	335	-7	98.48	99.66	1.19	-	<17	0.29	<0.01	29
49-556		LCLZ	335	-7	99.66	101.10	1.43	-	<17	<0.1	<0.01	<22
49-556		LCLZ	335	-7	101.10	102.47	1.37	-	<17	<0.1	<0.01	<22
49-556		LCLZ	335	-7	102.47	103.99	1.52	-	<17	<0.1	<0.01	<22
49-556		LCLZ	335	-7	103.99	105.46	1.46	-	21	<0.1	0.011	<22
49-556		LCLZ	335	-7	105.46	105.73	0.27	-	<17	<0.1	<0.01	<22
49-556		LCLZ	335	-7	105.73	107.26	1.52	-	<17	<0.1	<0.01	<22
49-556		LCLZ	335	-7	107.26	108.35	1.10	-	27	<0.1	<0.01	31
49-556	164	LCLZ	335	-7	108.35	108.51	0.15	0.12	514	0.267	0.208	545
49-556		LCLZ	335	-7	108.51	109.88	1.37	-	<17	<0.1	<0.01	<22
49-556		LCLZ	335	-7	109.88	111.40	1.52	-	<17	<0.1	<0.01	<22
49-556		LCLZ	335	-7	111.40	112.80	1.40	-	88	<0.1	0.038	92
49-556		LCLZ	335	-7	112.80	113.75	0.95	-	<17	<0.1	<0.01	<22
49-556		LCLZ	335	-7	113.75	113.90	0.15	-	50	0.136	0.017	57
49-556		LCLZ	335	-7	113.90	115.43	1.52	-	<17	<0.1	<0.01	<22
49-556		LCLZ	335	-7	115.43	116.62	1.19	-	<17	<0.1	<0.01	<22
49-556		LCLZ	335	-7	116.62	116.92	0.30	-	34	0.183	0.015	42
49-556		LCLZ	335	-7	116.92	117.20	0.27	-	<17	<0.1	<0.01	<22
49-556		LCLZ	335	-7	117.20	118.72	1.52	-	<17	<0.1	<0.01	<22
49-556		LCLZ	335	-7	118.72	120.24	1.52	-	<17	<0.1	<0.01	<22
49-556		LCLZ	335	-7	120.24	121.34	1.10	-	<17	<0.1	<0.01	<22
49-556		LCLZ	335	-7	121.34	121.49	0.15	-	<17	<0.1	<0.01	<22
49-556		LCLZ	335	-7	121.49	123.02	1.52	-	<17	<0.1	<0.01	<22
49-556		LCLZ	335	-7	123.02	123.93	0.91	-	<17	<0.1	<0.01	<22

## Galena Levels 4900 and 5500 Drill Results - November 4, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-556		LCLZ	335	-7	123.93	125.00	1.07	-	35	<0.1	0.016	37
49-556		LCLZ	335	-7	125.00	125.76	0.76	-	45	<0.1	0.02	47
49-556		LCLZ	335	-7	125.76	126.68	0.91	-	<17	<0.1	<0.01	<22
49-556		LCLZ	335	-7	126.68	128.20	1.52	-	38	<0.1	0.021	40
49-556		LCLZ	335	-7	128.20	129.73	1.52	1.19	142	<0.1	0.096	152
49-556	168	LCLZ	335	-7	129.73	130.00	0.27	0.21	487	<0.1	0.342	522
49-556	168	LCLZ	335	-7	130.00	130.30	0.30	0.24	700	<0.1	0.657	768
49-556		LCLZ	335	-7	130.30	131.83	1.52	-	<17	<0.1	0.015	<22
49-556		LCLZ	335	-7	131.83	133.29	1.46	-	<17	<0.1	<0.01	<22
49-556		LCLZ	335	-7	133.29	133.48	0.18	-	<17	<0.1	<0.01	<22
49-556		LCLZ	335	-7	133.48	134.15	0.67	-	<17	<0.1	<0.01	<22
49-557		LCLZ	15	15	24.09	24.48	0.40	-	45	0.634	0.014	69
49-557		LCLZ	15	15	42.07	42.68	0.61	-	<17	0.545	<0.01	38
49-557		LCLZ	15	15	42.68	44.21	1.52	-	96	3.73	0.013	231
49-557		LCLZ	15	15	47.84	48.14	0.30	-	350	20.2	0.014	1,080
49-557		LCLZ	15	15	48.14	48.78	0.64	-	40	2.05	<0.01	114
49-557		LCLZ	15	15	48.78	50.30	1.52	-	41	2.3	<0.01	123
49-557		LCLZ	15	15	50.30	51.43	1.13	-	21	0.989	<0.01	56
49-557	130	LCLZ	15	15	51.43	52.50	1.07	0.79	188	9.32	<0.01	524
49-557	130	LCLZ	15	15	52.50	52.68	0.18	0.12	1,110	60.9	0.013	3,300
49-557	130	LCLZ	15	15	52.68	53.35	0.67	0.52	69	3.66	<0.01	201
49-557	130	LCLZ	15	15	53.35	54.88	1.52	1.16	74	4.74	<0.01	245
49-557	130	LCLZ	15	15	54.88	55.12	0.24	0.18	92	5.73	<0.01	298
49-557	130	LCLZ	15	15	55.12	55.43	0.30	0.24	919	44.1	0.034	2,510
49-557		LCLZ	15	15	55.43	56.86	1.43	-	<17	0.633	<0.01	41
49-557		LCLZ	15	15	56.86	58.35	1.49	-	<17	0.671	<0.01	42
49-557		LCLZ	15	15	58.35	59.82	1.46	-	61	3.85	<0.01	200
49-557		LCLZ	15	15	59.82	60.00	0.18	-	250	10.6	<0.01	632
49-557		LCLZ	15	15	60.00	61.46	1.46	-	40	1.57	0.011	98
49-557		LCLZ	15	15	61.46	62.74	1.28	-	108	4.26	<0.01	261
49-557		LCLZ	15	15	66.16	67.68	1.52	-	<17	0.507	<0.01	36
49-557		LCLZ	15	15	75.61	76.68	1.07	-	<17	0.451	<0.01	34
49-557		LCLZ	15	15	76.68	76.83	0.15	-	101	3.69	0.047	239
49-557		LCLZ	15	15	76.83	77.74	0.91	-	<17	<0.1	<0.01	<22
49-557		LCLZ	15	15	77.74	78.75	1.01	-	47	1.81	0.013	114
49-557		LCLZ	15	15	78.75	79.82	1.07	-	<17	0.123	<0.01	23
49-557		LCLZ	15	15	79.82	80.79	0.98	-	<17	0.467	<0.01	35
49-557	167	LCLZ	15	15	80.79	81.07	0.27	-	40	1.86	<0.01	107
49-557	167	LCLZ	15	15	81.07	82.59	1.52	-	32	1.1	<0.01	72
49-557		LCLZ	15	15	82.59	83.84	1.25	-	<17	0.533	<0.01	37
49-557		LCLZ	15	15	83.84	85.37	1.52	-	25	0.805	<0.01	54
49-557		LCLZ	15	15	85.37	86.89	1.52	-	25	0.538	<0.01	44
49-557	164	LCLZ	15	15	86.89	87.93	1.04	-	29	0.224	0.022	39
49-557		LCLZ	15	15	93.05	93.66	0.61	-	243	5	0.106	434
49-557	168	LCLZ	15	15	104.76	105.15	0.40	-	186	7.57	0.076	467
49-557	168	LCLZ	15	15	105.15	106.34	1.19	-	51	2.12	<0.01	127
49-557		LCLZ	15	15	106.34	106.89	0.55	-	36	1.6	<0.01	93
49-557		LCLZ	15	15	106.89	107.62	0.73	-	37	1.69	<0.01	98
49-557		LCLZ	15	15	107.62	109.15	1.52	-	22	0.926	<0.01	55
49-557		LCLZ	15	15	109.15	109.33	0.18	-	27	0.849	<0.01	57
49-557		LCLZ	15	15	109.33	109.76	0.43	-	<17	0.153	<0.01	24
49-557		LCLZ	15	15	112.20	113.48	1.28	-	<17	<0.1	<0.01	<22
49-557		LCLZ	15	15	113.48	114.73	1.25	-	86	3.65	<0.01	217
49-557		LCLZ	15	15	114.73	115.85	1.13	-	<17	0.46	<0.01	35
49-557	168	LCLZ	15	15	117.99	118.26	0.27	-	159	6.04	0.043	380
49-558		LCLZ	356	0	41.16	42.68	1.52	-	<17	0.373	<0.01	32
49-558		LCLZ	356	0	42.68	44.21	1.52	-	26	0.72	<0.01	52
49-558		LCLZ	356	0	44.21	45.73	1.52	-	94	3.45	<0.01	218
49-558	Unknown	LCLZ	356	0	45.73	47.26	1.52	1.25	153	5.04	<0.01	334
49-558	Unknown	LCLZ	356	0	47.26	48.78	1.52	1.25	219	6.64	<0.01	458
49-558	Unknown	LCLZ	356	0	48.78	49.24	0.46	0.40	357	12.3	<0.01	800
49-558		LCLZ	356	0	49.24	50.61	1.37	-	27	0.704	<0.01	53
49-558		LCLZ	356	0	50.61	51.83	1.22	-	49	1.38	<0.01	98
49-558		LCLZ	356	0	51.83	52.44	0.61	-	63	1.41	<0.01	114
49-558		LCLZ	356	0	58.08	58.69	0.61	-	131	3.41	<0.01	254
49-558		LCLZ	356	0	63.20	64.02	0.82	-	<17	<0.1	<0.01	<22
49-558		LCLZ	356	0	64.02	65.55	1.52	-	31	0.776	<0.01	59
49-558		LCLZ	356	0	65.55	67.07	1.52	-	31	0.88	<0.01	63
49-558		LCLZ	356	0	67.07	67.93	0.85	-	<17	<0.1	<0.01	<22
49-558		LCLZ	356	0	67.93	68.84	0.91	-	103	3.16	0.019	219
49-558		LCLZ	356	0	68.84	70.12	1.28	-	29	0.696	<0.01	54
49-558		LCLZ	356	0	70.12	71.19	1.07	-	<17	0.386	<0.01	32
49-558		LCLZ	356	0	71.19	71.74	0.55	-	125	4.6	0.012	292
49-558		LCLZ	356	0	71.74	73.17	1.43	-	<17	0.416	<0.01	33
49-558		LCLZ	356	0	73.17	73.90	0.73	-	41	1.15	<0.01	82
49-558		LCLZ	356	0	73.90	75.24	1.34	-	<17	0.114	<0.01	<22
49-558		LCLZ	356	0	75.24	75.73	0.49	-	82	3.34	<0.01	202
49-558		LCLZ	356	0	75.73	76.22	0.49	-	<17	0.404	<0.01	32
49-558		LCLZ	356	0	76.22	77.59	1.37	-	<17	<0.1	<0.01	<22
49-558		LCLZ	356	0	77.59	78.81	1.22	-	59	0.134	0.038	68

Galena Levels 4900 and 5500 Drill Results - November 4, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-558	167	LCLZ	356	0	78.81	79.12	0.30	-	823	0.209	0.64	896
49-558		LCLZ	356	0	79.12	80.64	1.52	-	38	0.96	<0.01	72
49-558		LCLZ	356	0	80.64	81.86	1.22	-	18	0.64	<0.01	41
49-558		LCLZ	356	0	81.86	82.93	1.07	-	<17	0.412	<0.01	33
49-558		LCLZ	356	0	82.93	83.08	0.15	-	331	15.1	<0.01	875
49-558		LCLZ	356	0	83.08	83.38	0.30	-	18	0.696	<0.01	43
49-558	164	LCLZ	356	0	83.38	83.57	0.18	-	388	16.4	<0.01	978
49-558	164	LCLZ	356	0	83.57	84.05	0.49	-	46	1.79	<0.01	110
49-558		LCLZ	356	0	92.99	94.27	1.28	-	<17	<0.1	<0.01	<22
49-558		LCLZ	356	0	94.27	94.51	0.24	-	142	<0.1	0.102	153
49-558		LCLZ	356	0	94.51	95.27	0.76	-	35	<0.1	0.026	38
49-558		LCLZ	356	0	95.27	96.34	1.07	-	32	0.952	0.05	71
49-558		LCLZ	356	0	96.34	97.56	1.22	-	<17	0.492	<0.01	35
49-558		LCLZ	356	0	97.56	98.78	1.22	-	27	0.692	<0.01	52
49-558		LCLZ	356	0	98.78	99.39	0.61	-	31	0.313	0.021	45
49-558		LCLZ	356	0	101.22	102.74	1.52	-	26	0.76	<0.01	53
49-558		LCLZ	356	0	102.74	104.27	1.52	-	<17	0.367	<0.01	31
49-558		LCLZ	356	0	106.59	106.77	0.18	-	71	<0.1	0.029	74
49-558		LCLZ	356	0	106.77	107.38	0.61	-	133	1.32	0.056	186
49-558		LCLZ	356	0	107.38	108.23	0.85	-	<17	0.324	<0.01	30
49-559	Unknown	LCLZ	356	11	46.74	46.89	0.15	0.12	415	17.9	<0.01	1,060
49-559	Unknown	LCLZ	356	11	46.89	48.02	1.13	0.95	115	4.64	<0.01	282
49-559	Unknown	LCLZ	356	11	48.02	48.17	0.15	0.12	314	14.1	<0.01	822
49-559		LCLZ	356	11	49.73	51.22	1.49	-	97	4.13	<0.01	246
49-559		LCLZ	356	11	54.94	55.12	0.18	-	74	1.36	0.02	125
49-559		LCLZ	356	11	64.02	64.24	0.21	-	<17	<0.1	<0.01	<22
49-559		LCLZ	356	11	64.24	65.21	0.98	-	64	1.54	<0.01	120
49-559		LCLZ	356	11	65.21	66.37	1.16	-	24	0.697	0.036	52
49-559		LCLZ	356	11	69.12	70.21	1.10	-	144	7.42	<0.01	411
49-559		LCLZ	356	11	70.21	71.65	1.43	-	<17	0.179	<0.01	25
49-559		LCLZ	356	11	71.65	72.07	0.43	-	<17	<0.1	<0.01	<22
49-559		LCLZ	356	11	72.07	72.35	0.27	-	230	9.54	0.032	576
49-559		LCLZ	356	11	72.35	73.87	1.52	-	<17	0.433	<0.01	34
49-559		LCLZ	356	11	73.87	74.91	1.04	-	<17	0.394	<0.01	32
49-559		LCLZ	356	11	74.91	75.49	0.58	-	106	3.7	0.048	244
49-559		LCLZ	356	11	75.49	77.01	1.52	-	22	0.609	0.019	46
49-559		LCLZ	356	11	77.01	77.62	0.61	-	<17	0.125	<0.01	23
49-559		LCLZ	356	11	77.62	78.60	0.98	-	31	0.562	0.042	55
49-559		LCLZ	356	11	78.60	79.27	0.67	-	<17	<0.1	<0.01	<22
49-559	1752	LCLZ	356	11	79.27	79.79	0.52	0.49	72	3.24	<0.01	189
49-559	1752	LCLZ	356	11	79.79	80.21	0.43	0.40	1,100	66.8	<0.01	3,500
49-559		LCLZ	356	11	80.21	81.52	1.31	-	54	2.65	<0.01	149
49-559		LCLZ	356	11	81.52	81.68	0.15	-	62	1.9	0.018	133
49-559		LCLZ	356	11	81.68	82.68	1.01	-	<17	0.389	<0.01	32
49-559		LCLZ	356	11	82.68	82.87	0.18	-	239	10.1	0.041	607
49-559		LCLZ	356	11	82.87	83.32	0.46	-	<17	0.215	<0.01	26
49-559		LCLZ	356	11	83.32	83.96	0.64	-	32	1.07	<0.01	71
49-559	167	LCLZ	356	11	83.96	85.37	1.40	1.31	652	0.39	0.67	735
49-559	167	LCLZ	356	11	85.37	85.95	0.58	0.55	645	0.531	0.65	731
49-559		LCLZ	356	11	85.95	87.35	1.40	-	171	4.92	0.024	351
49-559		LCLZ	356	11	92.53	92.68	0.15	-	82	3.12	<0.01	194
49-559		LCLZ	356	11	92.68	93.17	0.49	-	<17	0.39	<0.01	32
49-559		LCLZ	356	11	93.17	93.48	0.30	-	477	23	0.012	1,310
49-559		LCLZ	356	11	93.48	94.51	1.04	-	23	0.637	<0.01	46
49-559		LCLZ	356	11	97.01	97.16	0.15	-	101	<0.1	0.068	108
49-559		LCLZ	356	11	97.16	98.29	1.13	-	<17	0.102	<0.01	<22
49-559		LCLZ	356	11	98.29	99.82	1.52	-	<17	0.444	<0.01	34
49-559		LCLZ	356	11	99.82	100.61	0.79	-	21	0.688	<0.01	45
49-559		LCLZ	356	11	100.61	102.13	1.52	-	<17	0.163	0.021	25
49-559		LCLZ	356	11	102.13	102.44	0.30	-	<17	<0.1	<0.01	<22
49-559		LCLZ	356	11	102.44	102.80	0.37	-	183	<0.1	0.137	197
49-559		LCLZ	356	11	102.80	104.33	1.52	-	<17	<0.1	0.011	<22
49-559		LCLZ	356	11	104.33	105.40	1.07	-	<17	<0.1	<0.01	<22
49-559		LCLZ	356	11	105.40	105.55	0.15	-	229	9.59	0.011	575
49-559		LCLZ	356	11	105.55	106.04	0.49	-	41	0.176	0.031	50
49-559		LCLZ	356	11	106.04	106.95	0.91	-	176	0.262	0.109	197
49-559		LCLZ	356	11	106.95	107.35	0.40	-	<17	<0.1	<0.01	<22
49-559		LCLZ	356	11	107.35	108.78	1.43	-	58	<0.1	0.034	62
49-559		LCLZ	356	11	108.78	109.02	0.24	-	21	<0.1	0.012	<22
49-559		LCLZ	356	11	109.02	109.85	0.82	-	33	<0.1	0.017	34
49-559		LCLZ	356	11	109.85	111.28	1.43	-	60	<0.1	0.03	64
49-559		LCLZ	356	11	111.28	111.46	0.18	-	<17	<0.1	<0.01	<22
49-559		LCLZ	356	11	114.85	115.88	1.04	-	129	0.18	0.068	143
49-559		LCLZ	356	11	121.34	121.65	0.30	-	148	1.8	0.079	221
49-559		LCLZ	356	11	121.65	122.77	1.13	-	60	0.191	0.058	73
49-559		LCLZ	356	11	122.77	123.02	0.24	-	789	0.33	0.372	839
49-559		LCLZ	356	11	126.46	127.99	1.52	-	35	1.85	<0.01	101
49-559		LCLZ	356	11	127.99	129.51	1.52	-	42	1.87	<0.01	110
49-559		LCLZ	356	11	129.51	129.97	0.46	-	26	1.45	<0.01	78
49-559		LCLZ	356	11	129.97	130.98	1.01	-	34	1.49	<0.01	88

## Galena Levels 4900 and 5500 Drill Results - November 4, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-559		LCLZ	356	11	130.98	131.80	0.82	-	163	6.56	<0.01	399
49-559		LCLZ	356	11	131.80	132.68	0.88	-	24	0.831	<0.01	54
49-559		LCLZ	356	11	132.68	133.02	0.34	-	187	6.45	0.088	428
49-559		LCLZ	356	11	133.02	133.93	0.91	-	41	1.14	0.027	85
49-560		LCLZ	8	-5	44.97	46.07	1.10	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	46.07	46.25	0.18	0.15	960	41.6	0.445	2,510
49-560		LCLZ	8	-5	46.25	47.35	1.10	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	48.66	49.27	0.61	-	<17	0.117	<0.01	22
49-560		LCLZ	8	-5	52.16	52.96	0.79	-	79	2.89	<0.01	183
49-560		LCLZ	8	-5	52.96	54.27	1.31	-	21	1.2	<0.01	64
49-560		LCLZ	8	-5	54.27	54.63	0.37	-	102	4.04	<0.01	247
49-560		LCLZ	8	-5	54.63	55.34	0.70	-	<17	0.693	<0.01	43
49-560		LCLZ	8	-5	55.34	56.10	0.76	-	73	2.64	0.013	169
49-560		LCLZ	8	-5	56.10	57.26	1.16	-	<17	0.252	<0.01	27
49-560		LCLZ	8	-5	58.78	59.76	0.98	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	59.76	60.46	0.70	-	73	2.89	<0.01	177
49-560		LCLZ	8	-5	60.46	61.25	0.79	-	<17	0.16	<0.01	24
49-560		LCLZ	8	-5	63.84	64.09	0.24	-	<17	0.109	<0.01	<22
49-560		LCLZ	8	-5	64.09	65.58	1.49	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	66.68	66.86	0.18	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	66.86	67.07	0.21	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	67.07	67.44	0.37	-	121	0.124	0.079	134
49-560		LCLZ	8	-5	67.44	67.84	0.40	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	67.84	68.66	0.82	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	68.66	69.51	0.85	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	69.51	69.88	0.37	-	130	5.12	0.017	316
49-560		LCLZ	8	-5	69.88	70.12	0.24	-	<17	0.173	<0.01	24
49-560		LCLZ	8	-5	70.12	71.34	1.22	-	29	1.11	<0.01	69
49-560		LCLZ	8	-5	71.34	71.86	0.52	-	<17	0.189	<0.01	25
49-560	167	LCLZ	8	-5	71.86	72.04	0.18	-	57	1.73	0.017	121
49-560		LCLZ	8	-5	72.04	73.05	1.01	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	73.05	74.09	1.04	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	74.09	74.88	0.79	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	74.88	75.18	0.30	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	75.18	75.70	0.52	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	75.70	76.01	0.30	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	76.01	77.35	1.34	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	77.35	78.57	1.22	-	<17	0.169	<0.01	24
49-560		LCLZ	8	-5	78.57	79.39	0.82	-	18	<0.1	0.012	<22
49-560		LCLZ	8	-5	79.39	79.97	0.58	-	<17	0.376	<0.01	32
49-560		LCLZ	8	-5	79.97	80.40	0.43	-	<17	0.213	<0.01	26
49-560		LCLZ	8	-5	80.40	81.62	1.22	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	81.62	82.23	0.61	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	82.23	82.50	0.27	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	82.50	83.29	0.79	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	83.29	84.39	1.10	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	84.39	85.15	0.76	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	85.15	85.30	0.15	-	425	18.6	1.49	1,250
49-560		LCLZ	8	-5	85.30	85.88	0.58	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	87.47	87.65	0.18	-	55	1.92	<0.01	124
49-560		LCLZ	8	-5	87.65	88.72	1.07	-	21	0.986	<0.01	57
49-560	168 HW	LCLZ	8	-5	88.72	88.93	0.21	-	126	2.89	0.058	236
49-560	168 HW	LCLZ	8	-5	88.93	89.94	1.01	-	19	0.749	<0.01	46
49-560	168 HW	LCLZ	8	-5	89.94	90.15	0.21	-	274	11.2	0.235	701
49-560		LCLZ	8	-5	90.15	91.01	0.85	-	<17	0.656	<0.01	42
49-560		LCLZ	8	-5	92.68	93.32	0.64	-	<17	0.109	<0.01	<22
49-560		LCLZ	8	-5	93.32	93.54	0.21	-	70	0.758	0.066	104
49-560		LCLZ	8	-5	93.54	94.09	0.55	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	94.09	94.33	0.24	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	94.33	94.51	0.18	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	94.51	94.66	0.15	-	31	<0.1	0.022	33
49-560		LCLZ	8	-5	94.66	95.27	0.61	-	<17	<0.1	<0.01	<22
49-560		LCLZ	8	-5	99.09	100.61	1.52	-	24	0.887	<0.01	56
49-560	168	LCLZ	8	-5	100.61	101.22	0.61	-	32	1.25	<0.01	77
49-560	168	LCLZ	8	-5	101.22	101.80	0.58	-	86	2.87	0.056	195
49-560		LCLZ	8	-5	101.80	102.84	1.04	-	<17	<0.1	<0.01	<22
49-561		LCLZ	9	5.9	40.30	40.70	0.40	-	<17	0.183	<0.01	25
49-561		LCLZ	9	5.9	43.41	44.63	1.22	-	<17	0.907	<0.01	51
49-561		LCLZ	9	5.9	56.68	57.29	0.61	-	106	3.08	0.031	220
49-561		LCLZ	9	5.9	63.78	63.93	0.15	-	<17	0.167	<0.01	24
49-561		LCLZ	9	5.9	71.16	72.56	1.40	-	<17	1.2	<0.01	61
49-561		LCLZ	9	5.9	74.24	75.00	0.76	-	<17	0.664	<0.01	42
49-561	1752	LCLZ	9	5.9	75.00	75.46	0.46	-	159	7.88	0.048	448
49-561		LCLZ	9	5.9	75.46	76.22	0.76	-	<17	0.794	<0.01	47
49-561	167	LCLZ	9	5.9	76.22	77.29	1.07	-	37	3.15	<0.01	150
49-561		LCLZ	9	5.9	77.29	78.35	1.07	-	<17	0.618	<0.01	40
49-561		LCLZ	9	5.9	78.35	78.90	0.55	-	<17	<0.1	<0.01	<22
49-561		LCLZ	9	5.9	78.90	79.27	0.37	-	<17	<0.1	<0.01	<22
49-561		LCLZ	9	5.9	79.27	79.73	0.46	-	22	0.232	0.026	33
49-561	164	LCLZ	9	5.9	79.73	81.16	1.43	-	202	0.351	0.126	228

## Galena Levels 4900 and 5500 Drill Results - November 4, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-561		LCLZ	9	5.9	81.16	82.32	1.16	-	<17	0.119	<0.01	22
49-561		LCLZ	9	5.9	83.84	85.37	1.52	-	20	2.31	<0.01	103
49-561		LCLZ	9	5.9	85.37	86.89	1.52	-	33	1.97	0.019	106
49-561		LCLZ	9	5.9	90.85	91.01	0.15	-	34	1.47	<0.01	87
49-561		LCLZ	9	5.9	91.01	92.20	1.19	-	65	2.82	<0.01	167
49-561		LCLZ	9	5.9	92.20	92.35	0.15	-	108	4.53	0.158	287
49-561		LCLZ	9	5.9	92.35	93.75	1.40	-	33	1.7	<0.01	94
49-561		LCLZ	9	5.9	93.75	94.88	1.13	-	33	1.71	0.012	96
49-561		LCLZ	9	5.9	94.88	95.18	0.30	-	84	3.55	0.022	214
49-561		LCLZ	9	5.9	95.18	95.49	0.30	-	<17	0.729	<0.01	44
49-561	168 HW	LCLZ	9	5.9	98.51	99.85	1.34	-	43	2.79	<0.01	143
49-561		LCLZ	9	5.9	101.77	102.38	0.61	-	32	2.34	<0.01	116
49-561		LCLZ	9	5.9	102.38	103.66	1.28	-	<17	<0.1	<0.01	<22
49-561		LCLZ	9	5.9	103.66	104.27	0.61	-	23	1.5	<0.01	77
49-561	168	LCLZ	9	5.9	104.27	105.73	1.46	1.31	480	19.5	0.124	1,190
49-561	168	LCLZ	9	5.9	105.73	106.19	0.46	0.43	1,320	30.7	3.07	2,750
49-561		LCLZ	9	5.9	106.19	107.47	1.28	-	36	2.23	<0.01	116
49-562		LCLZ	8	16	34.88	36.40	1.52	-	<17	0.116	0.017	23
49-562		LCLZ	8	16	36.40	36.95	0.55	-	44	1.72	0.13	119
49-562		LCLZ	8	16	36.95	37.29	0.34	-	89	2.53	0.037	183
49-562		LCLZ	8	16	37.29	38.69	1.40	-	23	0.886	<0.01	55
49-562		LCLZ	8	16	49.02	49.97	0.95	-	198	8.87	<0.01	517
49-562		LCLZ	8	16	52.74	52.90	0.15	-	31	1.12	<0.01	72
49-562		LCLZ	8	16	60.30	60.52	0.21	-	<17	0.184	<0.01	25
49-562		LCLZ	8	16	64.39	65.06	0.67	-	22	0.505	<0.01	40
49-562		LCLZ	8	16	66.10	67.07	0.98	-	<17	0.259	<0.01	27
49-562		LCLZ	8	16	67.07	67.32	0.24	-	72	2.23	0.023	155
49-562		LCLZ	8	16	75.70	75.91	0.21	-	95	2.71	<0.01	193
49-562		LCLZ	8	16	77.23	77.38	0.15	-	66	2.36	<0.01	151
49-562		LCLZ	8	16	77.38	77.99	0.61	-	<17	0.874	<0.01	50
49-562		LCLZ	8	16	77.99	78.14	0.15	-	38	1.63	<0.01	97
49-562		LCLZ	8	16	78.14	79.57	1.43	-	167	5.55	0.024	370
49-562		LCLZ	8	16	79.57	80.21	0.64	-	56	2.55	<0.01	147
49-562		LCLZ	8	16	80.21	80.43	0.21	-	202	7.1	0.014	459
49-562		LCLZ	8	16	81.22	82.26	1.04	-	90	3.47	0.019	217
49-562	167	LCLZ	8	16	84.36	85.58	1.22	1.07	229	0.184	0.255	262
49-562		LCLZ	8	16	85.58	86.01	0.43	0.37	<17	<0.1	<0.01	<22
49-562	164	LCLZ	8	16	86.01	86.65	0.64	0.58	1,300	1.97	1.15	1,490
49-562	164	LCLZ	8	16	86.65	88.17	1.52	1.34	118	0.272	0.063	134
49-562	164	LCLZ	8	16	88.17	89.70	1.52	1.34	80	0.176	0.056	92
49-562	164	LCLZ	8	16	89.70	90.30	0.61	0.52	155	2.04	0.096	238
49-562		LCLZ	8	16	91.04	91.65	0.61	-	105	3.39	0.015	229
49-562		LCLZ	8	16	92.16	92.59	0.43	-	146	4.72	0.013	317
49-562		LCLZ	8	16	94.15	94.30	0.15	-	214	8.97	<0.01	537
49-562		LCLZ	8	16	97.29	97.74	0.46	-	37	1.1	<0.01	77
49-562		LCLZ	8	16	100.49	100.64	0.15	-	24	1.01	<0.01	60
49-562		LCLZ	8	16	102.87	103.02	0.15	-	508	23	0.061	1,340
49-562		LCLZ	8	16	104.51	105.73	1.22	-	<17	0.14	<0.01	23
49-562		LCLZ	8	16	105.73	106.25	0.52	-	203	<0.1	0.146	218
49-562		LCLZ	8	16	106.25	107.53	1.28	-	69	<0.1	0.052	75
49-562		LCLZ	8	16	108.54	109.63	1.10	-	<17	<0.1	<0.01	<22
49-562	168	LCLZ	8	16	109.63	109.97	0.34	-	263	7.48	0.175	550
49-562		LCLZ	8	16	109.97	110.85	0.88	-	<17	0.313	<0.01	29
49-562		LCLZ	8	16	112.68	113.11	0.43	-	21	1.09	<0.01	61
49-562		LCLZ	8	16	113.11	113.26	0.15	-	80	1.7	0.075	149
49-562		LCLZ	8	16	113.26	114.15	0.88	-	<17	0.237	<0.01	27
49-562		LCLZ	8	16	114.45	115.67	1.22	-	<17	<0.1	<0.01	<22
49-562	168	LCLZ	8	16	115.67	115.82	0.15	-	98	3.02	0.011	208
49-562	168	LCLZ	8	16	115.82	116.89	1.07	-	92	0.935	0.067	132
49-563		LCLZ	30	5	48.29	49.30	1.01	-	108	4.02	<0.01	253
49-563		LCLZ	30	5	56.31	56.92	0.61	-	24	0.961	<0.01	59
49-563	174	LCLZ	30	5	56.92	57.13	0.21	0.18	1,100	46	0.012	2,760
49-563	174	LCLZ	30	5	57.13	57.93	0.79	0.64	41	2.13	<0.01	118
49-563		LCLZ	30	5	57.93	59.15	1.22	-	<17	0.944	<0.01	52
49-563		LCLZ	30	5	59.15	60.46	1.31	-	52	2.35	<0.01	137
49-563	1752	LCLZ	30	5	60.46	60.98	0.52	0.43	700	15.3	1.1	1,360
49-563	1752	LCLZ	30	5	60.98	62.50	1.52	1.25	85	3.49	<0.01	211
49-563		LCLZ	30	5	62.50	64.02	1.52	-	92	3.97	0.016	236
49-563		LCLZ	30	5	64.02	65.55	1.52	-	55	2.54	<0.01	146
49-563	176	LCLZ	30	5	65.55	67.07	1.52	1.25	119	6.17	<0.01	341
49-563	176	LCLZ	30	5	67.07	67.56	0.49	0.40	214	9.77	0.011	567
49-563	176	LCLZ	30	5	67.56	67.80	0.24	0.21	147	8.36	<0.01	448
49-563		LCLZ	30	5	67.80	68.90	1.10	-	<17	1.19	<0.01	61
49-563		LCLZ	30	5	68.90	69.82	0.91	-	62	3.16	<0.01	176
49-563		LCLZ	30	5	76.01	76.71	0.70	-	<17	0.53	<0.01	37
49-563		LCLZ	30	5	83.23	84.15	0.91	-	42	1.42	<0.01	93
49-563		LCLZ	30	5	84.15	85.37	1.22	-	<17	0.628	<0.01	41
49-563		LCLZ	30	5	85.37	86.28	0.91	-	32	1.14	<0.01	73
49-563		LCLZ	30	5	91.46	92.07	0.61	-	<17	0.28	<0.01	28
49-563		LCLZ	30	5	92.07	92.44	0.37	-	107	1.44	0.204	180

Galena Levels 4900 and 5500 Drill Results - November 4, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-563		LCLZ	30	5	92.44	93.14	0.70	-	<17	<0.1	<0.01	<22
49-563	164	LCLZ	30	5	93.14	93.45	0.30	0.27	268	0.265	0.179	296
49-563	164	LCLZ	30	5	93.45	93.75	0.30	0.27	<17	0.108	<0.01	<22
49-563	164	LCLZ	30	5	93.75	94.51	0.76	0.64	216	8.31	<0.01	515
49-563	164	LCLZ	30	5	94.51	95.12	0.61	0.52	439	19.9	<0.01	1,160
49-563		LCLZ	30	5	95.12	96.34	1.22	-	56	2.07	<0.01	130
49-563		LCLZ	30	5	96.34	97.56	1.22	-	76	2.64	<0.01	171
49-563		LCLZ	30	5	97.56	98.78	1.22	-	33	1.34	<0.01	81
49-563	168 HW	LCLZ	30	5	98.78	99.70	0.91	0.79	175	7.47	<0.01	444
49-563	168 HW	LCLZ	30	5	99.70	100.61	0.91	0.79	182	7.65	<0.01	457
49-563	168 HW	LCLZ	30	5	100.61	102.13	1.52	1.31	323	15.5	0.011	882
49-563	168 HW	LCLZ	30	5	102.13	103.66	1.52	1.31	549	24.2	0.07	1,430
49-563		LCLZ	30	5	103.66	104.88	1.22	-	<17	0.39	<0.01	32
49-563		LCLZ	30	5	110.98	111.77	0.79	-	<17	0.201	<0.01	25
49-563	168	LCLZ	30	5	111.77	111.95	0.18	-	78	3.83	0.017	218
49-563		LCLZ	30	5	111.95	112.29	0.34	-	<17	0.516	<0.01	37
49-563		LCLZ	30	5	112.29	112.80	0.52	-	<17	<0.1	<0.01	<22
49-564		LCLZ	38	9	37.62	38.45	0.82	-	<17	0.456	<0.01	35
49-564		LCLZ	38	9	49.18	50.70	1.52	-	30	1.18	<0.01	72
49-564		LCLZ	38	9	50.70	52.23	1.52	-	90	3.67	<0.01	222
49-564	174	LCLZ	38	9	55.49	56.22	0.73	-	217	8.7	0.021	532
49-564		LCLZ	38	9	58.54	59.63	1.10	-	69	3.52	<0.01	196
49-564		LCLZ	38	9	59.63	60.98	1.34	-	36	1.87	<0.01	104
49-564		LCLZ	38	9	60.98	62.16	1.19	-	129	6.71	<0.01	371
49-564	1752	LCLZ	38	9	62.04	62.65	0.61	0.48	521	27.8	0.016	1,520
49-564	1752	LCLZ	38	9	62.65	64.18	1.52	1.20	152	8	<0.01	440
49-564	1752	LCLZ	38	9	64.18	65.70	1.52	1.20	160	6.3	0.012	388
49-564	1752	LCLZ	38	9	65.70	66.01	0.30	0.24	466	23.2	0.027	1,300
49-564	1752	LCLZ	38	9	66.01	66.37	0.37	0.29	255	12.8	0.012	717
49-564	1752	LCLZ	38	9	66.37	67.16	0.79	0.63	184	8.41	0.012	488
49-564		LCLZ	38	9	77.87	78.05	0.18	-	45	1.95	<0.01	115
49-564		LCLZ	38	9	87.80	88.72	0.91	-	<17	<0.1	<0.01	<22
49-564		LCLZ	38	9	88.72	89.63	0.91	-	<17	<0.1	<0.01	<22
49-564		LCLZ	38	9	91.01	91.77	0.76	-	<17	<0.1	<0.01	<22
49-564		LCLZ	38	9	91.77	93.29	1.52	-	<17	<0.1	<0.01	<22
49-564		LCLZ	38	9	96.34	97.65	1.31	-	<17	<0.1	<0.01	<22
49-564		LCLZ	38	9	97.65	97.84	0.18	-	<17	0.219	<0.01	26
49-564		LCLZ	38	9	97.84	98.17	0.34	-	<17	<0.1	<0.01	<22
49-564		LCLZ	38	9	101.83	102.35	0.52	-	<17	0.436	<0.01	34
49-564		LCLZ	38	9	103.66	104.88	1.22	-	<17	<0.1	<0.01	<22
49-564		LCLZ	38	9	108.84	109.02	0.18	-	<17	0.379	<0.01	32
49-564		LCLZ	38	9	111.28	112.80	1.52	-	28	0.658	0.04	56
49-564		LCLZ	38	9	112.80	114.33	1.52	-	131	3.69	0.041	268
49-564		LCLZ	38	9	114.33	115.85	1.52	-	51	1.45	0.03	106
49-564		LCLZ	38	9	115.85	117.38	1.52	-	60	1.94	0.025	133
49-564		LCLZ	38	9	117.38	118.90	1.52	-	75	2.57	0.027	171
49-564		LCLZ	38	9	118.90	119.51	0.61	-	<17	0.127	<0.01	23
49-565		LCLZ	38	26	50.15	50.61	0.46	-	<17	0.488	<0.01	36
49-565		LCLZ	38	26	53.35	53.78	0.43	-	<17	<0.1	<0.01	<22
49-565		LCLZ	38	26	53.78	53.96	0.18	-	117	4.64	<0.01	284
49-565		LCLZ	38	26	53.96	55.49	1.52	-	<17	0.347	<0.01	31
49-565		LCLZ	38	26	55.49	57.01	1.52	-	<17	0.139	<0.01	23
49-565		LCLZ	38	26	57.01	58.54	1.52	-	24	0.577	<0.01	45
49-565		LCLZ	38	26	58.54	60.06	1.52	-	46	1.56	<0.01	102
49-565		LCLZ	38	26	60.06	60.37	0.30	-	95	3.94	<0.01	237
49-565		LCLZ	38	26	62.50	63.72	1.22	-	27	0.691	<0.01	52
49-565		LCLZ	38	26	63.72	65.24	1.52	-	48	2.14	0.016	127
49-565		LCLZ	38	26	65.24	66.77	1.52	-	90	4.37	0.013	248
49-565		LCLZ	38	26	66.77	68.29	1.52	-	192	6.52	<0.01	427
49-565		LCLZ	38	26	68.29	69.82	1.52	-	44	1.56	<0.01	100
49-565		LCLZ	38	26	69.82	71.34	1.52	-	<17	0.104	<0.01	<22
49-565		LCLZ	38	26	71.34	72.87	1.52	-	<17	0.307	<0.01	29
49-565		LCLZ	38	26	73.17	73.48	0.30	-	<17	0.383	<0.01	32
49-565		LCLZ	38	26	73.48	75.00	1.52	-	46	1.1	<0.01	85
49-565		LCLZ	38	26	75.00	76.52	1.52	-	20	0.671	<0.01	44
49-565		LCLZ	38	26	76.52	78.05	1.52	-	<17	0.541	<0.01	38
49-565		LCLZ	38	26	78.05	79.57	1.52	-	45	1.6	<0.01	102
49-565		LCLZ	38	26	79.57	80.64	1.07	-	110	5.88	<0.01	322
49-565		LCLZ	38	26	80.64	80.82	0.18	-	34	1.4	0.031	88
49-565		LCLZ	38	26	80.82	81.31	0.49	-	63	2.43	<0.01	151
49-565		LCLZ	38	26	82.32	83.84	1.52	-	26	0.86	<0.01	57
49-565		LCLZ	38	26	83.84	84.27	0.43	-	30	0.92	<0.01	63
49-565		LCLZ	38	26	85.37	86.89	1.52	-	34	0.46	0.014	52
49-565		LCLZ	38	26	86.89	87.35	0.46	-	44	1.25	0.095	99
49-565		LCLZ	38	26	88.41	89.94	1.52	-	31	0.901	<0.01	64
49-565		LCLZ	38	26	89.94	90.70	0.76	-	<17	0.545	<0.01	38
49-565		LCLZ	38	26	91.46	92.99	1.52	-	<17	0.225	<0.01	26
49-565		LCLZ	38	26	93.60	94.51	0.91	-	<17	0.488	<0.01	36
49-565		LCLZ	38	26	94.51	96.04	1.52	-	<17	0.16	<0.01	24
49-565		LCLZ	38	26	96.04	97.56	1.52	-	<17	0.36	<0.01	31

Galena Levels 4900 and 5500 Drill Results - November 4, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-565		LCLZ	38	26	97.56	99.09	1.52	-	<17	<0.1	<0.01	<22
49-565		LCLZ	38	26	99.09	100.61	1.52	-	<17	0.55	<0.01	38
49-565		LCLZ	38	26	100.61	102.13	1.52	-	27	1.03	<0.01	64
49-565		LCLZ	38	26	102.13	103.66	1.52	-	20	0.839	<0.01	50
49-565		LCLZ	38	26	103.66	105.18	1.52	-	<17	0.422	<0.01	33
49-565		LCLZ	38	26	105.18	106.71	1.52	-	23	0.88	<0.01	55
49-565		LCLZ	38	26	106.71	108.23	1.52	-	44	1.62	<0.01	102
49-565		LCLZ	38	26	108.23	109.76	1.52	-	22	0.63	0.012	46
49-565		LCLZ	38	26	115.40	116.92	1.52	-	44	1.76	<0.01	107
49-565		LCLZ	38	26	116.92	118.45	1.52	-	18	0.636	<0.01	41
49-565		LCLZ	38	26	118.45	119.97	1.52	-	27	0.865	<0.01	58
49-565		LCLZ	38	26	119.97	121.49	1.52	-	<17	0.18	<0.01	25
49-565		LCLZ	38	26	121.49	123.02	1.52	-	<17	0.339	<0.01	30
49-565		LCLZ	38	26	123.02	124.54	1.52	-	26	0.802	<0.01	55
49-565		LCLZ	38	26	124.54	126.07	1.52	-	<17	0.647	<0.01	41
49-565		LCLZ	38	26	126.07	127.59	1.52	-	18	0.656	<0.01	41
49-565		LCLZ	38	26	127.59	128.96	1.37	-	<17	0.293	<0.01	29
49-565		LCLZ	38	26	128.96	129.57	0.61	-	57	1.83	<0.01	123
49-565		LCLZ	38	26	129.57	130.49	0.91	-	26	0.924	<0.01	60
49-565		LCLZ	38	26	130.49	131.55	1.07	-	22	0.838	<0.01	52
49-565		LCLZ	38	26	131.55	132.77	1.22	-	140	4.56	0.014	305
49-565		LCLZ	38	26	132.77	133.69	0.91	-	65	1.99	<0.01	136
49-565		LCLZ	38	26	133.69	134.60	0.91	-	78	2.29	0.013	162
49-565		LCLZ	38	26	138.72	139.33	0.61	-	<17	0.304	<0.01	29
49-565		LCLZ	38	26	139.33	140.09	0.76	-	357	9.03	0.128	695
49-565		LCLZ	38	26	140.09	141.46	1.37	-	<17	0.21	<0.01	26
49-565		LCLZ	38	26	144.21	144.45	0.24	-	75	2.03	<0.01	148
49-565		LCLZ	38	26	146.65	147.56	0.91	-	116	0.837	0.079	154
49-565		LCLZ	38	26	149.82	150.12	0.30	-	48	2.23	<0.01	128
49-566		LCLZ	30	15	43.93	45.15	1.22	-	<17	0.24	<0.01	27
49-566		LCLZ	30	15	45.15	45.30	0.15	-	145	5.5	<0.01	343
49-566		LCLZ	30	15	45.30	46.49	1.19	-	<17	0.669	<0.01	42
49-566		LCLZ	30	15	46.49	46.98	0.49	-	<17	0.351	<0.01	31
49-566		LCLZ	30	15	46.98	47.99	1.01	-	35	1.36	<0.01	84
49-566		LCLZ	30	15	47.99	48.78	0.79	-	67	2.53	<0.01	158
49-566		LCLZ	30	15	48.78	48.93	0.15	-	203	6.86	0.101	460
49-566		LCLZ	30	15	48.93	49.30	0.37	-	193	7.2	<0.01	452
49-566		LCLZ	30	15	49.30	50.52	1.22	-	<17	0.38	<0.01	32
49-566		LCLZ	30	15	52.38	53.60	1.22	-	23	0.883	<0.01	55
49-566		LCLZ	30	15	53.60	54.45	0.85	-	55	2.62	<0.01	150
49-566		LCLZ	30	15	54.45	55.73	1.28	-	24	1.15	<0.01	65
49-566		LCLZ	30	15	58.51	59.73	1.22	-	80	2.86	0.013	185
49-566	174	LCLZ	30	15	59.73	59.88	0.15	0.12	823	47.5	0.051	2,540
49-566	174	LCLZ	30	15	59.88	60.46	0.58	0.49	285	12.9	0.018	751
49-566		LCLZ	30	15	60.46	61.98	1.52	-	<17	0.337	<0.01	30
49-566	1752	LCLZ	30	15	61.98	62.96	0.98	0.73	103	4.82	<0.01	277
49-566	1752	LCLZ	30	15	62.96	63.23	0.27	0.21	809	41.3	0.216	2,320
49-566	1752	LCLZ	30	15	63.23	63.45	0.21	0.15	24	1.19	<0.01	67
49-566	1752	LCLZ	30	15	63.45	63.60	0.15	0.12	1,330	52.6	0.49	3,270
49-566	1752	LCLZ	30	15	63.60	64.24	0.64	0.46	25	0.641	<0.01	48
49-566	1752	LCLZ	30	15	64.24	64.42	0.18	0.12	532	24.3	0.037	1,410
49-566		LCLZ	30	15	64.42	65.34	0.91	-	21	0.416	<0.01	36
49-566		LCLZ	30	15	65.34	66.55	1.22	-	<17	<0.1	<0.01	<22
49-566		LCLZ	30	15	69.51	71.04	1.52	-	81	4.5	<0.01	243
49-566		LCLZ	30	15	71.04	72.35	1.31	-	108	6	<0.01	324
49-566		LCLZ	30	15	72.35	73.48	1.13	-	<17	0.181	<0.01	25
49-566		LCLZ	30	15	81.10	82.32	1.22	-	<17	0.195	<0.01	25
49-566		LCLZ	30	15	82.32	82.53	0.21	-	20	0.165	0.017	28
49-566		LCLZ	30	15	82.53	83.75	1.22	-	<17	0.13	<0.01	23
49-566		LCLZ	30	15	89.63	90.58	0.95	-	<17	<0.1	<0.01	<22
49-566		LCLZ	30	15	90.58	90.85	0.27	-	56	1.58	<0.01	113
49-566		LCLZ	30	15	90.85	91.92	1.07	-	23	0.766	<0.01	51
49-566		LCLZ	30	15	91.92	92.38	0.46	-	43	1.48	<0.01	96
49-566		LCLZ	30	15	92.38	93.32	0.95	-	22	0.75	<0.01	49
49-566		LCLZ	30	15	93.32	94.54	1.22	-	39	1.25	<0.01	84
49-566		LCLZ	30	15	96.68	97.87	1.19	-	31	0.928	0.014	66
49-566	164	LCLZ	30	15	97.87	98.26	0.40	0.30	3,430	0.404	2.08	3,660
49-566	164	LCLZ	30	15	98.26	98.60	0.34	0.24	957	5.64	0.779	1,240
49-566	164	LCLZ	30	15	98.60	99.09	0.49	0.37	122	2.02	0.066	202
49-566	164	LCLZ	30	15	99.09	99.45	0.37	0.27	307	1.96	0.383	417
49-566		LCLZ	30	15	99.45	99.85	0.40	-	<17	0.496	<0.01	36
49-566		LCLZ	30	15	99.85	100.61	0.76	-	<17	<0.1	<0.01	<22
49-566	168 HW	LCLZ	30	15	100.61	102.13	1.52	1.28	280	10.6	0.099	672
49-566	168 HW	LCLZ	30	15	102.13	102.80	0.67	0.58	325	14.9	0.081	869
49-566	168 HW	LCLZ	30	15	102.80	103.02	0.21	0.18	135	5.63	0.037	342
49-566	168 HW	LCLZ	30	15	103.02	103.72	0.70	0.61	796	31.9	0.102	1,960
49-566	168 HW	LCLZ	30	15	103.72	103.87	0.15	0.12	28	1.45	<0.01	80
49-566	168 HW	LCLZ	30	15	103.87	104.15	0.27	0.24	933	42.2	0.015	2,450
49-566	168 HW	LCLZ	30	15	104.15	104.66	0.52	0.43	222	10.3	<0.01	593
49-566	168 HW	LCLZ	30	15	104.66	105.18	0.52	0.43	508	18.7	0.132	1,190

## Galena Levels 4900 and 5500 Drill Results - November 4, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-566		LCLZ	30	15	105.18	105.58	0.40	-	69	2.81	<0.01	170
49-566		LCLZ	30	15	105.58	106.80	1.22	-	<17	<0.1	<0.01	<22
49-566		LCLZ	30	15	111.13	112.56	1.43	-	<17	<0.1	<0.01	<22
49-566	168	LCLZ	30	15	112.56	113.75	1.19	-	27	0.891	<0.01	59
49-566		LCLZ	30	15	113.75	114.33	0.58	-	<17	<0.1	<0.01	<22
49-566		LCLZ	30	15	114.33	115.55	1.22	-	<17	0.104	<0.01	<22
49-566		LCLZ	30	15	115.55	116.16	0.61	-	<17	<0.1	<0.01	<22
49-566		LCLZ	30	15	116.16	117.04	0.88	-	<17	0.454	<0.01	34
49-566		LCLZ	30	15	117.04	118.54	1.49	-	<17	<0.1	<0.01	<22
49-566		LCLZ	30	15	118.54	118.90	0.37	-	<17	0.566	<0.01	39
49-566		LCLZ	30	15	118.90	119.51	0.61	-	<17	<0.1	<0.01	<22
49-568		LCLZ	50	30	57.16	58.08	0.91	-	<17	<0.1	<0.01	<22
49-568		LCLZ	50	30	58.08	59.45	1.37	-	<17	<0.1	<0.01	<22
49-568		LCLZ	50	30	110.82	111.28	0.46	-	41	2.6	<0.01	134
49-589		LCLZ	345	35	56.40	57.93	1.52	-	<17	0.127	<0.01	23
49-589	130	LCLZ	345	35	57.93	58.23	0.30	-	313	17.8	0.016	956
49-589		LCLZ	345	35	58.23	59.76	1.52	-	22	0.992	<0.01	58
49-589		LCLZ	345	35	59.76	60.37	0.61	-	31	1.52	<0.01	86
49-589		LCLZ	345	35	60.37	61.74	1.37	-	<17	0.422	<0.01	33
49-589		LCLZ	345	35	61.74	63.26	1.52	-	48	1.81	0.019	115
49-589		LCLZ	345	35	63.26	64.48	1.22	-	24	1.08	<0.01	63
49-589		LCLZ	345	35	69.36	69.60	0.24	-	62	2.41	<0.01	149
49-589		LCLZ	345	35	69.60	70.27	0.67	-	<17	0.62	<0.01	40
49-589		LCLZ	345	35	70.27	70.58	0.30	-	57	2.16	0.024	138
49-589		LCLZ	345	35	75.00	75.15	0.15	-	224	11.7	<0.01	645
49-589		LCLZ	345	35	77.44	78.96	1.52	-	66	2.58	<0.01	159
49-589		LCLZ	345	35	85.98	87.20	1.22	-	<17	0.492	<0.01	36
49-589	167	LCLZ	345	35	87.20	88.72	1.52	-	181	6.14	<0.01	402
49-589	167	LCLZ	345	35	88.72	89.39	0.67	-	42	1.18	<0.01	84
49-589	167	LCLZ	345	35	89.39	90.55	1.16	-	164	3.24	0.058	287
49-589		LCLZ	345	35	98.93	99.09	0.15	-	377	14.3	0.013	893
49-589		LCLZ	345	35	103.96	104.42	0.46	-	248	10.1	<0.01	612
49-589	164	LCLZ	345	35	110.82	111.74	0.91	0.52	138	1.02	0.213	197
49-589	164	LCLZ	345	35	111.74	112.04	0.30	0.18	480	3.62	0.559	668
49-589	164	LCLZ	345	35	112.04	112.41	0.37	0.21	2,230	19.9	2.87	3,240
49-589	164	LCLZ	345	35	112.41	112.65	0.24	0.12	43	1.33	0.019	93
49-589	164	LCLZ	345	35	112.65	112.80	0.15	0.09	549	4.08	0.958	795
49-589		LCLZ	345	35	112.80	113.87	1.07	-	<17	0.37	<0.01	31
49-589		LCLZ	345	35	119.30	120.43	1.13	-	25	0.695	<0.01	50
49-589	168 HW	LCLZ	345	35	120.43	121.04	0.61	0.30	580	22	0.022	1,370
49-589	168 HW	LCLZ	345	35	121.04	121.34	0.30	0.15	1,310	45.3	<0.01	2,940
49-589	168 HW	LCLZ	345	35	121.34	122.26	0.91	0.43	412	11.1	0.168	829
49-589		LCLZ	345	35	122.26	123.48	1.22	-	<17	0.11	<0.01	<22
49-589		LCLZ	345	35	123.48	124.18	0.70	-	<17	<0.1	<0.01	<22
49-589		LCLZ	345	35	124.18	124.79	0.61	-	<17	<0.1	<0.01	<22
49-589		LCLZ	345	35	134.33	135.61	1.28	-	<17	0.72	<0.01	44
49-589		LCLZ	345	35	135.61	136.43	0.82	-	82	3.76	0.025	220
49-589		LCLZ	345	35	136.43	137.80	1.37	-	19	1.26	<0.01	65
49-590	167	LCLZ	10	0	38.78	39.39	0.61	0.52	168	9.54	<0.01	511
49-590		LCLZ	10	0	39.39	40.64	1.25	-	<17	0.42	<0.01	33
49-590		LCLZ	10	0	44.33	44.48	0.15	-	<17	0.135	<0.01	23
49-590		LCLZ	10	0	48.81	49.36	0.55	-	<17	0.261	<0.01	28
49-590		LCLZ	10	0	49.36	50.61	1.25	-	<17	0.613	<0.01	40
49-590		LCLZ	10	0	50.61	51.74	1.13	-	<17	0.263	<0.01	28
49-590	180	LCLZ	10	0	51.74	51.89	0.15	0.15	207	8.57	0.041	520
49-590	180	LCLZ	10	0	51.89	52.56	0.67	0.61	127	5.09	<0.01	310
49-590	180	LCLZ	10	0	52.56	52.71	0.15	0.15	672	29.7	<0.01	1,740
49-590	180	LCLZ	10	0	52.71	54.02	1.31	1.19	105	4.72	<0.01	275
49-590	180	LCLZ	10	0	54.02	54.18	0.15	0.15	401	19.8	<0.01	1,110
49-590	180	LCLZ	10	0	54.18	55.37	1.19	1.07	293	12.7	<0.01	750
49-590	180	LCLZ	10	0	55.37	55.79	0.43	0.40	508	23.5	0.04	1,360
49-590	180	LCLZ	10	0	55.79	56.31	0.52	0.46	140	5.96	<0.01	355
49-590	180	LCLZ	10	0	56.31	56.65	0.34	0.30	460	23.9	<0.01	1,320
49-590	180	LCLZ	10	0	56.65	57.71	1.07	0.98	122	4.57	<0.01	287
49-590	180	LCLZ	10	0	57.71	57.87	0.15	0.15	259	10.3	<0.01	630
49-590		LCLZ	10	0	57.87	59.15	1.28	-	105	3.47	0.013	231
49-590		LCLZ	10	0	59.15	59.30	0.15	-	<17	1.25	0.016	64
49-590		LCLZ	10	0	59.30	60.34	1.04	-	68	2.29	0.011	152
49-590	Unknown	LCLZ	10	0	60.34	60.61	0.27	0.21	343	16	<0.01	919
49-590	Unknown	LCLZ	10	0	60.61	60.76	0.15	0.12	202	7.64	0.015	479
49-590	Unknown	LCLZ	10	0	60.76	62.29	1.52	1.16	103	3.95	<0.01	245
49-590		LCLZ	10	0	62.29	62.56	0.27	-	18	0.493	<0.01	36
49-590		LCLZ	10	0	62.56	64.09	1.52	-	25	0.829	<0.01	55
49-590	168 HW	LCLZ	10	0	64.09	65.03	0.95	0.88	754	28.7	0.139	1,800
49-590	168 HW	LCLZ	10	0	65.03	65.67	0.64	0.61	257	3.65	0.187	407
49-590		LCLZ	10	0	65.67	66.68	1.01	-	17	<0.1	0.026	<22
49-590		LCLZ	10	0	66.68	66.98	0.30	-	<17	0.288	0.012	29
49-590	168	LCLZ	10	0	66.98	68.14	1.16	1.07	264	6.62	0.119	514
49-590		LCLZ	10	0	68.14	68.54	0.40	-	<17	<0.1	<0.01	<22
49-590		LCLZ	10	0	68.54	69.70	1.16	-	<17	<0.1	<0.01	<22



## Galena Levels 4900 and 5500 Drill Results - November 4, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-591		LCLZ	359	5	39.27	40.79	1.52	-	<17	0.696	<0.01	43
49-591		LCLZ	359	5	40.79	41.16	0.37	-	<17	0.103	<0.01	<22
49-591		LCLZ	359	5	41.16	42.68	1.52	-	<17	0.123	<0.01	23
49-591		LCLZ	359	5	49.33	49.48	0.15	-	<17	0.383	<0.01	32
49-591		LCLZ	359	5	67.71	68.29	0.58	-	57	1.78	<0.01	121
49-591	164	LCLZ	359	5	68.29	69.60	1.31	1.13	933	23	0.306	1,790
49-591	164	LCLZ	359	5	69.60	70.12	0.52	0.46	188	4.95	<0.01	366
49-591	164	LCLZ	359	5	70.12	71.34	1.22	1.04	216	8.65	<0.01	527
49-591	180	LCLZ	359	5	71.34	72.87	1.52	1.31	176	6.5	0.02	412
49-591	168 HW	LCLZ	359	5	72.87	74.39	1.52	1.31	75	2.98	0.016	184
49-591	168	LCLZ	359	5	74.39	75.30	0.91	0.79	143	5.64	0.029	349
49-591	168	LCLZ	359	5	75.30	76.22	0.91	0.79	56	2.67	<0.01	152
49-591		LCLZ	359	5	76.22	77.44	1.22	-	<17	0.539	<0.01	38
49-591		LCLZ	359	5	77.44	77.74	0.30	-	<17	<0.1	<0.01	<22
49-591		LCLZ	359	5	77.74	79.27	1.52	-	<17	0.263	<0.01	28
49-591		LCLZ	359	5	79.27	79.66	0.40	-	43	2.64	0.029	141
49-591		LCLZ	359	5	79.66	79.88	0.21	-	<17	<0.1	<0.01	<22
49-592		LCLZ	0	15	41.16	41.46	0.30	-	<17	<0.1	<0.01	<22
49-592		LCLZ	0	15	41.46	42.07	0.61	-	38	2.45	<0.01	127
49-592		LCLZ	0	15	42.07	42.68	0.61	-	<17	0.912	<0.01	51
49-592		LCLZ	0	15	42.68	44.12	1.43	-	<17	0.467	<0.01	35
49-592	130	LCLZ	0	15	44.12	45.27	1.16	0.91	327	16.1	0.016	909
49-592		LCLZ	0	15	45.27	45.73	0.46	-	<17	0.105	<0.01	<22
49-592		LCLZ	0	15	48.78	50.21	1.43	-	<17	0.276	<0.01	28
49-592		LCLZ	0	15	50.21	51.22	1.01	-	28	1.61	0.013	88
49-592		LCLZ	0	15	51.22	52.74	1.52	-	<17	0.543	<0.01	38
49-592		LCLZ	0	15	56.40	57.62	1.22	-	<17	1.15	<0.01	60
49-592	Unknown	LCLZ	0	15	57.62	58.08	0.46	0.37	314	15.3	0.011	866
49-592	Unknown	LCLZ	0	15	58.08	59.15	1.07	0.82	116	5.32	<0.01	308
49-592	Unknown	LCLZ	0	15	59.15	59.33	0.18	0.15	274	11.4	0.017	686
49-592		LCLZ	0	15	59.33	60.15	0.82	-	47	2.16	<0.01	125
49-592		LCLZ	0	15	77.44	77.99	0.55	-	41	1.25	<0.01	86
49-592	168 HW	LCLZ	0	15	77.99	78.23	0.24	0.18	1,410	24.8	0.989	2,410
49-592	168 HW	LCLZ	0	15	78.23	78.84	0.61	0.49	313	7.11	0.206	590
49-592		LCLZ	0	15	78.84	79.39	0.55	-	<17	<0.1	<0.01	<22
49-592		LCLZ	0	15	82.56	83.17	0.61	-	<17	<0.1	<0.01	<22
49-592		LCLZ	0	15	83.17	83.84	0.67	-	126	6.8	0.022	373
49-592		LCLZ	0	15	83.84	84.76	0.91	-	97	5.64	0.011	302
49-592		LCLZ	0	15	84.76	85.37	0.61	-	<17	0.284	<0.01	28
49-592		LCLZ	0	15	85.37	86.80	1.43	-	21	1.06	0.018	62
49-593		LCLZ	1	23	43.05	43.57	0.52	-	<17	<0.1	<0.01	<22
49-593		LCLZ	1	23	43.57	44.02	0.46	-	124	6.48	<0.01	357
49-593		LCLZ	1	23	44.02	45.55	1.52	-	38	1.97	<0.01	109
49-593		LCLZ	1	23	45.55	45.88	0.34	-	84	4.81	<0.01	257
49-593		LCLZ	1	23	45.88	46.86	0.98	-	47	2.56	<0.01	140
49-593		LCLZ	1	23	46.86	47.01	0.15	-	299	12.7	0.103	767
49-593		LCLZ	1	23	47.01	48.54	1.52	-	19	1.02	<0.01	55
49-593		LCLZ	1	23	48.54	49.57	1.04	-	43	2.46	<0.01	132
49-593		LCLZ	1	23	49.57	50.18	0.61	-	18	0.84	<0.01	48
49-593		LCLZ	1	23	50.18	50.73	0.55	-	103	5.66	<0.01	307
49-593		LCLZ	1	23	50.73	51.92	1.19	-	35	1.87	<0.01	102
49-593		LCLZ	1	23	51.92	53.14	1.22	-	21	0.933	<0.01	54
49-593		LCLZ	1	23	53.14	54.66	1.52	-	48	2.02	<0.01	121
49-593		LCLZ	1	23	54.66	55.64	0.98	-	102	4.28	<0.01	256
49-593		LCLZ	1	23	55.64	55.91	0.27	-	167	7.57	<0.01	440
49-593		LCLZ	1	23	55.91	57.44	1.52	-	69	3.07	<0.01	180
49-593		LCLZ	1	23	88.63	89.85	1.22	-	<17	0.246	<0.01	27
49-593	168 HW	LCLZ	1	23	89.85	90.34	0.49	0.34	1,550	44.3	0.096	3,150
49-593	168 HW	LCLZ	1	23	90.34	90.85	0.52	0.37	<17	<0.1	<0.01	<22
49-593	168 HW	LCLZ	1	23	90.85	91.10	0.24	0.15	193	5.4	0.094	397
49-593		LCLZ	1	23	91.10	92.62	1.52	-	25	0.449	0.019	43
49-593		LCLZ	1	23	92.62	93.90	1.28	-	30	0.362	0.03	47
49-593		LCLZ	1	23	93.90	95.12	1.22	-	<17	<0.1	<0.01	<22
49-594		LCLZ	357	30	56.25	56.89	0.64	-	280	12	0.024	715
49-594		LCLZ	357	30	56.89	57.93	1.04	-	46	2.38	<0.01	132
49-594		LCLZ	357	30	57.93	59.09	1.16	-	116	6.39	<0.01	346
49-594		LCLZ	357	30	62.20	62.68	0.49	-	22	0.587	<0.01	43
49-594		LCLZ	357	30	67.96	68.90	0.95	-	42	1.69	<0.01	103
49-594		LCLZ	357	30	68.90	70.12	1.22	-	33	1.53	<0.01	88
49-594		LCLZ	357	30	70.12	71.65	1.52	-	<17	0.698	<0.01	43
49-594		LCLZ	357	30	71.65	73.17	1.52	-	<17	0.177	<0.01	25
49-594		LCLZ	357	30	73.17	74.39	1.22	-	<17	<0.1	<0.01	<22
49-594		LCLZ	357	30	74.39	75.30	0.91	-	<17	0.253	<0.01	27
49-594		LCLZ	357	30	75.30	76.22	0.91	-	19	0.858	<0.01	50
49-594		LCLZ	357	30	76.22	77.74	1.52	-	<17	<0.1	<0.01	<22
49-594		LCLZ	357	30	77.74	78.96	1.22	-	<17	<0.1	<0.01	<22
49-594		LCLZ	357	30	78.96	80.18	1.22	-	109	3.3	0.024	231
49-594		LCLZ	357	30	88.11	88.60	0.49	-	<17	0.405	<0.01	33
49-594		LCLZ	357	30	88.60	88.87	0.27	-	70	2.31	<0.01	153
49-594		LCLZ	357	30	88.87	90.24	1.37	-	<17	0.292	<0.01	29

Galena Levels 4900 and 5500 Drill Results - November 4, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-594		LCLZ	357	30	90.24	91.16	0.91	-	95	3.84	<0.01	233
49-594		LCLZ	357	30	103.66	104.02	0.37	-	<17	0.175	<0.01	24
49-594		LCLZ	357	30	104.02	104.42	0.40	-	199	4.2	0.103	361
49-594		LCLZ	357	30	104.42	105.49	1.07	-	63	1.76	<0.01	127
49-594		LCLZ	357	30	105.49	107.01	1.52	-	58	1.45	<0.01	110
49-594		LCLZ	357	30	107.01	107.16	0.15	-	905	33.8	<0.01	2,130
49-594		LCLZ	357	30	107.16	108.23	1.07	-	89	2.76	<0.01	189
49-594		LCLZ	357	30	108.23	109.05	0.82	-	102	2.85	0.022	207
49-594		LCLZ	357	30	113.20	114.18	0.98	-	<17	0.631	<0.01	41
49-595		LCLZ	27	-0.5	37.35	38.87	1.52	-	<17	<0.1	<0.01	<22
49-595	Unknown	LCLZ	27	-0.5	38.87	39.02	0.15	0.12	51	2.65	<0.01	147
49-595	Unknown	LCLZ	27	-0.5	39.02	39.39	0.37	0.34	49	3.37	<0.01	170
49-595	Unknown	LCLZ	27	-0.5	39.39	39.85	0.46	0.43	1,000	62.8	0.056	3,270
49-595		LCLZ	27	-0.5	39.85	40.88	1.04	-	<17	0.569	<0.01	39
49-595		LCLZ	27	-0.5	40.88	42.07	1.19	-	<17	0.635	<0.01	41
49-595	180	LCLZ	27	-0.5	42.07	42.41	0.34	0.30	312	21.6	<0.01	1,090
49-595	180	LCLZ	27	-0.5	42.41	42.65	0.24	0.21	919	56.1	0.027	2,940
49-595	180	LCLZ	27	-0.5	42.65	43.48	0.82	0.73	280	16.4	<0.01	870
49-595	180	LCLZ	27	-0.5	43.48	44.02	0.55	0.49	120	6.54	<0.01	355
49-595	180	LCLZ	27	-0.5	44.02	44.18	0.15	0.12	111	5.79	<0.01	319
49-595	180	LCLZ	27	-0.5	44.18	44.91	0.73	0.67	89	4.84	<0.01	263
49-595	180	LCLZ	27	-0.5	44.91	45.09	0.18	0.15	1,100	63.6	0.454	3,440
49-595	180	LCLZ	27	-0.5	45.09	45.52	0.43	0.40	497	26.9	0.029	1,470
49-595	180	LCLZ	27	-0.5	45.52	46.49	0.98	0.88	245	15	<0.01	785
49-595	180	LCLZ	27	-0.5	46.49	47.41	0.91	0.83	70	3.85	<0.01	209
49-595	180	LCLZ	27	-0.5	47.41	48.63	1.22	1.13	360	18.6	<0.01	1,030
49-595	180	LCLZ	27	-0.5	48.63	49.36	0.73	0.67	782	40.6	0.012	2,240
49-595		LCLZ	27	-0.5	49.36	50.67	1.31	-	54	2.58	<0.01	147
49-595		LCLZ	27	-0.5	50.67	51.37	0.70	-	116	5.45	<0.01	312
49-595		LCLZ	27	-0.5	56.62	57.47	0.85	-	46	1.61	<0.01	104
49-595		LCLZ	27	-0.5	57.47	58.75	1.28	-	<17	<0.1	<0.01	<22
49-595		LCLZ	27	-0.5	58.75	59.57	0.82	-	39	0.812	0.025	71
49-595		LCLZ	27	-0.5	59.57	60.91	1.34	-	<17	0.178	<0.01	25
49-595	168 HW	LCLZ	27	-0.5	60.91	61.07	0.15	-	312	9.29	0.078	654
49-595		LCLZ	27	-0.5	61.07	62.50	1.43	-	<17	0.277	<0.01	28
49-595		LCLZ	27	-0.5	62.50	62.87	0.37	-	<17	0.505	<0.01	36
49-595		LCLZ	27	-0.5	62.87	63.05	0.18	-	342	15.4	0.033	899
49-595		LCLZ	27	-0.5	63.05	63.72	0.67	-	<17	0.628	<0.01	41
49-595		LCLZ	27	-0.5	63.72	64.66	0.95	-	53	2.33	<0.01	137
49-595		LCLZ	27	-0.5	64.66	65.21	0.55	-	179	9.31	0.014	515
49-595		LCLZ	27	-0.5	65.21	66.46	1.25	-	<17	0.708	<0.01	44
49-595		LCLZ	27	-0.5	66.46	67.07	0.61	-	53	1.69	0.036	117
49-595	168	LCLZ	27	-0.5	67.07	67.32	0.24	0.21	274	8.17	0.112	580
49-595	168	LCLZ	27	-0.5	67.32	67.74	0.43	0.40	727	1.22	0.875	861
49-595	168	LCLZ	27	-0.5	67.74	68.51	0.76	0.67	22	0.882	0.015	55
49-595	168	LCLZ	27	-0.5	68.51	69.48	0.98	0.88	195	12.6	0.012	650
49-595		LCLZ	27	-0.5	69.48	69.76	0.27	-	34	2.28	<0.01	116
49-595		LCLZ	27	-0.5	69.76	70.06	0.30	-	19	1.18	0.011	63
49-595		LCLZ	27	-0.5	70.06	70.64	0.58	-	54	2.94	0.014	162
49-595		LCLZ	27	-0.5	70.64	71.43	0.79	-	50	2.53	0.032	144
49-595		LCLZ	27	-0.5	71.43	72.23	0.79	-	105	5.64	0.019	310
49-595		LCLZ	27	-0.5	72.23	73.17	0.95	-	28	1.1	0.011	68
49-596		LCLZ	14	14	42.38	43.60	1.22	-	29	1.38	<0.01	79
49-596		LCLZ	14	14	43.60	44.57	0.98	-	28	1.22	<0.01	72
49-596		LCLZ	14	14	44.57	46.10	1.52	-	44	1.92	<0.01	113
49-596		LCLZ	14	14	46.10	47.26	1.16	-	<17	0.424	<0.01	33
49-596		LCLZ	14	14	47.26	48.78	1.52	-	<17	0.296	<0.01	29
49-596		LCLZ	14	14	48.78	50.30	1.52	-	83	3.76	<0.01	218
49-596		LCLZ	14	14	50.30	51.83	1.52	-	49	1.97	<0.01	120
49-596		LCLZ	14	14	51.83	53.35	1.52	-	85	3.45	0.02	211
49-596		LCLZ	14	14	53.35	53.96	0.61	-	218	10.2	<0.01	585
49-596		LCLZ	14	14	53.96	55.15	1.19	-	40	1.83	<0.01	106
49-596		LCLZ	14	14	63.11	64.02	0.91	-	<17	0.157	<0.01	24
49-596		LCLZ	14	14	64.02	65.55	1.52	-	<17	0.545	<0.01	38
49-596		LCLZ	14	14	65.55	67.07	1.52	-	130	0.33	0.054	148
49-596		LCLZ	14	14	67.07	67.77	0.70	-	<17	0.292	<0.01	29
49-596	180	LCLZ	14	14	67.77	68.60	0.82	0.52	473	17.3	<0.01	1,100
49-596	180	LCLZ	14	14	68.60	69.05	0.46	0.30	40	1.46	<0.01	93
49-596		LCLZ	14	14	78.29	78.78	0.49	-	<17	<0.1	<0.01	<22
49-596	168	LCLZ	14	14	78.78	79.24	0.46	0.37	167	5.14	0.065	359
49-596	168	LCLZ	14	14	79.24	80.73	1.49	1.19	153	3.62	0.057	289
49-596	168	LCLZ	14	14	80.73	80.91	0.18	0.15	1,020	15.2	0.699	1,640
49-596		LCLZ	14	14	80.91	82.44	1.52	-	198	0.208	0.166	223
49-596		LCLZ	14	14	82.44	83.96	1.52	-	157	0.292	0.116	179
49-596		LCLZ	14	14	83.96	84.45	0.49	-	<17	<0.1	<0.01	<22
49-597		LCLZ	32	14	48.87	49.45	0.58	-	25	0.879	<0.01	56
49-597		LCLZ	32	14	49.45	49.60	0.15	-	28	1.19	<0.01	71
49-597		LCLZ	32	14	49.60	50.15	0.55	-	<17	0.721	<0.01	44
49-597		LCLZ	32	14	50.15	50.30	0.15	-	105	3.97	0.018	250
49-597		LCLZ	32	14	50.30	51.52	1.22	-	<17	0.589	<0.01	39

## Galena Levels 4900 and 5500 Drill Results - November 4, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-597		LCLZ	32	14	51.52	52.71	1.19	-	<17	0.556	<0.01	38
49-597	167	LCLZ	32	14	52.71	52.93	0.21	-	179	6.69	0.018	422
49-597	167	LCLZ	32	14	52.93	53.08	0.15	-	68	2.89	<0.01	172
49-597	167	LCLZ	32	14	53.08	53.23	0.15	-	213	9.39	0.013	552
49-597		LCLZ	32	14	53.23	54.57	1.34	-	<17	0.594	<0.01	40
49-597		LCLZ	32	14	54.57	55.79	1.22	-	39	1.61	<0.01	97
49-597		LCLZ	32	14	55.79	56.40	0.61	-	<17	0.381	<0.01	32
49-597	180	LCLZ	32	14	56.40	56.62	0.21	0.18	1,100	61.9	0.166	3,350
49-597	180	LCLZ	32	14	56.62	56.80	0.18	0.15	29	1.64	<0.01	88
49-597	180	LCLZ	32	14	56.80	56.95	0.15	0.12	267	11.5	0.12	693
49-597	180	LCLZ	32	14	56.95	57.13	0.18	0.15	569	30.7	0.086	1,690
49-597	180	LCLZ	32	14	57.13	57.62	0.49	0.40	68	2.94	0.013	175
49-597	180	LCLZ	32	14	57.62	58.51	0.88	0.73	28	1.18	<0.01	70
49-597	180	LCLZ	32	14	58.51	58.87	0.37	0.30	21	1	<0.01	57
49-597	180	LCLZ	32	14	58.87	59.54	0.67	0.55	197	8.77	0.018	515
49-597		LCLZ	32	14	59.54	60.98	1.43	-	70	2.69	<0.01	166
49-597		LCLZ	32	14	60.98	62.20	1.22	-	37	1.44	<0.01	89
49-597		LCLZ	32	14	71.65	72.77	1.13	-	<17	0.143	<0.01	23
49-597	168	LCLZ	32	14	72.77	73.11	0.34	-	204	10.9	0.024	599
49-597		LCLZ	32	14	73.11	74.05	0.95	-	<17	0.436	<0.01	34
49-597		LCLZ	32	14	74.05	74.88	0.82	-	55	2.87	<0.01	158
49-597		LCLZ	32	14	74.88	75.46	0.58	-	51	1.56	0.015	109
49-597		LCLZ	32	14	75.46	76.74	1.28	-	<17	0.146	<0.01	23
49-597		LCLZ	32	14	76.74	77.96	1.22	-	<17	0.307	<0.01	29
49-597		LCLZ	32	14	77.96	78.90	0.95	-	39	1.54	0.025	97
49-597		LCLZ	32	14	78.90	80.09	1.19	-	29	1.47	<0.01	82
49-597	168	LCLZ	32	14	80.09	80.70	0.61	-	114	5.22	0.022	304
49-597	168	LCLZ	32	14	80.70	81.07	0.37	-	155	1.68	0.166	233
49-597	168	LCLZ	32	14	81.07	82.32	1.25	-	51	2.57	0.012	145
49-597	168	LCLZ	32	14	82.32	83.66	1.34	-	62	3.12	<0.01	174
49-597	168	LCLZ	32	14	83.66	84.42	0.76	-	142	7.8	0.037	427
49-597		LCLZ	32	14	84.42	85.61	1.19	-	<17	<0.1	0.02	23
49-598		LCLZ	40	25	47.56	48.78	1.22	-	112	4.58	0.028	280
49-598		LCLZ	40	25	48.78	50.30	1.52	-	52	2.13	<0.01	129
49-598		LCLZ	40	25	50.30	51.83	1.52	-	47	1.07	0.019	88
49-598		LCLZ	40	25	51.83	52.62	0.79	-	<17	0.144	<0.01	23
49-598		LCLZ	40	25	52.62	53.84	1.22	-	19	0.524	<0.01	38
49-598		LCLZ	40	25	53.84	54.79	0.95	-	19	0.524	<0.01	38
49-598		LCLZ	40	25	54.79	56.31	1.52	-	<17	0.463	<0.01	35
49-598		LCLZ	40	25	56.31	57.71	1.40	-	<17	0.596	<0.01	40
49-598	168	LCLZ	40	25	57.71	58.29	0.58	-	154	4.76	0.047	330
49-598	168	LCLZ	40	25	58.29	59.82	1.52	-	21	1.44	<0.01	73
49-598	168	LCLZ	40	25	59.82	61.04	1.22	-	<17	0.888	<0.01	50
49-598	168	LCLZ	40	25	61.04	62.10	1.07	-	26	1.75	<0.01	89
49-598	168	LCLZ	40	25	62.10	63.45	1.34	-	<17	0.652	<0.01	42
49-598	168	LCLZ	40	25	63.45	64.42	0.98	-	62	3.9	0.011	203
49-598		LCLZ	40	25	64.42	65.64	1.22	-	<17	<0.1	<0.01	<22
49-600		LCLZ	11	42	67.84	68.60	0.76	-	116	5.41	<0.01	311
49-600		LCLZ	11	42	68.60	69.82	1.22	-	<17	0.73	<0.01	44
49-600		LCLZ	11	42	69.82	70.73	0.91	-	26	1.22	<0.01	70
49-600		LCLZ	11	42	70.73	71.52	0.79	-	62	2.65	<0.01	157
49-600		LCLZ	11	42	71.52	72.32	0.80	-	62	2.76	<0.01	162
49-600		LCLZ	11	42	72.32	73.13	0.81	-	103	4.32	<0.01	259
49-600		LCLZ	11	42	73.13	73.93	0.80	-	<17	0.567	<0.01	39
49-600		LCLZ	11	42	73.93	74.73	0.80	-	<17	0.49	<0.01	36
49-600		LCLZ	11	42	74.73	75.53	0.80	-	38	1.79	<0.01	102
49-600		LCLZ	11	42	75.53	76.33	0.80	-	55	2.31	0.016	140
49-600		LCLZ	11	42	76.33	77.13	0.80	-	90	3.93	<0.01	231
49-600		LCLZ	11	42	77.13	77.93	0.80	-	74	3.09	<0.01	185
49-600		LCLZ	11	42	77.93	78.73	0.80	-	<17	0.264	<0.01	28
49-600		LCLZ	11	42	78.73	79.53	0.80	-	104	3.76	<0.01	239
49-600		LCLZ	11	42	79.53	80.33	0.80	-	82	2.72	<0.01	180
49-600		LCLZ	11	42	80.33	81.13	0.80	-	59	2.02	<0.01	131
49-600		LCLZ	11	42	81.13	81.93	0.80	-	248	6.46	0.051	486
49-600		LCLZ	11	42	81.93	82.73	0.80	0.52	214	3.6	0.171	362
49-600		LCLZ	11	42	82.73	83.53	0.80	-	<17	<0.1	<0.01	<22
49-601		LCLZ	5	45	72.56	73.17	0.61	-	25	1.18	<0.01	68
49-601		LCLZ	5	45	73.17	74.70	1.52	-	54	2.46	<0.01	142
49-601		LCLZ	5	45	74.70	76.22	1.52	-	53	2.07	<0.01	127
49-601	130	LCLZ	5	45	76.22	77.56	1.34	0.58	167	8.68	<0.01	479
49-601	130	LCLZ	5	45	77.56	77.99	0.43	0.18	418	22.9	<0.01	1,240
49-601		LCLZ	5	45	77.99	79.27	1.28	-	26	1.24	<0.01	71
49-601		LCLZ	5	45	79.27	80.79	1.52	-	33	1.54	<0.01	89
49-601		LCLZ	5	45	80.79	82.01	1.22	-	25	1.07	<0.01	63
49-601		LCLZ	5	45	82.01	83.38	1.37	-	154	7.61	0.019	430
49-601		LCLZ	5	45	83.38	84.91	1.52	-	43	1.94	<0.01	113
49-601		LCLZ	5	45	84.91	86.43	1.52	-	<17	0.133	<0.01	23
49-601		LCLZ	5	45	86.43	87.04	0.61	-	82	3.88	<0.01	222
49-601		LCLZ	5	45	87.04	87.96	0.91	-	47	2.13	0.011	124
49-601		LCLZ	5	45	87.96	88.66	0.70	-	32	1.43	<0.01	83
49-601		LCLZ	5	45	88.66	89.42	0.76	-	251	12.3	<0.01	694

## Galena Levels 4900 and 5500 Drill Results - November 4, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
49-601		LCLZ	5	45	89.42	90.85	1.43	-	42	2	<0.01	114
49-601		LCLZ	5	45	90.85	92.38	1.52	-	<17	0.528	<0.01	37
49-601		LCLZ	5	45	92.38	93.90	1.52	-	35	1.38	0.015	87
49-601		LCLZ	5	45	93.90	95.43	1.52	-	46	1.8	<0.01	111
49-601		LCLZ	5	45	95.43	96.95	1.52	-	63	2.65	<0.01	159
49-601		LCLZ	5	45	96.95	97.77	0.82	-	41	1.73	<0.01	104
49-601		LCLZ	5	45	101.46	102.74	1.28	-	74	3.59	<0.01	203
49-601		LCLZ	5	45	118.90	120.43	1.52	-	44	1.25	<0.01	89
49-601		LCLZ	5	45	122.53	123.96	1.43	-	49	1.47	<0.01	102
49-601		LCLZ	5	45	123.96	125.46	1.49	-	82	1.4	0.043	137
49-601		LCLZ	5	45	125.46	126.98	1.52	-	139	3.84	0.035	281
49-601		LCLZ	5	45	126.98	127.90	0.91	-	164	3.46	0.09	298
49-601		LCLZ	5	45	127.90	128.90	1.01	-	45	1.23	<0.01	89
49-601		LCLZ	5	45	128.90	129.27	0.37	-	346	9.5	0.032	691
49-601		LCLZ	5	45	129.27	130.52	1.25	-	132	3.44	0.04	260
49-601		LCLZ	5	45	130.52	131.59	1.07	-	<17	0.25	<0.01	27
49-601		LCLZ	5	45	131.59	132.04	0.46	-	40	1.04	<0.01	78
49-601		LCLZ	5	45	132.04	133.54	1.49	-	59	0.748	0.027	89
49-601		LCLZ	5	45	133.54	135.06	1.52	-	37	0.944	0.014	72
49-602	130	LCLZ	6	27	46.37	46.95	0.58	0.24	136	6.83	0.018	384
49-602	130	LCLZ	6	27	46.95	47.44	0.49	0.21	166	9.52	<0.01	509
49-602		LCLZ	6	27	47.44	48.14	0.70	-	79	3.79	<0.01	215
49-602		LCLZ	6	27	48.14	48.29	0.15	-	84	4.42	<0.01	243
49-602		LCLZ	6	27	48.29	49.09	0.79	-	49	2.75	<0.01	148
49-602		LCLZ	6	27	56.55	57.16	0.61	-	34	2.1	<0.01	110
49-602		LCLZ	6	27	57.16	57.87	0.70	-	87	4.48	<0.01	248
49-602		LCLZ	6	27	57.87	58.99	1.13	-	54	2.79	<0.01	154
49-602		LCLZ	6	27	97.56	98.17	0.61	-	<17	0.218	<0.01	26
49-602	168	LCLZ	6	27	98.17	98.45	0.27	0.18	477	13.4	0.047	964
49-602	168	LCLZ	6	27	98.45	98.93	0.49	0.30	80	1.92	0.035	152
49-603		LCLZ	8	35	55.18	56.40	1.22	-	41	2.02	<0.01	114
49-603	130	LCLZ	8	35	56.40	57.93	1.52	0.70	110	5.36	<0.01	303
49-603	130	LCLZ	8	35	57.93	58.99	1.07	0.49	143	7.48	0.011	413
49-603	130	LCLZ	8	35	58.99	59.91	0.91	0.43	23	1.06	<0.01	61
49-603	130	LCLZ	8	35	59.91	60.06	0.15	0.06	823	46	<0.01	2,480
49-603	130	LCLZ	8	35	60.06	60.49	0.43	0.18	32	1.51	<0.01	87
49-603	130	LCLZ	8	35	60.49	60.76	0.27	0.12	549	33	<0.01	1,740
49-603		LCLZ	8	35	60.76	61.98	1.22	-	62	3.04	<0.01	171
49-603		LCLZ	8	35	61.98	62.80	0.82	-	20	1.12	<0.01	60
49-603		LCLZ	8	35	62.80	64.18	1.37	-	65	2.75	<0.01	164
49-603		LCLZ	8	35	64.18	65.55	1.37	-	28	1.28	<0.01	75
49-603		LCLZ	8	35	65.55	66.62	1.07	-	62	3.06	<0.01	172
49-603		LCLZ	8	35	66.62	68.14	1.52	-	109	5.24	<0.01	298
49-603		LCLZ	8	35	68.14	68.81	0.67	-	140	6.68	0.022	382
49-603		LCLZ	8	35	68.81	69.51	0.70	-	19	0.872	<0.01	50
49-603		LCLZ	8	35	73.17	74.70	1.52	-	46	2.2	<0.01	125
49-603		LCLZ	8	35	74.70	76.22	1.52	-	64	3.01	<0.01	172
49-603		LCLZ	8	35	76.22	76.83	0.61	-	77	3.79	<0.01	213
49-603		LCLZ	8	35	76.83	77.74	0.91	-	<17	0.197	<0.01	25
49-603		LCLZ	8	35	79.57	80.79	1.22	-	31	1.34	<0.01	79
49-603		LCLZ	8	35	80.79	82.32	1.52	-	57	2.02	<0.01	130
49-603		LCLZ	8	35	97.44	98.05	0.61	-	65	1.76	<0.01	129
49-603	168	LCLZ	8	35	111.89	112.84	0.95	0.52	139	6.25	0.098	374
49-603	168	LCLZ	8	35	112.84	112.99	0.15	0.08	1,180	7.41	1.69	1,620
49-603	168	LCLZ	8	35	112.99	113.41	0.43	0.24	87	1.42	0.099	149
49-603	168	LCLZ	8	35	113.41	113.57	0.15	0.08	480	18.8	0.157	1,170
49-603		LCLZ	8	35	113.57	114.63	1.07	-	48	0.35	0.058	67
55-122		Triple Point	19	-65	10.67	10.85	0.18	-	<17	0.165	<0.01	24
55-122		Triple Point	19	-65	18.29	18.48	0.18	-	72	1.91	0.013	142
55-122		Triple Point	19	-65	26.83	27.44	0.61	-	<17	<0.1	<0.01	<22
55-122		Triple Point	19	-65	27.44	27.62	0.18	-	48	1.49	<0.01	102
55-122		Triple Point	19	-65	27.62	28.05	0.43	-	47	1.45	<0.01	99
55-122	174	Triple Point	19	-65	52.01	52.13	0.12	0.09	4,050	14.5	3.9	4,970
55-122	174	Triple Point	19	-65	52.13	52.93	0.79	0.55	44	0.267	0.019	55
55-122	174	Triple Point	19	-65	52.93	53.35	0.43	0.30	20	0.673	<0.01	44
55-122		Triple Point	19	-65	62.04	62.35	0.30	-	54	2.28	<0.01	136
55-122		Triple Point	19	-65	62.35	63.87	1.52	-	<17	0.295	<0.01	29
55-122	175	Triple Point	19	-65	63.87	64.33	0.46	0.34	155	9.87	<0.01	510
55-122	175	Triple Point	19	-65	64.33	65.24	0.91	0.64	274	14.3	0.051	794
55-122	175	Triple Point	19	-65	65.24	65.70	0.46	0.34	228	10.7	0.271	641
55-122		Triple Point	19	-65	65.70	66.62	0.91	-	<17	<0.1	<0.01	<22
55-122		Triple Point	19	-65	85.98	86.71	0.73	-	68	4.46	<0.01	229
55-122	176	Triple Point	19	-65	86.71	87.26	0.55	0.38	480	30	0.05	1,570
55-122	176	Triple Point	19	-65	87.26	87.80	0.55	0.38	<17	0.459	0.011	35
55-122	176	Triple Point	19	-65	87.80	88.41	0.61	0.43	490	33.3	0.016	1,690
55-122	176	Triple Point	19	-65	88.41	89.33	0.91	0.64	823	46.7	0.053	2,510
55-122		Triple Point	19	-65	89.33	89.94	0.61	-	21	1.55	<0.01	76
55-122		Triple Point	19	-65	92.07	92.26	0.18	-	40	2.62	<0.01	134
55-122		Triple Point	19	-65	94.05	95.58	1.52	-	18	1.36	<0.01	67
55-122		Triple Point	19	-65	98.29	98.48	0.18	-	134	9.77	<0.01	486

## Galena Levels 4900 and 5500 Drill Results - November 4, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
55-122		Triple Point	19	-65	102.62	102.80	0.18	-	521	20	0.039	1,250
55-122		Triple Point	19	-65	102.80	103.96	1.16	-	<17	0.492	<0.01	36
55-122		Triple Point	19	-65	103.96	104.39	0.43	-	42	2.05	<0.01	115
55-122		Triple Point	19	-65	104.39	104.57	0.18	-	75	4.59	0.018	242
55-122	180	Triple Point	19	-65	108.90	109.39	0.49	-	233	8.84	0.025	554
55-122		Triple Point	19	-65	109.39	110.12	0.73	-	<17	<0.1	<0.01	<22
55-122		Triple Point	19	-65	110.12	110.30	0.18	-	<17	0.195	<0.01	25
55-122		Triple Point	19	-65	112.99	113.41	0.43	-	82	5.24	<0.01	271
55-123		Triple Point	94	-55	51.28	51.62	0.34	-	<17	0.193	<0.01	25
55-123		Triple Point	94	-55	60.98	62.01	1.04	-	<17	0.326	<0.01	30
55-123		Triple Point	94	-55	62.01	63.26	1.25	-	110	4.82	<0.01	284
55-123		Triple Point	94	-55	63.26	64.02	0.76	-	<17	0.24	<0.01	27
55-123		Triple Point	94	-55	64.02	65.24	1.22	-	<17	0.139	<0.01	23
55-123	175	Triple Point	94	-55	65.24	65.70	0.46	-	24	1.16	<0.01	66
55-123	175	Triple Point	94	-55	65.70	66.74	1.04	0.61	274	12.8	0.026	738
55-123		Triple Point	94	-55	66.74	67.07	0.34	-	<17	0.133	<0.01	23
55-123		Triple Point	94	-55	81.19	81.49	0.30	-	<17	<0.1	<0.01	<22
55-123	176	Triple Point	94	-55	81.49	82.32	0.82	0.61	184	10.9	<0.01	576
55-123	176	Triple Point	94	-55	82.32	83.08	0.76	0.55	132	7.07	0.016	389
55-123		Triple Point	94	-55	83.11	83.57	0.46	-	<17	0.239	<0.01	27
55-123		Triple Point	94	-55	92.84	93.60	0.76	-	75	3.18	0.015	190
55-123		Triple Point	94	-55	93.60	94.51	0.91	-	<17	0.575	<0.01	39
55-123		Triple Point	94	-55	94.51	95.88	1.37	-	49	1.94	<0.01	119
55-123	180	Triple Point	94	-55	101.74	103.05	1.31	-	311	0.182	0.348	353
55-123	180	Triple Point	94	-55	111.28	112.62	1.34	-	154	1.03	0.16	208
55-123	180	Triple Point	94	-55	112.62	112.80	0.18	0.12	1,780	5.12	3.15	2,290
55-123	180	Triple Point	94	-55	112.80	113.35	0.55	0.40	31	0.633	0.017	56
55-123	180	Triple Point	94	-55	113.35	114.18	0.82	0.61	181	6.27	0.03	410
55-123		Triple Point	94	-55	114.18	115.06	0.88	-	<17	<0.1	<0.01	<22
55-123		Triple Point	94	-55	229.42	229.88	0.46	-	31	<0.1	0.273	59
55-129		Triple Point	18	-45	12.50	13.11	0.61	-	102	1.81	<0.01	167
55-129		Triple Point	18	-45	42.68	43.08	0.40	-	<17	0.144	<0.01	23
55-129	174	Triple Point	18	-45	43.08	43.45	0.37	-	115	3.07	0.06	232
55-129		Triple Point	18	-45	43.45	44.66	1.22	-	22	0.283	0.039	36
55-129		Triple Point	18	-45	50.79	52.32	1.52	-	20	0.972	<0.01	55
55-129		Triple Point	18	-45	52.32	52.74	0.43	-	<17	<0.1	<0.01	<22
55-129	175	Triple Point	18	-45	52.74	54.27	1.52	-	20	1.03	<0.01	58
55-129	176	Triple Point	18	-45	73.72	74.70	0.98	-	47	2.37	<0.01	132
55-129		Triple Point	18	-45	74.70	76.22	1.52	-	31	1.57	<0.01	87
55-129		Triple Point	18	-45	88.14	88.29	0.15	-	241	14.7	<0.01	770
55-129		Triple Point	18	-45	91.31	92.68	1.37	-	18	1.18	<0.01	61
55-129		Triple Point	18	-45	92.68	94.09	1.40	-	48	3.62	<0.01	178
55-129		Triple Point	18	-45	94.09	94.70	0.61	-	<17	0.471	<0.01	35
55-129		Triple Point	18	-45	96.95	97.99	1.04	-	19	1.04	<0.01	57
55-129	180	Triple Point	18	-45	97.99	98.20	0.21	-	259	10.9	0.049	656
55-129	180	Triple Point	18	-45	98.20	99.09	0.88	-	27	0.837	0.018	59
55-130		Triple Point	43	-25	44.36	45.67	1.31	-	24	1.36	<0.01	73
55-130	175	Triple Point	43	-25	45.67	46.28	0.61	0.61	219	11.6	<0.01	637
55-130	175	Triple Point	43	-25	46.28	46.74	0.46	0.46	357	18.9	0.015	1,040
55-130		Triple Point	43	-25	46.74	47.20	0.46	-	27	1.86	<0.01	94
55-130		Triple Point	43	-25	47.20	47.80	0.61	-	89	3.13	0.011	203
55-130		Triple Point	43	-25	47.80	49.12	1.31	-	<17	0.824	<0.01	48
55-130		Triple Point	43	-25	49.12	50.12	1.01	-	35	1.5	<0.01	89
55-130		Triple Point	43	-25	50.12	51.74	1.62	-	<17	0.207	<0.01	26
55-130		Triple Point	43	-25	51.74	52.35	0.61	-	<17	0.555	<0.01	38
55-130		Triple Point	43	-25	52.35	52.53	0.18	-	<17	0.682	<0.01	43
55-130		Triple Point	43	-25	64.33	65.55	1.22	-	38	1.39	<0.01	88
55-130		Triple Point	43	-25	65.55	66.62	1.07	-	178	6.26	0.103	414
55-130		Triple Point	43	-25	71.49	71.68	0.18	-	104	7.05	<0.01	358
55-130		Triple Point	43	-25	76.62	76.80	0.18	-	68	3.28	<0.01	186
55-130	180	Triple Point	43	-25	80.43	81.10	0.67	-	203	6.04	0.032	423
55-130		Triple Point	43	-25	83.45	83.93	0.49	-	46	3.8	<0.01	183
55-131		Triple Point	60	-48	50.64	51.55	0.91	-	<17	1.15	<0.01	60
55-131	175	Triple Point	60	-48	51.55	51.83	0.27	0.21	213	9.41	<0.01	552
55-131	175	Triple Point	60	-48	51.83	53.35	1.52	1.22	39	2.45	<0.01	127
55-131	175	Triple Point	60	-48	53.35	53.99	0.64	0.52	610	8.08	0.316	934
55-131		Triple Point	60	-48	53.99	55.21	1.22	-	<17	0.721	<0.01	44
55-131		Triple Point	60	-48	63.11	64.09	0.98	-	33	0.345	0.091	55
55-131		Triple Point	60	-48	68.90	69.09	0.18	-	35	1.2	<0.01	78
55-131		Triple Point	60	-48	70.34	70.52	0.18	-	<17	0.814	<0.01	47
55-131	176	Triple Point	60	-48	74.09	74.70	0.61	-	60	3.29	<0.01	178
55-131		Triple Point	60	-48	84.15	85.67	1.52	-	48	2.33	<0.01	132
55-131		Triple Point	60	-48	85.67	87.20	1.52	-	36	2.13	<0.01	112
55-131		Triple Point	60	-48	87.20	88.72	1.52	-	30	1.74	<0.01	93
55-131		Triple Point	60	-48	88.72	90.24	1.52	-	22	1.29	<0.01	69
55-131	180	Triple Point	60	-48	90.24	91.01	0.76	-	72	5.14	<0.01	257
55-131	180	Triple Point	60	-48	91.01	91.46	0.46	-	132	10.4	<0.01	506
55-131	180	Triple Point	60	-48	91.46	92.99	1.52	-	39	1.9	<0.01	108
55-135		Triple Point	150	-45	71.80	73.17	1.37	-	<17	<0.1	<0.01	<22
55-135		Triple Point	150	-45	73.17	74.70	1.52	-	<17	<0.1	<0.01	<22

## Galena Levels 4900 and 5500 Drill Results - November 4, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
55-135		Triple Point	150	-45	74.70	76.04	1.34	-	<17	<0.1	<0.01	<22
55-135		Triple Point	150	-45	80.49	81.71	1.22	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	38.02	38.26	0.24	-	146	<0.1	0.059	152
55-137		Triple Point	206	-45	40.91	41.34	0.43	-	90	<0.1	0.036	94
55-137		Triple Point	206	-45	44.82	45.43	0.61	-	59	<0.1	0.026	62
55-137		Triple Point	206	-45	69.21	69.66	0.46	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	73.35	73.78	0.43	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	103.81	104.36	0.55	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	104.36	104.97	0.61	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	104.97	105.95	0.98	-	<17	<0.1	0.015	<22
55-137		Triple Point	206	-45	113.41	113.81	0.40	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	117.23	117.84	0.61	-	<17	<0.1	0.041	25
55-137		Triple Point	206	-45	117.84	118.45	0.61	-	35	<0.1	0.04	39
55-137		Triple Point	206	-45	120.73	121.71	0.98	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	121.71	121.95	0.24	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	121.95	122.56	0.61	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	122.56	123.93	1.37	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	123.93	124.33	0.40	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	124.33	125.30	0.98	-	<17	<0.1	0.014	<22
55-137		Triple Point	206	-45	135.67	136.46	0.79	-	<17	<0.1	0.013	<22
55-137		Triple Point	206	-45	144.82	146.10	1.28	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	146.10	147.56	1.46	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	147.56	147.87	0.30	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	147.87	149.39	1.52	-	42	<0.1	0.076	49
55-137		Triple Point	206	-45	149.39	150.91	1.52	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	150.91	152.44	1.52	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	152.44	152.99	0.55	-	1,020	<0.1	0.78	1,100
55-137		Triple Point	206	-45	152.99	153.81	0.82	-	<17	<0.1	0.02	<22
55-137		Triple Point	206	-45	153.81	155.18	1.37	-	367	<0.1	0.253	393
55-137		Triple Point	206	-45	155.18	156.71	1.52	-	23	<0.1	0.039	27
55-137		Triple Point	206	-45	159.18	159.51	0.34	-	29	<0.1	0.026	32
55-137		Triple Point	206	-45	173.78	174.02	0.24	-	<17	<0.1	<0.01	<22
55-137		Triple Point	206	-45	197.26	198.41	1.16	-	<17	<0.1	<0.01	<22
55-138		Triple Point	226	-20	39.15	39.33	0.18	-	<17	<0.1	<0.01	<22
55-138	Silver	Triple Point	226	-20	150.00	150.30	0.30	0.18	1,300	<0.1	0.707	1,370
55-138		Triple Point	226	-20	150.30	150.82	0.52	-	31	<0.1	0.028	34
55-138		Triple Point	226	-20	153.41	153.66	0.24	-	62	<0.1	0.047	67
55-138		Triple Point	226	-20	163.84	165.24	1.40	-	38	<0.1	0.051	43
55-138		Triple Point	226	-20	165.24	166.46	1.22	-	61	<0.1	0.051	67
55-138		Triple Point	226	-20	166.46	167.68	1.22	-	105	<0.1	0.178	123
55-138		Triple Point	226	-20	167.68	169.05	1.37	-	22	<0.1	0.017	24
55-138		Triple Point	226	-20	169.05	170.43	1.37	-	<17	<0.1	<0.01	<22
55-138		Triple Point	226	-20	170.43	171.04	0.61	-	<17	<0.1	0.019	<22
55-138		Triple Point	226	-20	171.04	172.41	1.37	-	<17	<0.1	0.016	<22
55-138		Triple Point	226	-20	172.41	173.78	1.37	-	<17	<0.1	<0.01	<22
55-138		Triple Point	226	-20	175.15	176.37	1.22	-	242	<0.1	0.117	254
55-138		Triple Point	226	-20	177.44	178.29	0.85	-	70	<0.1	0.048	75
55-138		Triple Point	226	-20	182.62	183.45	0.82	-	164	<0.1	0.053	170
55-138		Triple Point	226	-20	183.93	184.70	0.76	-	104	<0.1	0.04	108
55-139		Triple Point	236	-30	70.18	70.58	0.40	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	72.62	73.17	0.55	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	74.33	75.30	0.98	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	94.51	95.27	0.76	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	95.27	95.70	0.43	-	521	0.267	0.297	561
55-139		Triple Point	236	-30	95.70	96.07	0.37	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	149.24	149.39	0.15	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	151.01	151.22	0.21	-	<17	<0.1	0.011	<22
55-139		Triple Point	236	-30	165.09	165.37	0.27	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	165.37	165.61	0.24	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	165.61	165.82	0.21	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	175.91	176.07	0.15	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	185.37	185.55	0.18	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	187.87	189.33	1.46	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	199.42	199.79	0.37	-	122	<0.1	0.078	130
55-139		Triple Point	236	-30	203.75	205.15	1.40	-	<17	0.106	0.013	<22
55-139		Triple Point	236	-30	205.15	206.25	1.10	-	20	<0.1	0.017	<22
55-139		Triple Point	236	-30	210.21	210.67	0.46	-	<17	<0.1	0.022	23
55-139		Triple Point	236	-30	210.67	211.89	1.22	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	211.89	212.50	0.61	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	216.01	217.38	1.37	-	<17	<0.1	0.014	<22
55-139		Triple Point	236	-30	217.38	217.99	0.61	-	<17	<0.1	<0.01	<22
55-139		Triple Point	236	-30	217.99	218.60	0.61	-	24	<0.1	0.017	25
55-139		Triple Point	236	-30	219.82	220.21	0.40	-	<17	<0.1	<0.01	<22
55-143		Silver HW	21	0	3.26	3.48	0.21	-	226	<0.1	0.09	235
55-143		Silver HW	21	0	5.40	5.58	0.18	-	176	<0.1	0.066	183
55-143		Silver HW	21	0	18.75	18.90	0.15	-	295	0.124	0.117	312
55-143		Silver HW	21	0	27.65	28.87	1.22	-	41	<0.1	0.02	43
55-143		Silver HW	21	0	34.76	35.15	0.40	-	569	<0.1	0.281	598
55-143		Silver HW	21	0	59.45	60.00	0.55	-	98	<0.1	0.104	108
55-143	Silver HW	Silver HW	21	0	60.00	60.15	0.15	0.15	2,240	<0.1	2.15	2,460

Galena Levels 4900 and 5500 Drill Results - November 4, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
55-143	Silver HW	Silver HW	21	0	60.15	60.76	0.61	0.58	<17	<0.1	0.072	28
55-143	Silver HW	Silver HW	21	0	60.76	61.31	0.55	0.52	4,080	<0.1	4.2	4,510
55-143	Silver HW	Silver HW	21	0	61.31	62.50	1.19	1.10	1,340	<0.1	1.11	1,450
55-143	Silver HW	Silver HW	21	0	62.50	63.11	0.61	0.58	3,500	<0.1	2.89	3,800
55-143	Silver HW	Silver HW	21	0	63.11	63.72	0.61	0.58	<17	<0.1	0.012	<22
55-143	Silver HW	Silver HW	21	0	63.72	64.33	0.61	0.58	7,060	<0.1	5.4	7,620
55-143		Silver HW	21	0	64.33	64.94	0.61	-	37	<0.1	0.038	41
55-143		Silver HW	21	0	68.99	69.09	0.09	-	148	<0.1	0.117	160
55-143		Silver HW	21	0	69.09	69.97	0.88	-	139	<0.1	0.149	154
55-143		Silver HW	21	0	69.97	70.18	0.21	-	221	<0.1	0.227	244
55-144		Triple Point	0	-48	3.66	3.84	0.18	-	<17	<0.1	<0.01	<22
55-144		Triple Point	0	-48	9.88	10.49	0.61	-	205	<0.1	0.081	213
55-144		Triple Point	0	-48	60.76	61.68	0.91	-	<17	<0.1	<0.01	<22
55-144	Silver HW	Triple Point	0	-48	61.68	62.20	0.52	0.37	528	<0.1	0.556	585
55-144	Silver HW	Triple Point	0	-48	62.20	62.44	0.24	0.15	1,780	0.357	1.43	1,940
55-144	Silver HW	Triple Point	0	-48	62.44	62.93	0.49	0.34	521	<0.1	0.386	561
55-144		Triple Point	0	-48	62.93	64.15	1.22	-	<17	<0.1	<0.01	<22
55-144		Triple Point	0	-48	64.15	65.00	0.85	-	34	<0.1	0.046	39
55-144		Triple Point	0	-48	65.00	65.91	0.91	-	<17	<0.1	<0.01	<22
55-144		Triple Point	0	-48	151.95	153.05	1.10	-	<17	<0.1	<0.01	<22
55-144	Silver	Triple Point	0	-48	153.05	153.38	0.34	-	607	7.01	0.022	861
55-144	Silver	Triple Point	0	-48	153.38	154.73	1.34	-	55	0.758	0.035	86
55-144	Silver	Triple Point	0	-48	154.73	154.91	0.18	-	231	3.53	0.078	366
55-144		Triple Point	0	-48	154.91	155.79	0.88	-	<17	0.212	<0.01	26
55-144		Triple Point	0	-48	155.79	155.98	0.18	-	47	1.05	<0.01	85
55-144		Triple Point	0	-48	155.98	157.26	1.28	-	<17	<0.1	<0.01	<22
55-144		Triple Point	0	-48	157.26	157.50	0.24	-	264	<0.1	0.115	276
55-144		Triple Point	0	-48	157.50	159.02	1.52	-	37	0.618	<0.01	59
55-144		Triple Point	0	-48	176.07	176.68	0.61	-	91	1.13	0.157	148
55-144		Triple Point	0	-48	178.51	179.57	1.07	-	<17	0.342	0.012	31
55-145		Triple Point	0	-60	7.65	7.84	0.18	-	97	<0.1	0.051	103
55-145		Triple Point	0	-60	10.55	11.13	0.58	-	58	<0.1	0.029	61
55-145		Triple Point	0	-60	11.13	11.31	0.18	-	1,920	0.103	1.03	2,030
55-145		Triple Point	0	-60	11.31	11.83	0.52	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	11.83	13.11	1.28	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	13.87	14.39	0.52	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	21.37	21.55	0.18	-	236	<0.1	0.117	248
55-145		Triple Point	0	-60	68.75	70.12	1.37	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	70.12	70.88	0.76	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	70.88	71.65	0.76	-	100	<0.1	0.204	121
55-145		Triple Point	0	-60	71.65	71.83	0.18	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	71.83	71.95	0.12	-	79	<0.1	0.085	88
55-145		Triple Point	0	-60	71.95	72.41	0.46	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	72.41	72.59	0.18	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	73.17	73.48	0.30	-	<17	<0.1	<0.01	<22
55-145	Silver HW	Triple Point	0	-60	73.48	73.78	0.30	0.24	473	<0.1	0.445	519
55-145		Triple Point	0	-60	73.78	74.09	0.30	-	56	<0.1	0.05	61
55-145		Triple Point	0	-60	74.09	75.46	1.37	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	76.22	76.43	0.21	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	76.43	77.84	1.40	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	86.71	86.89	0.18	-	1,090	<0.1	1.03	1,200
55-145		Triple Point	0	-60	88.41	88.72	0.30	-	226	<0.1	0.181	245
55-145		Triple Point	0	-60	128.05	128.96	0.91	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	128.96	129.27	0.30	-	98	<0.1	0.088	107
55-145		Triple Point	0	-60	129.27	130.18	0.91	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	147.01	147.56	0.55	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	169.63	170.43	0.79	-	19	0.446	<0.01	35
55-145		Triple Point	0	-60	172.87	174.39	1.52	-	<17	0.105	<0.01	<22
55-145		Triple Point	0	-60	177.44	178.11	0.67	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	178.11	178.63	0.52	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	178.63	178.81	0.18	-	727	0.101	0.367	768
55-145		Triple Point	0	-60	178.81	179.42	0.61	-	65	0.429	0.042	85
55-145		Triple Point	0	-60	187.96	188.17	0.21	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	188.87	190.40	1.52	-	<17	0.359	<0.01	31
55-145		Triple Point	0	-60	190.40	191.31	0.91	-	<17	0.151	<0.01	24
55-145		Triple Point	0	-60	193.90	194.97	1.07	-	18	0.153	<0.01	23
55-145		Triple Point	0	-60	194.97	195.88	0.91	-	<17	<0.1	<0.01	<22
55-145		Triple Point	0	-60	195.88	197.41	1.52	-	32	0.117	0.046	41
55-146		Triple Point	42	-14.5	9.15	10.58	1.43	-	22	<0.1	<0.01	27
55-146		Triple Point	42	-14.5	13.72	13.90	0.18	-	442	<0.1	0.17	460
55-146		Triple Point	42	-14.5	68.29	69.66	1.37	-	<17	<0.1	0.014	<22
55-146	Silver HW	Triple Point	42	-14.5	69.66	69.97	0.30	0.24	2,230	<0.1	2.1	2,450
55-146	Silver HW	Triple Point	42	-14.5	69.97	70.61	0.64	0.49	<17	<0.1	0.024	23
55-146	Silver HW	Triple Point	42	-14.5	70.61	70.79	0.18	0.14	1,540	<0.1	1.49	1,690
55-146	Silver HW	Triple Point	42	-14.5	70.79	70.98	0.18	0.14	21,800	<0.1	18.9	23,700
55-146	Silver HW	Triple Point	42	-14.5	70.98	71.16	0.18	0.14	1,220	<0.1	1.44	1,370
55-146		Triple Point	42	-14.5	71.16	72.56	1.40	-	76	<0.1	0.116	88
55-146		Triple Point	42	-14.5	72.56	72.96	0.40	-	<17	<0.1	<0.01	<22
55-146		Triple Point	42	-14.5	72.96	73.14	0.18	-	83	<0.1	0.071	90
55-146		Triple Point	42	-14.5	73.14	74.05	0.91	-	<17	<0.1	<0.01	<22

## Galena Levels 4900 and 5500 Drill Results - November 4, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
55-146		Triple Point	42	-14.5	136.28	137.50	1.22	-	83	0.355	0.038	100
55-146	185	Triple Point	42	-14.5	137.50	138.20	0.70	0.57	1,820	3.76	1.26	2,090
55-146	185	Triple Point	42	-14.5	138.20	138.57	0.37	0.30	905	11.8	0.302	1,360
55-146	185	Triple Point	42	-14.5	138.57	139.02	0.46	0.37	217	9.8	<0.01	570
55-146	185	Triple Point	42	-14.5	139.02	139.45	0.43	0.35	260	5.75	0.087	476
55-146	185	Triple Point	42	-14.5	139.45	139.70	0.24	0.20	153	5.18	0.025	342
55-146	185	Triple Point	42	-14.5	139.70	139.94	0.24	0.20	837	17.3	0.634	1,530
55-146		Triple Point	42	-14.5	139.94	141.16	1.22	-	148	0.126	0.176	171
55-147		Triple Point	44	-6	3.54	3.69	0.15	-	<17	<0.1	<0.01	<22
55-147		Triple Point	44	-6	11.65	12.26	0.61	-	<17	<0.1	<0.01	<22
55-147		Triple Point	44	-6	15.34	16.31	0.98	-	<17	<0.1	<0.01	<22
55-147		Triple Point	44	-6	30.09	30.67	0.58	-	<17	<0.1	<0.01	<22
55-147		Triple Point	44	-6	68.60	69.82	1.22	-	<17	<0.1	<0.01	<22
55-147	Silver HW	Triple Point	44	-6	69.82	70.58	0.76	0.58	621	<0.1	0.768	700
55-147	Silver HW	Triple Point	44	-6	70.58	70.88	0.30	0.21	4,660	<0.1	5.63	5,240
55-147	Silver HW	Triple Point	44	-6	70.88	71.65	0.76	0.58	1,540	<0.1	2	1,750
55-147	Silver HW	Triple Point	44	-6	71.65	73.17	1.52	1.16	5,250	<0.1	5.73	5,840
55-147		Triple Point	44	-6	73.17	74.70	1.52	-	18	<0.1	0.022	<22
55-147		Triple Point	44	-6	110.21	111.28	1.07	-	<17	<0.1	<0.01	<22
55-147		Triple Point	44	-6	111.28	111.43	0.15	-	73	0.174	0.05	84
55-147		Triple Point	44	-6	111.43	112.20	0.76	-	<17	<0.1	<0.01	<22
55-147		Triple Point	44	-6	112.20	112.47	0.27	-	<17	<0.1	<0.01	<22
55-147		Triple Point	44	-6	112.47	113.05	0.58	-	<17	<0.1	<0.01	<22
55-147		Triple Point	44	-6	113.05	113.35	0.30	-	31	0.27	0.023	43
55-147		Triple Point	44	-6	139.48	140.24	0.76	-	<17	0.409	<0.01	33
55-147	185	Triple Point	44	-6	140.24	140.49	0.24	0.21	556	4.77	0.629	793
55-147	185	Triple Point	44	-6	140.49	141.16	0.67	0.55	436	0.476	0.476	502
55-147	185	Triple Point	44	-6	141.16	141.77	0.61	0.52	1,030	17.6	0.425	1,710
55-147	185	Triple Point	44	-6	141.77	142.23	0.46	0.37	2,540	2.37	1.83	2,810
55-147		Triple Point	44	-6	142.23	143.54	1.31	-	94	3.19	<0.01	209
55-147		Triple Point	44	-6	143.54	144.82	1.28	-	19	0.138	<0.01	24
55-147		Triple Point	44	-6	145.79	146.34	0.55	-	946	0.197	0.82	1,040
55-147		Triple Point	44	-6	146.34	147.41	1.07	-	20	<0.1	0.041	24
55-147		Triple Point	44	-6	150.85	151.16	0.30	-	<17	<0.1	0.017	22
55-148		Triple Point	43	-40	15.79	17.32	1.52	-	62	<0.1	0.028	65
55-148		Triple Point	43	-40	17.32	17.59	0.27	-	1,220	<0.1	0.588	1,280
55-148		Triple Point	43	-40	17.59	19.12	1.52	-	<17	<0.1	<0.01	<22
55-148		Triple Point	43	-40	67.07	68.54	1.46	-	<17	<0.1	<0.01	<22
55-148	Silver HW	Triple Point	43	-40	68.54	68.99	0.46	0.37	25	<0.1	0.036	29
55-148	Silver HW	Triple Point	43	-40	68.99	69.51	0.52	0.40	10,200	<0.1	7.92	11,000
55-148		Triple Point	43	-40	69.51	71.04	1.52	-	<17	<0.1	0.014	<22
55-148		Triple Point	43	-40	142.96	144.48	1.52	-	<17	0.16	<0.01	24
55-148		Triple Point	43	-40	144.48	145.43	0.95	-	37	1	0.028	76
55-148		Triple Point	43	-40	145.43	145.61	0.18	-	384	23.2	0.019	1,220
55-148		Triple Point	43	-40	145.61	146.49	0.88	-	60	3.38	<0.01	182
55-148		Triple Point	43	-40	146.49	147.38	0.88	-	25	1.8	<0.01	89
55-148		Triple Point	43	-40	147.38	147.84	0.46	-	113	4.44	<0.01	273
55-148		Triple Point	43	-40	147.84	148.41	0.58	-	251	11.8	0.011	677
55-148		Triple Point	43	-40	148.41	149.27	0.85	-	28	1.59	<0.01	85
55-148		Triple Point	43	-40	149.27	150.00	0.73	-	29	2	<0.01	101
55-148		Triple Point	43	-40	150.00	150.76	0.76	-	71	4.73	<0.01	241
55-148		Triple Point	43	-40	150.76	152.29	1.52	-	<17	0.343	<0.01	30
55-156		Triple Point	58	-74	15.70	15.88	0.18	-	350	11.3	0.012	758
55-156		Triple Point	58	-74	22.26	23.02	0.76	-	<17	<0.1	<0.01	<22
55-156	174	Triple Point	58	-74	63.02	63.20	0.18	-	127	<0.1	0.159	143
55-156		Triple Point	58	-74	69.66	71.19	1.52	-	<17	0.724	<0.01	44
55-156		Triple Point	58	-74	71.19	71.65	0.46	0.30	248	10.4	0.016	624
55-156		Triple Point	58	-74	71.65	72.44	0.79	-	<17	0.537	<0.01	37
55-156		Triple Point	58	-74	72.44	72.99	0.55	-	<17	0.352	<0.01	31
55-156		Triple Point	58	-74	72.99	73.38	0.40	-	<17	<0.1	<0.01	<22
55-156		Triple Point	58	-74	73.38	74.21	0.82	0.55	216	11	0.025	615
55-156		Triple Point	58	-74	74.21	75.09	0.88	-	<17	0.648	<0.01	41
55-156		Triple Point	58	-74	75.09	76.22	1.13	-	<17	1.03	<0.01	55
55-156	175	Triple Point	58	-74	76.22	77.38	1.16	0.76	284	13.5	0.024	773
55-156	176	Triple Point	58	-74	77.38	78.20	0.82	0.55	196	8.62	0.016	508
55-156		Triple Point	58	-74	78.20	79.27	1.07	-	<17	0.708	<0.01	44
55-156		Triple Point	58	-74	79.27	79.79	0.52	-	<17	0.615	<0.01	40
55-156		Triple Point	58	-74	79.79	80.37	0.58	-	105	3.37	0.015	228
55-156		Triple Point	58	-74	80.37	80.79	0.43	-	<17	<0.1	<0.01	<22
55-156		Triple Point	58	-74	91.40	91.59	0.18	-	32	2.46	<0.01	121
55-156		Triple Point	58	-74	100.37	100.73	0.37	-	66	4.01	<0.01	210
55-156	176	Triple Point	58	-74	103.72	103.93	0.21	-	50	1.36	0.014	101
55-156		Triple Point	58	-74	116.16	116.34	0.18	-	66	2.05	0.014	141
55-156	180	Triple Point	58	-74	125.61	126.46	0.85	-	208	6.22	0.054	438
55-156		Triple Point	58	-74	129.15	129.82	0.67	-	<17	1.24	<0.01	63
55-156		Triple Point	58	-74	132.87	133.54	0.67	-	56	2.68	<0.01	152
55-167	174	Triple Point	82	-70	55.64	55.82	0.18	-	429	17.6	<0.01	1,060
55-167		Triple Point	82	-70	64.63	66.16	1.52	-	<17	0.544	<0.01	38
55-167		Triple Point	82	-70	66.16	67.68	1.52	-	<17	0.261	<0.01	28
55-167		Triple Point	82	-70	67.68	68.54	0.85	-	97	3.32	<0.01	217



## Galena Levels 4900 and 5500 Drill Results - November 4, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
55-167		Triple Point	82	-70	68.54	69.60	1.07	-	<17	0.428	<0.01	34
55-167	175	Triple Point	82	-70	69.60	70.58	0.98	0.58	83	3.62	<0.01	213
55-167	175	Triple Point	82	-70	70.58	70.76	0.18	0.12	521	13.5	0.064	1,010
55-167	175	Triple Point	82	-70	70.76	71.19	0.43	0.27	315	17.7	0.115	964
55-167		Triple Point	82	-70	71.19	72.71	1.52	-	<17	0.23	<0.01	26
55-167		Triple Point	82	-70	118.90	119.45	0.55	-	<17	0.232	<0.01	27
55-167	180	Triple Point	82	-70	119.45	119.91	0.46	-	41	2.24	<0.01	121
55-167	180	Triple Point	82	-70	119.91	120.21	0.30	-	59	4.64	<0.01	226
55-167		Triple Point	82	-70	120.21	121.25	1.04	-	<17	0.76	<0.01	46
55-167		Triple Point	82	-70	121.25	122.10	0.85	-	28	0.969	0.018	65
55-167		Triple Point	82	-70	122.10	123.72	1.62	-	<17	<0.1	<0.01	<22
55-167		Triple Point	82	-70	123.72	124.15	0.43	-	55	3.28	0.014	175
55-167		Triple Point	82	-70	124.15	124.45	0.30	-	<17	<0.1	<0.01	<22
55-168		Triple Point	87	-10	45.91	46.13	0.21	-	78	1.8	<0.01	142
55-168		Triple Point	87	-10	65.24	65.70	0.46	-	<17	0.202	<0.01	25
55-168	175	Triple Point	87	-10	65.70	66.77	1.07	0.67	329	15.8	0.039	902
55-168	175	Triple Point	87	-10	66.77	68.17	1.40	0.88	65	3.16	<0.01	179
55-168	175	Triple Point	87	-10	68.17	69.63	1.46	0.91	127	6.64	<0.01	366
55-168		Triple Point	87	-10	69.63	71.16	1.52	-	47	2.34	<0.01	131
55-168	176	Triple Point	87	-10	71.16	72.68	1.52	0.98	343	13.2	0.073	826
55-168	176	Triple Point	87	-10	72.68	73.05	0.37	0.23	123	2.8	0.135	238
55-168	176	Triple Point	87	-10	73.05	74.09	1.04	0.64	23	1.51	<0.01	78
55-168	176	Triple Point	87	-10	74.09	74.45	0.37	0.23	312	7.6	0.09	595
55-168	176	Triple Point	87	-10	74.45	75.91	1.46	-	48	1.84	<0.01	114
55-168		Triple Point	87	-10	75.91	77.44	1.52	-	30	1.35	<0.01	78
55-168		Triple Point	87	-10	77.44	78.96	1.52	-	41	2.03	<0.01	114
55-168		Triple Point	87	-10	78.96	80.49	1.52	-	132	6	0.044	353
55-168		Triple Point	87	-10	80.49	82.01	1.52	-	93	5.04	<0.01	274
55-168		Triple Point	87	-10	82.01	82.87	0.85	-	155	8.52	<0.01	462
55-168		Triple Point	87	-10	82.87	84.15	1.28	-	<17	0.672	<0.01	42
55-168		Triple Point	87	-10	86.74	87.96	1.22	-	75	3.86	<0.01	214
55-168		Triple Point	87	-10	87.96	89.33	1.37	-	70	3.9	<0.01	210
55-168		Triple Point	87	-10	96.04	97.26	1.22	-	39	2.15	<0.01	116
55-168	180	Triple Point	87	-10	101.59	102.90	1.31	-	84	6.16	<0.01	306
55-168	180	Triple Point	87	-10	102.90	103.05	0.15	-	58	3.08	0.029	172
55-168		Triple Point	87	-10	106.10	107.32	1.22	-	<17	0.282	<0.01	28
55-168		Triple Point	87	-10	107.32	107.93	0.61	-	<17	0.267	<0.01	28
55-168		Triple Point	87	-10	107.93	108.23	0.30	-	<17	<0.1	<0.01	<22
55-169A		Triple Point	61	20	36.40	36.71	0.30	-	41	0.804	0.034	74
55-169A		Triple Point	61	20	36.71	37.20	0.49	-	57	1	0.044	98
55-169A		Triple Point	61	20	39.02	39.27	0.24	-	38	1.17	0.012	82
55-169A		Triple Point	61	20	39.27	39.63	0.37	-	<17	0.154	<0.01	24
55-169A		Triple Point	61	20	39.63	39.97	0.34	-	151	6.08	0.019	372
55-169A	175	Triple Point	61	20	65.55	65.85	0.30	0.24	789	15.1	0.403	1,370
55-169A	175	Triple Point	61	20	65.85	66.07	0.21	0.15	658	24.6	0.259	1,570
55-169A	175	Triple Point	61	20	66.07	66.34	0.27	0.21	398	20	0.013	1,120
55-169A	175	Triple Point	61	20	66.34	67.29	0.95	0.73	42	2.51	<0.01	133
55-169A		Triple Point	61	20	67.29	68.81	1.52	-	<17	0.317	<0.01	30
55-169A		Triple Point	61	20	68.81	70.09	1.28	-	<17	1.13	<0.01	59
55-169A		Triple Point	61	20	70.09	70.30	0.21	-	131	5.46	<0.01	328
55-169A		Triple Point	61	20	70.30	71.52	1.22	-	27	1.91	<0.01	96
55-169A		Triple Point	61	20	71.52	72.26	0.73	-	<17	<0.1	<0.01	<22
55-169A		Triple Point	61	20	72.26	73.17	0.91	-	63	3	<0.01	171
55-169A		Triple Point	61	20	73.17	74.70	1.52	-	<17	1.22	<0.01	62
55-169A	176	Triple Point	61	20	74.70	76.22	1.52	-	57	3.57	<0.01	186
55-169A	176	Triple Point	61	20	76.22	76.46	0.24	-	274	6.32	0.691	573
55-169A	176	Triple Point	61	20	76.46	76.71	0.24	-	56	4.47	<0.01	217
55-169A	176	Triple Point	61	20	76.71	77.87	1.16	-	107	5.05	0.014	290
55-169A		Triple Point	61	20	107.62	107.80	0.18	-	85	0.963	0.071	127
55-169A		Triple Point	61	20	107.80	108.84	1.04	-	<17	0.221	<0.01	26
55-169A		Triple Point	61	20	108.84	109.05	0.21	-	67	1.96	<0.01	137
55-169A		Triple Point	61	20	109.05	109.30	0.24	-	62	2.5	<0.01	152
55-169A	180	Triple Point	61	20	115.73	115.91	0.18	-	204	8.83	0.109	533
55-169A	180	Triple Point	61	20	115.91	117.07	1.16	-	<17	0.189	<0.01	25
55-169A	180	Triple Point	61	20	117.07	118.14	1.07	-	75	2.47	0.021	167
55-170		Triple Point	75	20	9.24	9.42	0.18	-	62	1.78	<0.01	127
55-170		Triple Point	75	20	15.73	15.91	0.18	-	<17	0.346	<0.01	31
55-170		Triple Point	75	20	20.15	20.34	0.18	-	18	0.173	0.029	27
55-170		Triple Point	75	20	24.57	24.76	0.18	-	<17	<0.1	0.011	<22
55-170		Triple Point	75	20	42.23	42.47	0.24	-	39	1.44	<0.01	91
55-170		Triple Point	75	20	74.15	74.63	0.49	-	39	1.71	<0.01	101
55-170	175	Triple Point	75	20	74.63	74.94	0.30	0.21	648	33.5	0.011	1,860
55-170	175	Triple Point	75	20	74.94	76.22	1.28	0.91	93	5.1	<0.01	277
55-170	175	Triple Point	75	20	76.22	77.13	0.91	0.64	132	6.86	<0.01	379
55-170	175	Triple Point	75	20	77.13	78.14	1.01	0.46	270	15.5	0.093	838
55-170		Triple Point	75	20	78.14	79.36	1.22	-	98	5.08	<0.01	281
55-170		Triple Point	75	20	79.36	80.79	1.43	-	35	2.2	<0.01	115
55-170		Triple Point	75	20	80.79	82.32	1.52	-	<17	1.24	<0.01	63
55-170		Triple Point	75	20	82.32	83.84	1.52	-	36	1.99	<0.01	108
55-170	176	Triple Point	75	20	83.84	84.94	1.10	-	255	9.38	0.09	602

Galena Levels 4900 and 5500 Drill Results - November 4, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
55-170	176	Triple Point	75	20	84.94	85.98	1.04	-	64	3.44	<0.01	188
55-170	176	Triple Point	75	20	85.98	86.89	0.91	-	60	3.3	<0.01	179
55-170	176	Triple Point	75	20	86.89	87.04	0.15	-	98	4.83	<0.01	272
55-170	176	Triple Point	75	20	87.04	88.26	1.22	-	202	10.2	0.057	575
55-170	176	Triple Point	75	20	88.26	88.93	0.67	-	398	23.5	<0.01	1,240
55-170	176	Triple Point	75	20	88.93	90.09	1.16	-	34	2.23	<0.01	114
55-170		Triple Point	75	20	94.24	95.76	1.52	-	62	3.15	<0.01	175
55-170		Triple Point	75	20	117.99	119.51	1.52	-	81	3.28	0.029	202
55-170		Triple Point	75	20	122.56	123.48	0.91	-	<17	1.4	<0.01	69
55-170	180	Triple Point	75	20	123.48	123.93	0.46	-	442	27.3	0.048	1,430
55-170		Triple Point	75	20	123.93	124.54	0.61	-	<17	0.174	<0.01	24
55-171		Triple Point	85	14	37.56	37.74	0.18	-	<17	0.205	<0.01	26
55-171		Triple Point	85	14	41.59	41.83	0.24	-	<17	0.156	0.014	24
55-171		Triple Point	85	14	46.01	46.22	0.21	-	21	0.489	0.061	45
55-171		Triple Point	85	14	79.66	80.12	0.46	-	<17	<0.1	<0.01	<22
55-171	175	Triple Point	85	14	80.12	80.58	0.46	-	370	18.6	<0.01	1,040
55-171	175	Triple Point	85	14	80.58	81.71	1.13	-	43	2.1	<0.01	119
55-171	175	Triple Point	85	14	81.71	82.32	0.61	-	175	11.1	0.081	583
55-171	175	Triple Point	85	14	82.32	83.23	0.91	-	84	5.16	<0.01	270
55-171	175	Triple Point	85	14	83.23	84.60	1.37	-	207	15.6	<0.01	769
55-171		Triple Point	85	14	84.60	85.37	0.76	-	56	3.69	<0.01	189
55-171		Triple Point	85	14	97.87	99.39	1.52	-	44	2	0.012	117
55-171	176	Triple Point	85	14	99.39	100.91	1.52	-	105	5.08	0.017	290
55-171	176	Triple Point	85	14	100.91	102.44	1.52	-	111	5.28	0.011	302
55-171	176	Triple Point	85	14	102.44	103.90	1.46	-	84	4.52	<0.01	247
55-171		Triple Point	85	14	103.90	104.51	0.61	-	<17	0.266	<0.01	28
55-171		Triple Point	85	14	104.51	105.79	1.28	-	27	1.26	<0.01	72
55-171		Triple Point	85	14	105.79	107.26	1.46	-	43	1.87	<0.01	110
55-172		Silver HW	0	0	21.59	22.71	1.13	-	62	<0.1	0.03	66
55-172		Silver HW	0	0	56.86	57.04	0.18	-	266	<0.1	0.27	294
55-172		Silver HW	0	0	57.04	57.59	0.55	-	<17	<0.1	<0.01	<22
55-172		Silver HW	0	0	57.59	57.74	0.15	-	27	<0.1	0.067	34
55-172		Silver HW	0	0	57.74	58.08	0.34	-	<17	<0.1	<0.01	<22
55-172	Silver HW	Silver HW	0	0	58.08	58.54	0.46	0.43	274	<0.1	0.264	301
55-172	Silver HW	Silver HW	0	0	58.54	58.90	0.37	0.37	79	<0.1	0.117	91
55-172		Silver HW	0	0	68.48	70.00	1.52	-	<17	<0.1	<0.01	<22
55-172	Unknown	Silver HW	0	0	70.00	70.64	0.64	0.61	1,020	<0.1	1.11	1,130
55-172		Silver HW	0	0	70.64	72.16	1.52	-	<17	<0.1	<0.01	<22
55-172		Silver HW	0	0	80.61	82.04	1.43	-	<17	<0.1	<0.01	<22
55-172		Silver HW	0	0	82.04	82.50	0.46	-	<17	<0.1	<0.01	<22
55-172		Silver HW	0	0	82.50	83.11	0.61	-	<17	<0.1	<0.01	<22
55-172		Silver HW	0	0	83.11	84.63	1.52	-	<17	<0.1	<0.01	<22
55-172		Silver HW	0	0	84.63	84.82	0.18	-	<17	<0.1	<0.01	<22
55-172		Silver HW	0	0	90.73	90.91	0.18	-	<17	<0.1	<0.01	<22
55-172		Silver HW	0	0	90.91	91.40	0.49	-	91	<0.1	0.69	162
55-173		Silver HW	60	-35	2.74	3.57	0.82	-	41	<0.1	0.019	43
55-173		Silver HW	60	-35	18.90	19.12	0.21	-	18	<0.1	<0.01	<22
55-173		Silver HW	60	-35	19.12	19.76	0.64	-	<17	<0.1	<0.01	<22
55-173		Silver HW	60	-35	19.76	20.61	0.85	-	<17	<0.1	<0.01	<22
55-173		Silver HW	60	-35	20.61	20.79	0.18	-	22	<0.1	0.013	23
55-173		Silver HW	60	-35	20.79	20.98	0.18	-	32	<0.1	0.014	33
55-173	Unknown	Silver HW	60	-35	20.98	21.43	0.46	-	47	<0.1	0.021	50
55-173	Unknown	Silver HW	60	-35	21.43	21.65	0.21	-	1,300	<0.1	0.544	1,360
55-173	Silver HW	Silver HW	60	-35	81.74	83.26	1.52	1.01	184	<0.1	0.117	196
55-173	Silver HW	Silver HW	60	-35	83.26	83.63	0.37	0.24	1,880	<0.1	1.81	2,070
55-173	Silver HW	Silver HW	60	-35	83.63	83.84	0.21	0.14	12,400	<0.1	16.2	14,100
55-173	Silver HW	Silver HW	60	-35	83.84	84.05	0.21	0.14	2,320	<0.1	2.18	2,540
55-173		Silver HW	60	-35	84.05	85.58	1.52	-	<17	<0.1	<0.01	<22
55-173		Silver HW	60	-35	132.84	132.99	0.15	-	203	7.55	<0.01	475
55-173		Silver HW	60	-35	149.54	150.30	0.76	-	<17	0.57	<0.01	39
55-173		Silver HW	60	-35	150.30	150.37	0.06	-	412	30.2	0.013	1,500
55-173		Silver HW	60	-35	150.37	151.22	0.85	-	<17	<0.1	<0.01	<22
55-173		Silver HW	60	-35	151.22	152.59	1.37	-	<17	<0.1	<0.01	<22
55-174		Triple Point	30	-25	0.21	0.40	0.18	-	<17	<0.1	<0.01	<22
55-174		Triple Point	30	-25	5.18	5.37	0.18	-	59	<0.1	0.023	61
55-174		Triple Point	30	-25	6.71	6.89	0.18	-	63	<0.1	0.026	66
55-174		Triple Point	30	-25	6.89	7.62	0.73	-	<17	<0.1	<0.01	<22
55-174		Triple Point	30	-25	7.62	7.80	0.18	-	17	<0.1	<0.01	<22
55-174		Triple Point	30	-25	10.21	10.82	0.61	-	123	<0.1	0.049	128
55-174		Triple Point	30	-25	16.77	16.95	0.18	-	394	<0.1	0.152	410
55-174		Triple Point	30	-25	57.16	58.38	1.22	-	<17	<0.1	<0.01	<22
55-174	Silver HW	Triple Point	30	-25	58.38	58.66	0.27	0.23	177	<0.1	0.162	194
55-174	Silver HW	Triple Point	30	-25	58.66	58.96	0.30	0.26	346	<0.1	0.219	369
55-174	Silver HW	Triple Point	30	-25	58.96	59.57	0.61	0.52	2,690	0.135	3.56	3,060
55-174	Silver HW	Triple Point	30	-25	59.57	60.37	0.79	0.67	2,770	0.134	2.54	3,040
55-174	Silver HW	Triple Point	30	-25	60.37	60.67	0.30	0.26	1,670	0.234	2.76	1,960
55-174	Silver HW	Triple Point	30	-25	60.67	60.98	0.30	0.26	141	<0.1	0.124	154
55-174		Triple Point	30	-25	60.98	62.20	1.22	-	77	<0.1	0.193	96
55-174		Triple Point	30	-25	133.69	134.70	1.01	-	54	1.84	<0.01	120
55-174		Triple Point	30	-25	134.70	135.15	0.46	-	159	4.49	0.306	353

Galena Levels 4900 and 5500 Drill Results - November 4, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
55-174		Triple Point	30	-25	135.15	135.98	0.82	-	51	1.59	<0.01	108
55-174		Triple Point	30	-25	135.98	136.28	0.30	-	62	0.508	0.049	85
55-174	185	Triple Point	30	-25	136.28	136.55	0.27	0.25	648	22.1	0.184	1,460
55-174	185	Triple Point	30	-25	136.55	137.71	1.16	1.06	87	2.6	0.017	182
55-174	185	Triple Point	30	-25	137.71	138.23	0.52	0.47	19	0.363	<0.01	32
55-174	185	Triple Point	30	-25	138.23	138.60	0.37	0.33	102	0.474	0.091	129
55-174	185	Triple Point	30	-25	138.60	138.93	0.34	0.30	<17	0.135	<0.01	23
55-174	185	Triple Point	30	-25	138.93	139.09	0.15	0.14	4,630	9.45	2.96	5,270
55-174		Triple Point	30	-25	139.09	140.24	1.16	-	78	1.56	<0.01	134
55-174		Triple Point	30	-25	140.24	140.85	0.61	-	69	2.47	<0.01	158
55-174		Triple Point	30	-25	140.85	142.07	1.22	-	<17	0.189	<0.01	25
55-175A		Triple Point	45	-26.5	12.62	14.33	1.71	-	<17	<0.1	<0.01	<22
55-175A		Triple Point	45	-26.5	14.33	14.51	0.18	-	<17	<0.1	<0.01	<22
55-175A		Triple Point	45	-26.5	14.51	14.94	0.43	-	<17	<0.1	<0.01	<22
55-175A		Triple Point	45	-26.5	14.94	15.61	0.67	-	33	<0.1	0.016	35
55-175A		Triple Point	45	-26.5	18.90	19.21	0.30	-	108	<0.1	0.045	113
55-175A		Triple Point	45	-26.5	28.69	28.87	0.18	-	38	0.129	0.016	44
55-175A		Triple Point	45	-26.5	40.24	40.43	0.18	-	140	0.131	0.073	152
55-175A		Triple Point	45	-26.5	68.29	69.82	1.52	-	36	<0.1	0.07	43
55-175A	Silver HW	Triple Point	45	-26.5	69.82	70.18	0.37	0.28	6,620	<0.1	6.04	7,240
55-175A	Silver HW	Triple Point	45	-26.5	70.18	70.85	0.67	0.50	151	<0.1	0.206	172
55-175A	Silver HW	Triple Point	45	-26.5	70.85	71.04	0.18	0.14	6,620	<0.1	6.54	7,290
55-175A	Silver HW	Triple Point	45	-26.5	71.04	71.71	0.67	0.50	573	<0.1	0.779	653
55-175A	Silver HW	Triple Point	45	-26.5	71.71	72.04	0.34	0.25	30,200	<0.1	26.1	32,900
55-175A	Silver HW	Triple Point	45	-26.5	72.04	72.29	0.24	0.18	23,000	<0.1	17	24,800
55-175A	Silver HW	Triple Point	45	-26.5	72.29	72.59	0.30	0.23	11,500	<0.1	9.97	12,500
55-175A	Silver HW	Triple Point	45	-26.5	72.59	72.80	0.21	0.16	101	<0.1	0.176	119
55-175A	Silver HW	Triple Point	45	-26.5	72.80	73.48	0.67	0.50	5,380	<0.1	4.75	5,870
55-175A		Triple Point	45	-26.5	73.48	74.39	0.91	-	155	<0.1	0.116	167
55-175A		Triple Point	45	-26.5	74.39	74.54	0.15	-	720	<0.1	0.788	801
55-175A		Triple Point	45	-26.5	74.54	75.00	0.46	-	<17	<0.1	<0.01	<22
55-175A		Triple Point	45	-26.5	116.68	116.89	0.21	-	84	2.1	0.019	166
55-175A		Triple Point	45	-26.5	136.28	137.50	1.22	-	98	2.52	0.019	191
55-175A		Triple Point	45	-26.5	137.50	138.93	1.43	-	31	0.891	<0.01	63
55-175A		Triple Point	45	-26.5	138.93	139.51	0.58	-	67	2.03	<0.01	140
55-175A	185	Triple Point	45	-26.5	139.51	139.82	0.30	0.24	460	9.4	0.099	808
55-175A	185	Triple Point	45	-26.5	139.82	140.24	0.43	0.34	26	1.07	<0.01	64
55-175A	185	Triple Point	45	-26.5	140.24	140.76	0.52	0.41	164	7.77	<0.01	444
55-175A	185	Triple Point	45	-26.5	140.76	141.01	0.24	0.19	35	1.57	<0.01	91
55-175A	185	Triple Point	45	-26.5	141.01	141.40	0.40	0.31	343	12.8	0.055	810
55-175A	185	Triple Point	45	-26.5	141.40	141.71	0.30	0.24	27	1.59	<0.01	84
55-175A	185	Triple Point	45	-26.5	141.71	141.83	0.12	0.09	56	2.67	<0.01	152
55-175A	185	Triple Point	45	-26.5	141.83	142.10	0.27	0.22	67	2.86	<0.01	170
55-175A	185	Triple Point	45	-26.5	142.10	142.53	0.43	0.34	552	12	0.443	1,030
55-175A	185	Triple Point	45	-26.5	142.53	142.93	0.40	0.31	614	12.2	0.714	1,130
55-175A		Triple Point	45	-26.5	142.93	143.48	0.55	-	<17	0.784	<0.01	46
55-175A		Triple Point	45	-26.5	143.48	143.81	0.34	-	206	7.51	0.047	481
55-175A		Triple Point	45	-26.5	143.81	145.00	1.19	-	18	0.797	<0.01	47
55-175A	Unknown	Triple Point	45	-26.5	145.00	145.55	0.55	-	384	22.3	0.025	1,190
55-175A	Unknown	Triple Point	45	-26.5	145.55	146.04	0.49	-	87	2.26	0.017	170
55-175A		Triple Point	45	-26.5	146.04	146.46	0.43	-	26	1.05	<0.01	64
55-175A		Triple Point	45	-26.5	146.46	146.80	0.34	-	196	2.69	0.129	306
55-175A		Triple Point	45	-26.5	146.80	147.01	0.21	-	<17	<0.1	<0.01	<22
55-175A		Triple Point	45	-26.5	147.01	148.17	1.16	-	<17	<0.1	<0.01	<22
55-176		Triple Point	41	0	58.08	59.60	1.52	-	<17	<0.1	<0.01	<22
55-176	Unknown	Triple Point	41	0	59.60	60.18	0.58	0.43	1,690	<0.1	1.12	1,810
55-176		Triple Point	41	0	60.18	61.71	1.52	-	<17	<0.1	<0.01	<22
55-176	Unknown	Triple Point	41	0	66.74	68.26	1.52	1.16	62	<0.1	0.039	66
55-176	Unknown	Triple Point	41	0	68.26	69.02	0.76	0.58	2,150	<0.1	1.75	2,330
55-176		Triple Point	41	0	69.02	70.55	1.52	-	<17	<0.1	<0.01	<22
55-176		Triple Point	41	0	70.55	71.86	1.31	-	<17	<0.1	<0.01	<22
55-176	Silver HW	Triple Point	41	0	71.86	72.07	0.21	0.15	6,580	<0.1	5.52	7,150
55-176	Silver HW	Triple Point	41	0	72.07	72.32	0.24	0.18	23,900	<0.1	17.5	25,700
55-176	Silver HW	Triple Point	41	0	72.32	73.84	1.52	1.16	99	<0.1	0.105	110
55-176	Silver HW	Triple Point	41	0	73.84	74.27	0.43	0.34	576	<0.1	0.54	632
55-176		Triple Point	41	0	74.27	75.79	1.52	-	<17	<0.1	<0.01	<22
55-177		Silver HW	50	0	24.09	24.54	0.46	-	<17	<0.1	<0.01	<22
55-177		Silver HW	50	0	24.54	25.43	0.88	-	18	<0.1	<0.01	23
55-177		Silver HW	50	0	25.43	26.52	1.10	-	<17	<0.1	<0.01	<22
55-177		Silver HW	50	0	26.52	27.93	1.40	-	<17	<0.1	<0.01	<22
55-177		Silver HW	50	0	27.93	28.60	0.67	-	96	<0.1	0.041	101
55-177		Triple Point	50	0	28.60	28.96	0.37	-	<17	<0.1	<0.01	<22
55-177	Unknown	Triple Point	50	0	60.98	61.49	0.52	0.31	21	<0.1	0.018	23
55-177	Unknown	Triple Point	50	0	61.49	61.74	0.24	0.15	2,830	<0.1	1.41	2,980
55-177		Triple Point	50	0	61.74	62.04	0.30	-	<17	<0.1	<0.01	<22
55-177		Triple Point	50	0	70.82	71.13	0.30	-	187	<0.1	0.092	197
55-177		Triple Point	50	0	76.83	77.01	0.18	-	124	<0.1	0.071	131
55-178		Triple Point	60	-20	10.98	11.16	0.18	-	258	<0.1	0.101	268
55-178		Triple Point	60	-20	83.63	84.85	1.22	-	<17	<0.1	<0.01	<22
55-178	Silver HW	Triple Point	60	-20	84.85	85.15	0.30	0.16	278	<0.1	0.221	301

## Galena Levels 4900 and 5500 Drill Results - November 4, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
55-178	Silver HW	Triple Point	60	-20	85.15	85.37	0.21	0.11	25,800	<0.1	18.4	27,700
55-178	Silver HW	Triple Point	60	-20	85.37	85.52	0.15	0.08	1,960	<0.1	1.6	2,130
55-178	Silver HW	Triple Point	60	-20	85.52	85.70	0.18	0.09	5,490	<0.1	3.94	5,900
55-178	Silver HW	Triple Point	60	-20	85.70	86.49	0.79	-	243	<0.1	0.207	264
55-178		Triple Point	60	-20	86.49	87.87	1.37	-	<17	<0.1	<0.01	<22
55-178		Triple Point	60	-20	87.87	88.35	0.49	-	<17	<0.1	<0.01	<22
55-178		Triple Point	60	-20	88.35	88.72	0.37	-	162	<0.1	0.134	176
55-178		Triple Point	60	-20	88.72	89.33	0.61	-	70	<0.1	0.119	83
55-178		Triple Point	60	-20	89.33	90.85	1.52	-	<17	<0.1	0.022	23
55-179		Triple Point	60	-5	144.82	146.34	1.52	-	43	0.104	0.013	48
55-179		Triple Point	60	-5	146.34	147.87	1.52	-	206	0.828	0.062	242
55-179		Triple Point	60	-5	147.87	148.41	0.55	-	272	0.924	0.092	315
55-179		Triple Point	60	-5	157.16	157.38	0.21	-	<17	<0.1	<0.01	<22
55-180		Triple Point	60	10	38.41	38.72	0.30	-	<17	<0.1	<0.01	<22
55-180		Triple Point	60	10	38.72	38.87	0.15	-	562	<0.1	0.316	595
55-180		Triple Point	60	10	38.87	39.63	0.76	-	24	<0.1	0.012	25
55-180		Triple Point	60	10	67.47	68.11	0.64	-	55	<0.1	0.037	58
55-181		Silver HW	0	20	10.34	10.49	0.15	-	374	<0.1	0.14	388
55-181		Silver HW	0	20	13.23	13.48	0.24	-	401	<0.1	0.163	418
55-181		Silver HW	0	20	23.38	23.81	0.43	-	170	<0.1	0.062	176
55-181	Silver HW	Silver HW	0	20	67.59	67.77	0.18	-	353	<0.1	0.193	373
55-181		Silver HW	0	20	72.56	72.87	0.30	-	<17	<0.1	<0.01	<22
55-181	Silver HW	Silver HW	0	20	72.87	73.17	0.30	0.27	1,650	<0.1	0.97	1,750
55-181	Silver HW	Silver HW	0	20	73.17	74.09	0.91	0.81	991	<0.1	0.71	1,060
55-181	Silver HW	Silver HW	0	20	74.09	75.00	0.91	0.81	1,220	<0.1	2.26	1,450
55-181		Silver HW	0	20	75.00	75.30	0.30	-	<17	<0.1	0.032	24
55-181		Silver HW	0	20	94.82	95.12	0.30	-	<17	<0.1	<0.01	<22
55-181	Unknown	Silver HW	0	20	95.12	95.88	0.76	0.67	477	<0.1	0.312	509
55-181	Unknown	Silver HW	0	20	95.88	96.80	0.91	0.82	408	<0.1	0.253	434
55-181	Unknown	Silver HW	0	20	96.80	97.50	0.70	0.61	1,470	<0.1	1.04	1,580
55-181		Silver HW	0	20	97.50	98.14	0.64	-	<17	<0.1	0.029	24
55-182		Silver HW	0	35	18.14	18.45	0.30	-	38	<0.1	0.013	39
55-182		Silver HW	0	35	20.49	20.70	0.21	-	221	<0.1	0.079	229
55-182		Silver HW	0	35	31.59	32.20	0.61	-	21	<0.1	<0.01	26
55-182		Silver HW	0	35	32.20	33.45	1.25	-	<17	<0.1	<0.01	<22
55-182		Silver HW	0	35	33.45	33.84	0.40	-	<17	<0.1	<0.01	<22
55-182	Silver HW	Silver HW	0	35	82.99	83.35	0.37	0.34	149	<0.1	0.129	162
55-182		Silver HW	0	35	106.37	106.65	0.27	-	183	<0.1	0.137	197
55-183		Silver HW	45	20	61.68	61.83	0.15	-	39	<0.1	0.025	41
55-183		Silver HW	45	20	85.06	85.46	0.40	-	<17	<0.1	0.057	27
55-183	Silver HW	Silver HW	45	20	85.46	85.76	0.30	0.21	2,080	<0.1	1.92	2,280
55-183	Silver HW	Silver HW	45	20	85.76	86.59	0.82	0.55	484	<0.1	0.516	537
55-183	Silver HW	Silver HW	45	20	86.59	87.50	0.91	0.61	2,620	<0.1	2.43	2,870
55-183	Silver HW	Silver HW	45	20	87.50	88.35	0.85	0.58	4,730	<0.1	3.97	5,140
55-183	Silver HW	Silver HW	45	20	88.35	89.33	0.98	0.64	134	<0.1	0.182	153
55-183	Silver HW	Silver HW	45	20	89.33	90.40	1.07	0.70	206	<0.1	0.377	245
55-183	Silver HW	Silver HW	45	20	90.40	91.22	0.82	0.55	13,800	0.202	11.1	14,900
55-183		Silver HW	45	20	91.22	92.07	0.85	-	130	<0.1	0.115	142
55-183		Silver HW	45	20	97.10	97.26	0.15	-	1,440	<0.1	1.63	1,610
55-183		Silver HW	45	20	105.95	106.86	0.91	-	<17	<0.1	0.014	<22
55-184		Silver HW	48	10	1.83	2.23	0.40	-	477	<0.1	0.17	495
55-184		Silver HW	48	10	15.40	15.58	0.18	-	133	<0.1	0.05	138
55-184		Silver HW	48	10	16.55	16.77	0.21	-	32	<0.1	0.014	34
55-184		Silver HW	48	10	24.76	26.01	1.25	-	<17	<0.1	<0.01	<22
55-184		Silver HW	48	10	32.32	32.68	0.37	-	190	<0.1	0.067	197
55-184		Silver HW	48	10	59.57	60.27	0.70	-	33	<0.1	0.02	35
55-184		Silver HW	48	10	68.57	68.90	0.34	-	190	<0.1	0.185	209
55-184		Silver HW	48	10	79.27	79.45	0.18	-	22	<0.1	0.015	23
55-184		Silver HW	48	10	81.10	82.35	1.25	-	<17	<0.1	<0.01	<22
55-184		Silver HW	48	10	82.35	83.48	1.13	-	<17	<0.1	<0.01	<22
55-184		Silver HW	48	10	84.33	84.48	0.15	-	41	<0.1	0.028	44
55-184		Silver HW	48	10	86.68	86.83	0.15	-	154	<0.1	0.104	165
55-184		Silver HW	48	10	87.44	88.05	0.61	-	29	<0.1	0.072	37
55-184	Silver HW	Silver HW	48	10	88.05	88.41	0.37	0.27	2,730	<0.1	2.88	3,030
55-184	Silver HW	Silver HW	48	10	88.41	89.18	0.76	0.55	275	<0.1	0.273	303
55-184	Silver HW	Silver HW	48	10	89.18	89.54	0.37	0.27	7,780	<0.1	7.74	8,580
55-184	Silver HW	Silver HW	48	10	89.54	90.27	0.73	0.52	2,650	<0.1	2.56	2,910
55-184	Silver HW	Silver HW	48	10	90.27	91.04	0.76	0.55	7,610	<0.1	7.6	8,390
55-184		Silver HW	48	10	91.04	91.46	0.43	-	33	<0.1	0.028	36
55-184		Silver HW	48	10	91.46	92.50	1.04	-	111	<0.1	0.097	121
55-184		Silver HW	48	10	92.50	93.72	1.22	-	<17	<0.1	<0.01	<22
55-184		Silver HW	48	10	143.84	145.12	1.28	-	183	6.13	0.028	407
55-184	185	Silver HW	48	10	147.50	147.65	0.15	0.09	412	17.8	0.035	1,060
55-184	185	Silver HW	48	10	147.65	148.23	0.58	0.40	54	1.64	<0.01	113
55-184	185	Silver HW	48	10	148.23	149.09	0.85	0.58	251	6.05	0.054	475
55-184		Silver HW	48	10	157.35	157.56	0.21	-	76	0.73	0.036	106
55-184		Silver HW	48	10	157.56	158.02	0.46	-	210	3.21	0.085	335
55-184		Silver HW	48	10	158.02	158.81	0.79	-	<17	<0.1	<0.01	<22
55-184		Silver HW	48	10	158.81	159.60	0.79	-	49	1.95	0.034	123
55-185		Silver HW	60	-10	12.07	12.41	0.34	-	152	<0.1	0.06	158

Galena Levels 4900 and 5500 Drill Results - November 4, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
55-185	Silver HW	Silver HW	60	-10	84.70	84.85	0.15	0.09	2,610	<0.1	2.36	2,850
55-185		Silver HW	60	-10	93.99	94.73	0.73	-	<17	<0.1	<0.01	<22
55-185		Silver HW	60	-10	140.55	141.77	1.22	-	82	1.55	<0.01	138
55-185	185	Silver HW	60	-10	141.77	142.93	1.16	0.67	281	0.953	0.104	326
55-185	185	Silver HW	60	-10	142.93	143.23	0.30	0.18	453	2.63	0.131	561
55-185		Silver HW	60	-10	143.23	144.51	1.28	-	41	0.397	0.017	57
55-185		Silver HW	60	-10	144.51	145.52	1.01	-	22	1.15	<0.01	64
55-185		Silver HW	60	-10	145.52	145.85	0.34	-	<17	0.633	<0.01	41
55-185		Silver HW	60	-10	145.85	146.34	0.49	-	<17	<0.1	<0.01	<22
55-186		Silver HW	48	-50	26.55	26.83	0.27	-	163	<0.1	0.092	173
55-186		Silver HW	48	-50	74.39	75.91	1.52	-	59	<0.1	0.049	64
55-186	Silver HW	Silver HW	48	-50	75.91	76.37	0.46	0.30	1,580	<0.1	2.19	1,810
55-186	Silver HW	Silver HW	48	-50	76.37	76.68	0.30	0.21	3,240	<0.1	4.51	3,700
55-186		Silver HW	48	-50	76.68	78.20	1.52	-	30	<0.1	0.061	36
55-186		Silver HW	48	-50	84.76	85.21	0.46	-	<17	<0.1	<0.01	<22
55-186		Silver HW	48	-50	159.63	160.24	0.61	-	<17	0.314	<0.01	29
55-186	185	Silver HW	48	-50	160.24	161.59	1.34	0.98	128	7.27	0.022	392
55-186	185	Silver HW	48	-50	161.59	162.13	0.55	0.40	125	8.38	<0.01	427
55-186		Silver HW	48	-50	162.13	162.65	0.52	-	<17	1.03	<0.01	55
55-187		Silver HW	58	-50	8.14	8.84	0.70	-	38	<0.1	0.025	40
55-187		Silver HW	58	-50	10.67	11.65	0.98	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	13.96	14.12	0.15	-	20	<0.1	<0.01	24
55-187		Silver HW	58	-50	14.12	14.97	0.85	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	14.97	16.46	1.49	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	16.46	17.84	1.37	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	17.84	17.99	0.15	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	17.99	18.93	0.95	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	18.93	19.30	0.37	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	19.30	19.85	0.55	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	19.85	20.18	0.34	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	21.77	21.92	0.15	-	232	<0.1	0.416	275
55-187		Silver HW	58	-50	21.92	22.74	0.82	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	22.74	23.60	0.85	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	23.60	23.75	0.15	-	34	<0.1	0.02	36
55-187		Silver HW	58	-50	23.75	24.27	0.52	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	24.27	24.42	0.15	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	26.37	26.59	0.21	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	30.18	30.34	0.15	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	34.82	35.00	0.18	-	26	<0.1	0.018	28
55-187		Silver HW	58	-50	37.80	39.33	1.52	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	39.33	39.48	0.15	-	442	<0.1	0.174	460
55-187		Silver HW	58	-50	39.48	41.01	1.52	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	41.01	41.25	0.24	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	41.25	41.46	0.21	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	41.46	41.80	0.34	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	41.80	41.95	0.15	-	39	<0.1	0.019	41
55-187		Silver HW	58	-50	66.77	66.98	0.21	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	82.80	83.35	0.55	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	154.63	155.85	1.22	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	155.85	156.01	0.15	-	40	<0.1	0.045	45
55-187		Silver HW	58	-50	156.01	157.23	1.22	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	161.86	163.08	1.22	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	163.08	163.23	0.15	-	35	<0.1	0.035	38
55-187		Silver HW	58	-50	163.23	164.45	1.22	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	166.46	167.68	1.22	-	<17	<0.1	<0.01	<22
55-187	180	Silver HW	58	-50	167.68	167.90	0.21	-	77	<0.1	0.055	82
55-187	180	Silver HW	58	-50	167.90	168.05	0.15	-	748	<0.1	0.471	796
55-187	180	Silver HW	58	-50	168.05	168.20	0.15	-	<17	<0.1	<0.01	<22
55-187	180	Silver HW	58	-50	168.20	168.35	0.15	-	68	<0.1	0.039	72
55-187		Silver HW	58	-50	168.35	169.57	1.22	-	36	<0.1	0.024	38
55-187		Silver HW	58	-50	178.35	179.57	1.22	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	179.57	180.88	1.31	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	180.88	182.10	1.22	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	184.70	185.91	1.22	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	185.91	186.07	0.15	-	<17	<0.1	<0.01	<22
55-187		Silver HW	58	-50	186.07	187.29	1.22	-	<17	<0.1	<0.01	<22
55-189		Silver HW	0	-65	7.90	8.05	0.15	-	124	<0.1	0.074	132
55-189		Silver HW	0	-65	17.20	17.65	0.46	-	136	<0.1	0.07	143
55-189		Silver HW	0	-65	96.74	97.10	0.37	-	<17	<0.1	<0.01	<22
55-189		Silver HW	0	-65	99.09	99.82	0.73	-	<17	<0.1	<0.01	<22
55-189		Silver HW	0	-65	103.87	104.66	0.79	-	<17	<0.1	<0.01	<22
55-189		Silver HW	0	-65	104.66	105.06	0.40	-	<17	<0.1	<0.01	<22
55-189		Silver HW	0	-65	105.06	105.40	0.34	-	39	<0.1	0.039	43
55-189		Silver HW	0	-65	173.17	173.63	0.46	-	<17	<0.1	<0.01	<22
55-189	Silver HW	Silver HW	0	-65	173.63	174.39	0.76	0.70	91	<0.1	0.064	98
55-189		Silver HW	0	-65	174.39	174.70	0.30	-	<17	<0.1	<0.01	<22
55-189		Silver HW	0	-65	232.44	232.62	0.18	-	253	17	<0.01	865
55-189		Silver HW	0	-65	232.62	233.84	1.22	-	<17	<0.1	<0.01	<22
55-189		Silver HW	0	-65	233.84	235.09	1.25	-	<17	0.114	<0.01	<22
55-189		Silver HW	0	-65	235.09	235.40	0.30	-	48	3.6	<0.01	178

## Galena Levels 4900 and 5500 Drill Results - November 4, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
55-189		Silver HW	0	-65	235.40	236.92	1.52	-	<17	0.107	<0.01	<22
55-189	185	Silver HW	0	-65	236.92	237.80	0.88	0.61	261	19.7	0.019	972
55-189	185	Silver HW	0	-65	237.80	239.02	1.22	0.85	274	24.1	0.029	1,150
55-189	185	Silver HW	0	-65	239.02	240.15	1.13	0.76	19	0.918	<0.01	52
55-189	185	Silver HW	0	-65	240.15	240.40	0.24	0.18	123	11.4	0.02	535
55-189		Silver HW	0	-65	240.40	241.46	1.07	-	<17	0.475	<0.01	35
55-189	180	Silver HW	0	-65	247.23	247.38	0.15	0.12	490	26.2	0.021	1,440
55-189	180	Silver HW	0	-65	247.38	248.48	1.10	1.01	<17	0.118	<0.01	22
55-189	180	Silver HW	0	-65	248.48	249.39	0.91	0.82	<17	1.49	<0.01	72
55-189	180	Silver HW	0	-65	249.39	250.34	0.95	0.85	98	6.44	<0.01	330
55-189		Silver HW	0	-65	250.34	251.52	1.19	-	<17	0.58	<0.01	39
55-189		Silver HW	0	-65	251.52	252.29	0.76	-	<17	0.806	<0.01	47
55-189		Silver HW	0	-65	252.29	253.51	1.22	-	22	1.46	<0.01	74
55-189		Silver HW	0	-65	253.51	253.96	0.46	-	<17	<0.1	<0.01	<22
55-190		Silver HW	8	-33	26.98	27.35	0.37	-	31	<0.1	0.016	32
55-190		Silver HW	8	-33	97.41	97.56	0.15	-	2,280	<0.1	1.86	2,470
55-190		Silver HW	8	-33	129.57	130.37	0.79	-	31	<0.1	0.059	37
55-190	Silver HW	Silver HW	8	-33	130.37	131.22	0.85	0.82	1,330	<0.1	1.29	1,460
55-190	Silver HW	Silver HW	8	-33	131.22	131.89	0.67	0.67	2,170	<0.1	2.01	2,380
55-190		Silver HW	8	-33	131.89	132.62	0.73	-	<17	<0.1	0.078	29
55-190		Silver HW	8	-33	182.32	183.69	1.37	-	22	0.975	<0.01	57
55-190		Silver HW	8	-33	185.98	187.26	1.28	-	<17	0.452	<0.01	34
55-190		Silver HW	8	-33	187.26	187.96	0.70	-	76	2.71	0.015	175
55-190		Silver HW	8	-33	187.96	188.41	0.46	-	<17	0.316	<0.01	30
55-190		Silver HW	8	-33	188.41	189.79	1.37	-	<17	<0.1	<0.01	<22
55-190		Silver HW	8	-33	189.79	191.31	1.52	-	47	3.13	<0.01	160
55-190		Silver HW	8	-33	191.31	192.07	0.76	-	<17	0.567	<0.01	39
55-190		Silver HW	8	-33	192.07	193.08	1.01	-	<17	0.697	<0.01	43
55-190		Silver HW	8	-33	193.08	193.69	0.61	-	60	3.12	<0.01	172
55-190		Silver HW	8	-33	193.69	194.21	0.52	-	<17	<0.1	<0.01	<22
55-191		Silver HW	19	-31	16.01	16.16	0.15	-	60	<0.1	0.036	64
55-191		Silver HW	19	-31	32.77	32.93	0.15	-	41	<0.1	0.018	43
55-191		Silver HW	19	-31	41.77	41.92	0.15	-	40	<0.1	0.018	42
55-191		Silver HW	19	-31	83.78	83.93	0.15	-	209	<0.1	0.112	221
55-191		Silver HW	19	-31	101.04	101.83	0.79	-	<17	<0.1	<0.01	<22
55-191		Silver HW	19	-31	119.48	119.73	0.24	-	1,440	0.157	0.839	1,530
55-191		Silver HW	19	-31	135.67	137.04	1.37	-	<17	<0.1	0.053	26
55-191		Silver HW	19	-31	139.57	140.49	0.91	-	<17	<0.1	<0.01	<22
55-191		Silver HW	19	-31	175.30	176.28	0.98	-	<17	<0.1	<0.01	<22
55-191		Silver HW	19	-31	176.28	176.92	0.64	-	<17	<0.1	<0.01	<22
55-193		Silver HW	2	-43	5.49	5.64	0.15	-	<17	<0.1	<0.01	<22
55-193		Silver HW	2	-43	8.20	8.35	0.15	-	96	<0.1	0.053	102
55-193		Silver HW	2	-43	12.20	12.44	0.24	-	134	<0.1	0.058	140
55-193		Silver HW	2	-43	16.77	17.10	0.34	-	<17	<0.1	<0.01	<22
55-193		Silver HW	2	-43	24.85	25.00	0.15	-	<17	<0.1	<0.01	<22
55-193		Silver HW	2	-43	65.88	66.04	0.15	-	18	<0.1	0.011	<22
55-193		Silver HW	2	-43	129.57	130.85	1.28	-	<17	<0.1	<0.01	<22
55-193		Silver HW	2	-43	130.85	131.19	0.34	-	1,230	<0.1	1.05	1,340
55-193		Silver HW	2	-43	135.67	136.89	1.22	-	<17	<0.1	<0.01	<22
55-193	Silver HW	Silver HW	2	-43	136.89	137.07	0.18	0.18	658	<0.1	0.639	724
55-193	Silver HW	Silver HW	2	-43	137.07	137.53	0.46	0.43	<17	<0.1	0.011	<22
55-193	Silver HW	Silver HW	2	-43	137.53	138.41	0.88	0.82	329	<0.1	0.888	420
55-193	Silver HW	Silver HW	2	-43	138.41	139.12	0.70	0.64	3,290	<0.1	3.03	3,600
55-193		Silver HW	2	-43	139.12	140.24	1.13	-	27	<0.1	0.076	35
55-193		Silver HW	2	-43	211.98	213.11	1.13	-	<17	0.459	<0.01	35
55-193	185	Silver HW	2	-43	213.11	213.66	0.55	0.55	412	22.8	0.019	1,240
55-193	185	Silver HW	2	-43	213.66	214.45	0.79	0.76	145	10	0.022	507
55-193		Silver HW	2	-43	214.45	215.70	1.25	-	<17	0.118	<0.01	22
55-194		Silver HW	5	-52	8.90	9.57	0.67	-	33	<0.1	0.016	34
55-194		Silver HW	5	-52	20.85	21.04	0.18	-	<17	<0.1	<0.01	<22
55-194		Silver HW	5	-52	28.45	28.60	0.15	-	<17	<0.1	<0.01	<22
55-194		Silver HW	5	-52	52.44	52.71	0.27	-	<17	<0.1	0.015	<22
55-194		Silver HW	5	-52	92.07	92.38	0.30	-	<17	<0.1	<0.01	<22
55-194	Unknown	Silver HW	5	-52	92.38	92.53	0.15	0.12	5,110	<0.1	3.17	5,440
55-194	Unknown	Silver HW	5	-52	92.53	93.90	1.37	1.16	<17	<0.1	<0.01	<22
55-194		Silver HW	5	-52	133.32	133.69	0.37	-	211	<0.1	0.213	233
55-194		Silver HW	5	-52	139.02	139.88	0.85	-	<17	<0.1	<0.01	<22
55-194		Silver HW	5	-52	139.88	140.21	0.34	-	693	<0.1	0.636	758
55-194		Silver HW	5	-52	140.21	140.55	0.34	-	<17	<0.1	0.018	23
55-194		Silver HW	5	-52	146.34	146.65	0.30	-	<17	<0.1	<0.01	<22
55-194	Silver HW	Silver HW	5	-52	146.65	147.35	0.70	0.58	494	<0.1	0.731	569
55-194		Silver HW	5	-52	147.35	147.84	0.49	-	29	<0.1	0.043	33
55-194		Silver HW	5	-52	147.84	148.48	0.64	-	65	<0.1	0.072	72
55-194		Silver HW	5	-52	148.48	149.39	0.91	-	<17	<0.1	0.013	<22
55-194		Silver HW	5	-52	152.47	152.68	0.21	-	46	<0.1	0.05	51
55-194		Silver HW	5	-52	204.27	204.73	0.46	-	<17	<0.1	<0.01	<22
55-194	185	Silver HW	5	-52	204.73	204.88	0.15	-	281	18.8	<0.01	958
55-194	185	Silver HW	5	-52	204.88	205.79	0.91	-	35	1.75	<0.01	98
55-194	185	Silver HW	5	-52	205.79	205.98	0.18	-	240	17.9	0.018	886
55-194		Silver HW	5	-52	205.98	207.32	1.34	-	48	2.82	<0.01	150

**Galena Levels 4900 and 5500 Drill Results - November 4, 2021**

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
55-194		Silver HW	5	-52	207.32	208.84	1.52	-	43	2.22	<0.01	123
55-194		Silver HW	5	-52	208.84	210.37	1.52	-	<17	0.406	<0.01	33
55-194		Silver HW	5	-52	210.37	211.89	1.52	-	<17	0.334	<0.01	30
55-194		Silver HW	5	-52	211.89	213.41	1.52	-	<17	0.711	<0.01	44
55-194		Silver HW	5	-52	213.41	214.94	1.52	-	<17	<0.1	<0.01	<22
55-194		Silver HW	5	-52	214.94	216.22	1.28	-	<17	0.382	<0.01	32
55-194		Silver HW	5	-52	216.22	217.62	1.40	-	31	1.85	<0.01	98
55-194		Silver HW	5	-52	217.62	219.15	1.52	-	<17	0.783	<0.01	46
55-194		Silver HW	5	-52	219.15	220.37	1.22	-	43	1.62	<0.01	101
55-194		Silver HW	5	-52	220.37	221.04	0.67	-	41	1.1	0.028	83
55-194		Silver HW	5	-52	221.04	221.71	0.67	-	58	2.96	<0.01	165
55-195		Silver HW	355	-44	112.80	113.51	0.70	-	<17	<0.1	<0.01	<22
55-195		Silver HW	355	-44	113.51	114.12	0.61	-	<17	<0.1	<0.01	<22
55-195		Silver HW	355	-44	114.12	115.06	0.95	-	<17	<0.1	<0.01	<22
55-195		Silver HW	355	-44	138.72	139.88	1.16	-	<17	<0.1	<0.01	<22
55-195	Silver HW	Silver HW	355	-44	139.88	140.18	0.30	0.27	199	<0.1	0.178	217
55-195	Silver HW	Silver HW	355	-44	140.18	140.37	0.18	0.18	<17	<0.1	<0.01	<22
55-195	Silver HW	Silver HW	355	-44	140.37	140.82	0.46	0.40	5,690	0.222	5.06	6,220
55-195	Silver HW	Silver HW	355	-44	140.82	141.25	0.43	0.37	521	<0.1	0.965	620
55-195	Silver HW	Silver HW	355	-44	141.25	141.83	0.58	0.52	52	<0.1	0.07	59
55-195		Silver HW	355	-44	141.83	142.74	0.91	-	<17	<0.1	<0.01	<22
55-195		Silver HW	355	-44	215.55	215.70	0.15	-	<17	<0.1	<0.01	<22
55-195		Silver HW	355	-44	215.70	216.16	0.46	-	<17	<0.1	<0.01	<22
55-195		Silver HW	355	-44	216.16	216.34	0.18	-	<17	<0.1	<0.01	<22
55-195		Silver HW	355	-44	226.22	226.68	0.46	-	26	0.658	<0.01	50
55-195	185	Silver HW	355	-44	226.68	226.98	0.30	0.27	357	17.8	0.032	1,000
55-195	185	Silver HW	355	-44	226.98	227.13	0.15	0.15	24	0.495	0.016	43
55-195	185	Silver HW	355	-44	227.13	227.29	0.15	0.15	422	11.1	0.138	836
55-195	185	Silver HW	355	-44	227.29	227.84	0.55	0.49	49	1.18	<0.01	92
55-195	185	Silver HW	355	-44	227.84	228.11	0.27	0.24	604	36.1	0.035	1,910
55-195	185	Silver HW	355	-44	228.11	228.45	0.34	0.30	412	24.5	<0.01	1,290
55-195	185	Silver HW	355	-44	228.45	228.87	0.43	0.40	18	1.12	<0.01	58
55-195	185	Silver HW	355	-44	228.87	229.27	0.40	0.37	285	12.8	<0.01	746
55-195	185	Silver HW	355	-44	229.27	229.88	0.61	0.55	174	0.547	0.08	202
55-195	185	Silver HW	355	-44	229.88	230.18	0.30	0.27	1,890	1.02	1.16	2,050
55-195		Silver HW	355	-44	230.18	231.40	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	8.35	9.57	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	9.57	9.73	0.15	-	<17	0.103	0.011	<22
55-197		Silver HW	350	10	9.73	10.73	1.01	-	<17	<0.1	0.011	<22
55-197		Silver HW	350	10	10.73	11.04	0.30	-	171	0.265	0.126	194
55-197		Silver HW	350	10	11.04	11.83	0.79	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	11.83	11.98	0.15	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	11.98	13.26	1.28	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	13.26	13.48	0.21	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	13.48	14.70	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	14.70	15.49	0.79	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	15.49	15.64	0.15	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	15.64	16.10	0.46	-	58	<0.1	0.033	61
55-197		Silver HW	350	10	16.10	17.32	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	18.93	20.15	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	20.15	20.30	0.15	-	28	<0.1	0.019	30
55-197		Silver HW	350	10	20.30	20.82	0.52	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	20.82	21.04	0.21	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	22.56	22.87	0.30	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	22.87	23.02	0.15	-	92	<0.1	0.052	98
55-197		Silver HW	350	10	23.02	24.24	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	27.99	29.21	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	29.21	29.36	0.15	-	133	<0.1	0.055	139
55-197		Silver HW	350	10	29.36	29.82	0.46	-	54	<0.1	0.025	57
55-197		Silver HW	350	10	29.82	30.00	0.18	-	19	<0.1	0.012	<22
55-197		Silver HW	350	10	30.00	31.22	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	32.35	33.57	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	33.57	33.72	0.15	-	31	<0.1	0.014	32
55-197		Silver HW	350	10	33.72	34.94	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	43.14	44.36	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	44.36	44.63	0.27	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	44.63	45.64	1.01	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	45.64	45.85	0.21	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	45.85	47.07	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	49.73	50.95	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	50.95	51.55	0.61	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	51.55	51.77	0.21	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	51.77	51.98	0.21	-	<17	<0.1	0.012	<22
55-197		Silver HW	350	10	51.98	53.20	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	58.17	59.39	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	59.39	59.66	0.27	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	59.66	59.91	0.24	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	59.91	60.06	0.15	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	60.06	61.49	1.43	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	61.49	61.77	0.27	-	24	<0.1	<0.01	29

## Galena Levels 4900 and 5500 Drill Results - November 4, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
55-197		Silver HW	350	10	61.77	62.01	0.24	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	62.16	63.38	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	70.58	71.80	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	71.80	72.01	0.21	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	72.01	73.14	1.13	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	78.32	79.54	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	79.54	79.88	0.34	-	117	<0.1	0.035	121
55-197		Silver HW	350	10	79.88	80.34	0.46	-	20	<0.1	<0.01	25
55-197		Silver HW	350	10	80.34	80.49	0.15	-	1,580	<0.1	0.47	1,630
55-197		Silver HW	350	10	80.49	81.71	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	83.29	84.51	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	84.51	85.18	0.67	-	549	<0.1	0.15	564
55-197		Silver HW	350	10	85.18	85.43	0.24	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	85.43	85.61	0.18	-	204	<0.1	0.055	210
55-197		Silver HW	350	10	85.61	86.98	1.37	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	86.98	87.13	0.15	-	521	<0.1	0.148	536
55-197		Silver HW	350	10	87.13	88.08	0.95	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	88.08	88.35	0.27	-	528	<0.1	0.165	545
55-197		Silver HW	350	10	88.35	89.57	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	93.72	94.94	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	94.94	95.18	0.24	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	95.18	96.37	1.19	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	99.18	100.40	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	100.40	100.55	0.15	-	453	<0.1	0.248	479
55-197		Silver HW	350	10	100.55	101.98	1.43	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	101.98	102.20	0.21	-	210	<0.1	0.116	222
55-197		Silver HW	350	10	102.20	102.68	0.49	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	102.68	103.02	0.34	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	103.02	103.84	0.82	-	22	<0.1	0.014	23
55-197		Silver HW	350	10	103.84	103.99	0.15	-	106	<0.1	0.064	113
55-197		Silver HW	350	10	103.99	105.52	1.52	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	105.52	105.67	0.15	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	105.67	106.34	0.67	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	106.34	107.56	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	116.71	117.93	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	117.93	118.08	0.15	-	245	<0.1	0.098	255
55-197		Silver HW	350	10	118.08	119.30	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	134.48	135.70	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	135.70	135.85	0.15	-	43	<0.1	0.039	47
55-197		Silver HW	350	10	135.85	136.13	0.27	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	136.13	136.52	0.40	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	136.52	136.68	0.15	-	99	<0.1	0.056	105
55-197		Silver HW	350	10	136.68	136.92	0.24	-	71	<0.1	0.038	75
55-197		Silver HW	350	10	136.92	137.74	0.82	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	137.74	137.90	0.15	-	30	<0.1	0.019	32
55-197		Silver HW	350	10	137.90	138.93	1.04	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	138.93	139.33	0.40	-	52	<0.1	0.034	55
55-197		Silver HW	350	10	139.33	140.55	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	140.55	142.07	1.52	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	142.07	142.99	0.91	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	142.99	143.32	0.34	-	185	<0.1	0.518	238
55-197		Silver HW	350	10	143.32	144.76	1.43	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	144.76	144.97	0.21	-	394	<0.1	0.251	420
55-197		Silver HW	350	10	144.97	146.19	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	153.66	154.88	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	154.88	155.03	0.15	-	30	<0.1	0.072	37
55-197		Silver HW	350	10	155.03	156.25	1.22	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	156.25	156.86	0.61	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	156.86	157.01	0.15	-	<17	<0.1	0.011	<22
55-197		Silver HW	350	10	157.01	158.54	1.52	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	158.54	158.93	0.40	-	186	<0.1	0.211	208
55-197		Silver HW	350	10	158.93	159.82	0.88	-	<17	<0.1	0.024	23
55-197		Silver HW	350	10	159.82	159.97	0.15	-	<17	<0.1	0.022	23
55-197		Silver HW	350	10	159.97	160.46	0.49	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	160.46	161.59	1.13	-	80	<0.1	0.046	85
55-197		Silver HW	350	10	161.59	161.80	0.21	-	487	<0.1	0.529	541
55-197		Silver HW	350	10	161.80	162.13	0.34	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	162.13	162.29	0.15	-	18	<0.1	0.016	<22
55-197		Silver HW	350	10	162.29	163.32	1.04	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	163.32	164.36	1.04	-	<17	<0.1	<0.01	<22
55-197	Silver HW	Silver HW	350	10	164.36	164.94	0.58	0.52	1,250	<0.1	1.35	1,390
55-197		Silver HW	350	10	164.94	166.13	1.19	-	55	<0.1	0.056	61
55-197		Silver HW	350	10	166.13	167.59	1.46	-	<17	<0.1	<0.01	<22
55-197		Silver HW	350	10	167.59	167.90	0.30	-	42	<0.1	0.039	46
55-197		Silver HW	350	10	167.90	169.02	1.13	-	<17	<0.1	<0.01	<22
55-197	Unknown	Silver HW	350	10	169.02	169.33	0.30	0.23	99	<0.1	0.143	114
55-197	Unknown	Silver HW	350	10	169.33	169.63	0.30	0.23	1,930	<0.1	2.24	2,160
55-197		Silver HW	350	10	169.63	170.73	1.10	-	<17	<0.1	<0.01	<22
55-198		Silver HW	359	-35	7.93	8.08	0.15	-	<17	<0.1	<0.01	<22
55-198		Silver HW	359	-35	82.26	82.93	0.67	-	<17	<0.1	<0.01	<22



## Galena Levels 4900 and 5500 Drill Results - November 4, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
55-198		Silver HW	359	-35	110.98	111.28	0.30	-	<17	<0.1	<0.01	<22
55-198		Silver HW	359	-35	115.85	116.04	0.18	-	<17	<0.1	<0.01	<22
55-198		Silver HW	359	-35	119.76	119.91	0.15	-	<17	<0.1	<0.01	<22
55-198		Silver HW	359	-35	132.20	132.93	0.73	-	<17	<0.1	<0.01	<22
55-198	Silver HW	Silver HW	359	-35	132.93	133.17	0.24	0.21	789	<0.1	0.776	869
55-198	Silver HW	Silver HW	359	-35	133.17	133.35	0.18	0.18	<17	<0.1	<0.01	<22
55-198	Silver HW	Silver HW	359	-35	133.35	133.90	0.55	0.52	3,290	<0.1	2.53	3,550
55-198	Silver HW	Silver HW	359	-35	133.90	134.57	0.67	0.64	857	<0.1	0.805	940
55-198		Silver HW	359	-35	134.57	135.18	0.61	-	<17	<0.1	<0.01	<22
55-198		Silver HW	359	-35	138.11	138.29	0.18	-	343	<0.1	0.405	385
55-198		Silver HW	359	-35	209.15	210.67	1.52	-	<17	0.141	<0.01	23
55-198	185	Silver HW	359	-35	210.67	211.74	1.07	1.01	137	7.48	<0.01	406
55-198	185	Silver HW	359	-35	211.74	212.13	0.40	0.37	206	11.8	<0.01	631
55-198	185	Silver HW	359	-35	212.13	212.29	0.15	0.15	453	37.7	0.041	1,820
55-198	185	Silver HW	359	-35	212.29	212.62	0.34	0.34	439	28.5	<0.01	1,470
55-198	185	Silver HW	359	-35	212.62	213.66	1.04	0.98	288	11.4	0.07	705
55-198	185	Silver HW	359	-35	213.66	214.02	0.37	0.34	929	39	0.055	2,330
55-198	185	Silver HW	359	-35	214.02	214.33	0.30	0.30	8,880	5.25	5.5	9,640
55-198		Silver HW	359	-35	214.33	215.24	0.91	-	<17	<0.1	<0.01	<22
55-198		Silver HW	359	-35	321.52	321.68	0.15	-	<17	<0.1	0.395	61
55-218		Silver HW	287	-56	30.67	30.91	0.24	-	<17	3.8	<0.01	155
55-218		Silver HW	287	-56	61.10	61.43	0.34	-	<17	3.8	0.013	155
55-218		Silver HW	287	-56	113.66	114.27	0.61	-	<17	4.8	<0.01	191
55-218		Silver HW	287	-56	114.27	114.79	0.52	-	<17	4.8	0.014	192
55-218		Silver HW	287	-56	114.79	115.85	1.07	-	23	5.8	0.069	239
55-218		Silver HW	287	-56	115.85	116.77	0.91	-	<17	4.8	0.023	193
55-218		Silver HW	287	-56	116.77	117.68	0.91	-	<17	3.8	<0.01	155
55-218		Silver HW	287	-56	120.52	121.13	0.61	-	<17	3.8	0.025	157
55-218		Silver HW	287	-56	147.56	148.87	1.31	-	<17	4.8	0.015	192
55-218		Silver HW	287	-56	233.38	233.78	0.40	-	75	3.8	0.371	251
55-218		Silver HW	287	-56	273.87	274.09	0.21	-	26	3.8	0.092	173
55-219		Silver HW	300	-70	6.28	6.43	0.15	-	132	<0.1	0.056	138
55-219		Silver HW	300	-70	15.43	16.95	1.52	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	16.95	17.10	0.15	-	384	<0.1	0.149	399
55-219		Silver HW	300	-70	17.10	18.63	1.52	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	21.43	21.59	0.15	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	107.20	108.63	1.43	-	<17	<0.1	0.064	27
55-219		Silver HW	300	-70	108.63	109.76	1.13	-	18	<0.1	0.051	23
55-219		Silver HW	300	-70	109.76	110.18	0.43	-	<17	<0.1	0.025	23
55-219		Silver HW	300	-70	110.18	110.49	0.30	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	110.49	111.10	0.61	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	111.10	112.01	0.91	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	112.01	112.16	0.15	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	112.16	112.99	0.82	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	112.99	114.33	1.34	-	18	<0.1	0.222	41
55-219		Silver HW	300	-70	114.33	115.85	1.52	-	<17	<0.1	0.081	29
55-219		Silver HW	300	-70	118.17	119.70	1.52	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	119.70	120.18	0.49	-	<17	<0.1	0.067	28
55-219		Silver HW	300	-70	120.18	121.71	1.52	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	139.70	141.22	1.52	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	141.22	142.74	1.52	-	19	<0.1	0.034	23
55-219		Silver HW	300	-70	142.74	144.27	1.52	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	151.19	151.55	0.37	-	24	<0.1	0.023	26
55-219		Silver HW	300	-70	223.60	224.21	0.61	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	224.21	224.88	0.67	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	224.88	225.49	0.61	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	240.98	241.59	0.61	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	241.59	241.92	0.34	-	<17	<0.1	0.011	<22
55-219		Silver HW	300	-70	241.92	242.38	0.46	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	246.89	247.04	0.15	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	254.57	255.55	0.98	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	255.55	256.74	1.19	-	59	<0.1	0.045	63
55-219		Silver HW	300	-70	256.74	258.02	1.28	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	258.02	259.05	1.04	-	<17	<0.1	0.012	<22
55-219	Silver HW	Silver HW	300	-70	259.05	259.45	0.40	-	487	<0.1	0.301	518
55-219	Silver HW	Silver HW	300	-70	259.45	260.15	0.70	-	<17	<0.1	0.018	23
55-219	Silver HW	Silver HW	300	-70	260.15	260.67	0.52	-	94	<0.1	0.068	101
55-219	Silver HW	Silver HW	300	-70	260.67	260.88	0.21	-	37	<0.1	0.032	40
55-219		Silver HW	300	-70	260.88	261.49	0.61	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	265.00	266.22	1.22	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	266.22	266.71	0.49	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	266.71	268.08	1.37	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	272.41	273.02	0.61	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	273.02	273.29	0.27	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	273.29	273.90	0.61	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	288.69	288.93	0.24	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	303.96	304.88	0.91	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	304.88	306.40	1.52	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	306.40	307.93	1.52	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	307.93	308.17	0.24	-	39	<0.1	0.024	41

Galena Levels 4900 and 5500 Drill Results - November 4, 2021

Hole	Vein	Zone	Azimuth	Dip	From (m)	To (m)	Width (m)	True Width (m)	Ag (g/t)	Pb (%)	Cu (%)	AgEq (g/t)
55-219		Silver HW	300	-70	320.73	322.26	1.52	-	<17	<0.1	<0.01	<22
55-219	Silver HW	Silver HW	300	-70	322.26	322.41	0.15	-	583	<0.1	0.376	622
55-219		Silver HW	300	-70	322.41	323.93	1.52	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	324.09	324.30	0.21	-	29	<0.1	0.019	31
55-219		Silver HW	300	-70	327.87	328.11	0.24	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	329.27	330.64	1.37	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	330.64	332.01	1.37	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	332.01	332.32	0.30	-	51	<0.1	0.032	54
55-219		Silver HW	300	-70	332.32	333.84	1.52	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	333.84	335.18	1.34	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	387.77	389.30	1.52	-	<17	0.235	<0.01	26
55-219		Silver HW	300	-70	393.51	394.70	1.19	-	48	0.944	<0.01	82
55-219		Silver HW	300	-70	405.95	407.01	1.07	-	28	<0.1	0.018	30
55-219		Silver HW	300	-70	407.01	408.38	1.37	-	146	<0.1	0.068	153
55-219		Silver HW	300	-70	408.38	408.84	0.46	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	408.84	409.12	0.27	-	24	<0.1	0.029	27
55-219		Silver HW	300	-70	417.29	417.80	0.52	-	<17	<0.1	0.023	23
55-219		Silver HW	300	-70	433.11	433.78	0.67	-	<17	<0.1	0.011	<22
55-219		Silver HW	300	-70	435.91	436.65	0.73	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	437.50	439.02	1.52	-	<17	<0.1	<0.01	<22
55-219		Silver HW	300	-70	439.02	440.55	1.52	-	<17	<0.1	<0.01	<22
55-222		Silver HW	103	-0.3	0.55	1.25	0.70	-	<17	<0.1	<0.01	<22
55-222	Unknown	Silver HW	103	-0.3	1.25	1.71	0.46	0.43	1,580	<0.1	1.62	1,750
55-222	Unknown	Silver HW	103	-0.3	1.71	2.26	0.55	0.52	1,210	<0.1	1.5	1,360
55-222		Silver HW	103	-0.3	2.26	3.41	1.16	-	<17	<0.1	<0.01	<22
55-222		Silver HW	103	-0.3	13.72	14.63	0.91	-	<17	<0.1	<0.01	<22
55-222		Silver HW	103	-0.3	14.63	14.82	0.18	-	<17	<0.1	<0.01	<22
55-222		Silver HW	103	-0.3	14.82	15.24	0.43	-	<17	<0.1	<0.01	<22
55-222		Silver HW	103	-0.3	25.15	25.82	0.67	-	<17	<0.1	<0.01	<22
55-222		Silver HW	103	-0.3	25.82	26.07	0.24	-	<17	<0.1	<0.01	<22
55-222		Silver HW	103	-0.3	26.07	27.44	1.37	-	<17	<0.1	<0.01	<22
55-222		Silver HW	103	-0.3	27.44	28.51	1.07	-	<17	<0.1	<0.01	<22
55-222		Silver HW	103	-0.3	28.51	29.27	0.76	-	<17	<0.1	<0.01	<22
55-222		Silver HW	103	-0.3	29.27	29.51	0.24	-	<17	<0.1	<0.01	<22
55-222		Silver HW	103	-0.3	29.51	30.79	1.28	-	21	<0.1	0.069	28
55-222		Silver HW	103	-0.3	30.79	32.01	1.22	-	<17	<0.1	<0.01	<22
55-222		Silver HW	103	-0.3	35.06	35.67	0.61	-	<17	<0.1	<0.01	<22
55-222		Silver HW	103	-0.3	35.67	35.88	0.21	-	59	<0.1	0.152	74
55-222		Silver HW	103	-0.3	35.88	36.59	0.70	-	<17	<0.1	<0.01	<22
55-222		Silver HW	103	-0.3	38.57	39.33	0.76	-	<17	<0.1	0.059	27
55-222		Silver HW	103	-0.3	39.33	39.63	0.30	-	186	<0.1	0.497	237
55-222		Silver HW	103	-0.3	39.63	40.24	0.61	-	<17	<0.1	0.124	34
55-222	Silver HW	Silver HW	103	-0.3	40.24	40.61	0.37	0.06	556	<0.1	0.494	607
55-222	Silver HW	Silver HW	103	-0.3	40.61	41.16	0.55	0.09	<17	<0.1	0.041	25
55-222	Silver HW	Silver HW	103	-0.3	41.16	41.46	0.30	0.06	4,010	<0.1	2.84	4,300
55-222	Silver HW	Silver HW	103	-0.3	41.46	41.65	0.18	0.03	25	<0.1	0.096	35
55-222	Silver HW	Silver HW	103	-0.3	41.65	42.93	1.28	0.21	662	<0.1	1.6	827
55-222	Silver HW	Silver HW	103	-0.3	42.93	43.60	0.67	0.12	9,600	<0.1	8.22	10,400
55-222	Silver HW	Silver HW	103	-0.3	43.60	44.21	0.61	0.09	2,620	<0.1	3.88	3,020
55-222	Silver HW	Silver HW	103	-0.3	44.21	45.27	1.07	0.18	785	<0.1	0.743	861
55-222	Silver HW	Silver HW	103	-0.3	45.27	46.34	1.07	0.18	281	<0.1	0.241	306
55-222	Silver HW	Silver HW	103	-0.3	46.34	47.41	1.07	0.18	1,340	7.62	0.615	1,680
55-222	Silver HW	Silver HW	103	-0.3	47.41	48.78	1.37	0.21	1,310	<0.1	1.8	1,500
55-222	Silver HW	Silver HW	103	-0.3	48.78	49.70	0.91	0.15	82	<0.1	0.092	92
55-222	Silver HW	Silver HW	103	-0.3	49.70	49.85	0.15	0.03	857	<0.1	0.716	931
55-222		Silver HW	103	-0.3	49.85	51.22	1.37	-	<17	<0.1	<0.01	<22
55-222		Silver HW	103	-0.3	51.22	52.74	1.52	-	20	<0.1	0.026	23
55-222		Silver HW	103	-0.3	52.74	53.60	0.85	-	<17	<0.1	<0.01	<22
55-222		Silver HW	103	-0.3	53.60	53.78	0.18	-	185	<0.1	0.154	201
55-222	Unknown	Silver HW	103	-0.3	53.78	54.63	0.85	0.79	394	<0.1	0.39	434
55-222	Unknown	Silver HW	103	-0.3	54.63	55.46	0.82	0.79	43	<0.1	0.042	47
55-222	Unknown	Silver HW	103	-0.3	55.46	55.79	0.34	0.30	4,150	<0.1	3.58	4,520
55-222		Silver HW	103	-0.3	55.79	57.32	1.52	-	<17	<0.1	<0.01	<22
55-222		Silver HW	103	-0.3	57.32	58.23	0.91	-	<17	<0.1	0.013	<22
55-222	220	Silver HW	103	-0.3	58.23	58.84	0.61	0.58	3,810	<0.1	3.65	4,190
55-222	220	Silver HW	103	-0.3	58.84	59.24	0.40	0.37	5,210	<0.1	4.19	5,640
55-222	220	Silver HW	103	-0.3	59.24	59.54	0.30	0.30	75	<0.1	0.119	88
55-222	220	Silver HW	103	-0.3	59.54	60.15	0.61	0.58	1,760	<0.1	1.65	1,930
55-222	220	Silver HW	103	-0.3	60.15	60.55	0.40	0.37	253	<0.1	0.458	300
55-222		Silver HW	103	-0.3	60.55	61.59	1.04	-	23	<0.1	0.071	31
- True Width is calculated for significant intercepts only and based on orientation axis of core across the estimated dip of the vein												
- AgEq is calculated using metal prices of \$20.00/oz silver, \$3.00/lb copper and \$1.05/lb lead												
- Numbers may not add up correctly due to rounding												