

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-402	168.30	169.50	<0.5	0.012	0.000
SR-402	169.50	171.45	<0.5	<0.005	0.000
SR-402	171.45	173.45	<0.5	<0.005	0.000
SR-402	173.15	174.35	<0.5	0.008	0.000
SR-402	181.60	182.60	0.5	0.016	0.002
SR-402	182.60	183.45	<0.5	0.009	0.000
SR-402	183.45	184.30	1.9	0.015	0.006
SR-402	184.30	186.55	0.7	0.010	0.001
SR-402	186.55	187.10	9.9	0.136	0.026
SR-402	187.10	190.75	<0.5	0.010	0.001
SR-402	190.75	192.30	4.0	0.015	0.010
SR-402	192.30	194.90	7.4	0.021	0.025
SR-402	194.90	196.20	8.2	0.015	0.013
SR-402	196.20	197.45	0.9	<0.005	0.005
SR-402	197.45	199.20	0.8	<0.005	0.007
SR-402	199.20	200.70	2.2	0.012	0.013
SR-402	200.70	203.08	1.0	0.008	0.009
SR-402	203.08	205.56	0.7	<0.005	0.004
SR-402	205.56	207.74	0.7	<0.005	0.004
SR-402	207.74	209.60	2.4	0.005	0.012
SR-402	209.60	210.60	2.3	<0.005	0.007
SR-402	210.60	212.05	5.3	0.011	0.030
SR-402	212.05	214.30	1.4	0.006	0.014
SR-402	214.30	215.45	0.6	<0.005	0.005
SR-402	215.45	218.20	0.6	<0.005	0.006
SR-402	218.20	219.90	2.1	0.010	0.033
SR-402	219.90	222.20	4.9	0.022	0.040
SR-402	222.20	223.13	5.5	<0.005	0.028
SR-402	223.13	225.50	2.6	0.012	0.022
SR-402	225.50	226.50	1.5	0.006	0.021
SR-402	226.50	228.00	6.7	0.014	0.062
SR-402	228.00	229.06	2.4	0.006	0.025
SR-402	229.06	231.50	2.2	0.006	0.029
SR-402	231.50	232.60	2.1	0.010	0.043
SR-402	232.60	235.20	0.5	0.006	0.004
SR-402	187.10	190.75	<0.5	0.016	0.001
SR-402	253.87	255.38	4.1	0.022	0.017
SR-402	255.38	257.40	5.3	0.034	0.041
SR-402	257.40	258.80	4.6	0.011	0.044
SR-402	258.80	260.32	10.2	0.008	0.098
SR-402	260.32	262.62	1.2	0.005	0.002
SR-402	262.62	262.87	8.2	0.018	0.063
SR-402	262.87	264.20	4.8	0.027	0.015

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-402	264.20	265.15	3.8	<0.005	0.015
SR-402	265.15	265.80	5.2	0.025	0.043
SR-402	265.80	267.70	1.0	<0.005	0.010
SR-402	267.70	268.88	10.0	0.007	0.126
SR-402	268.88	270.15	5.3	0.008	0.048
SR-402	270.15	271.85	0.7	<0.005	0.002
SR-402	271.85	272.90	2.2	0.007	0.018
SR-402	272.90	274.20	5.9	0.009	0.027
SR-402	274.20	275.80	6.9	0.006	0.029
SR-402	275.80	277.45	16.9	0.010	0.054
SR-402	277.45	278.60	19.7	0.011	0.100
SR-402	278.60	279.20	6.6	0.050	0.027
SR-402	279.20	280.75	12.5	0.021	0.039
SR-402	280.75	282.00	5.8	0.033	0.020
SR-402	282.00	283.20	4.6	0.028	0.020
SR-402	283.20	285.60	5.2	0.011	0.030
SR-402	285.60	288.55	2.8	0.008	0.014
SR-402	288.55	290.65	6.6	0.043	0.013
SR-402	290.65	291.75	10.0	0.110	0.016
SR-402	291.75	293.30	4.5	0.038	0.032
SR-402	293.30	295.20	4.1	0.025	0.015
SR-402	295.20	296.55	2.0	<0.005	0.014
SR-402	296.55	298.80	5.0	0.009	0.034
SR-402	298.80	300.40	30.0	0.018	0.211
SR-402	300.40	301.30	12.5	0.007	0.096
SR-402	301.30	303.30	6.9	0.007	0.070
SR-402	303.30	305.20	10.7	0.013	0.083
SR-402	305.20	306.20	39.9	0.015	0.277
SR-402	306.20	308.30	14.7	0.056	0.098
SR-402	308.30	310.00	12.6	0.011	0.066
SR-402	310.00	311.70	15.1	0.009	0.074
SR-402	311.70	313.08	13.1	0.007	0.066
SR-402	313.08	315.25	2.1	0.005	0.009
SR-402	315.25	317.28	<0.5	<0.005	0.002
SR-402	328.00	330.40	1.2	0.006	0.013
SR-402	330.40	331.00	12.9	0.011	0.067
SR-402	331.00	333.15	<0.5	<0.005	0.004
SR-402	333.15	335.25	<0.5	0.011	0.001
SR-402	335.25	337.57	1.5	0.005	0.008
SR-402	337.57	338.45	24.2	0.024	0.122
SR-402	338.45	340.85	8.0	0.013	0.043
SR-402	340.85	341.60	3.2	0.006	0.010
SR-402	341.60	342.60	31.6	0.029	0.206

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-402	342.60	344.45	1.2	0.005	0.005
SR-402	344.45	346.25	19.2	0.037	0.074
SR-402	346.25	349.50	0.7	<0.005	0.009
SR-402	349.50	350.70	49.7	0.079	0.125
SR-402	350.70	351.80	7.2	0.016	0.036
SR-402	351.80	353.40	14.4	0.043	0.074
SR-402	285.60	288.55	2.2	0.010	0.012
SR-402	353.40	355.90	26.1	0.056	0.106
SR-402	355.90	356.90	8.5	0.032	0.045
SR-402	356.90	358.15	32.0	0.055	0.202
SR-402	358.15	359.93	19.4	0.031	0.078
SR-402	359.93	360.90	17.0	0.063	0.122
SR-402	360.90	362.60	10.9	0.017	0.081
SR-402	362.60	363.30	38.0	0.032	0.255
SR-402	363.30	365.70	15.0	0.030	0.101
SR-402	365.70	367.20	29.3	0.047	0.289
SR-402	367.20	368.80	23.4	0.108	0.089
SR-402	368.80	370.00	36.7	0.099	0.283
SR-402	370.00	371.30	2.1	0.009	0.008
SR-402	371.30	372.00	251.0	0.193	0.418
SR-402	372.00	374.20	3.1	0.012	0.030
SR-402	374.20	374.85	3.9	0.016	0.025
SR-402	374.85	375.90	47.4	0.088	0.278
SR-402	375.90	377.00	62.0	0.318	0.372
SR-402	377.00	380.00	10.1	0.018	0.076
SR-402	380.00	381.68	<0.5	<0.005	0.001
SR-402	381.68	383.35	1.0	<0.005	0.004
SR-402	383.35	384.35	23.0	0.061	0.127
SR-402	384.35	385.75	210.0	0.265	0.493
SR-402	385.75	386.80	135.0	0.198	0.403
SR-402	386.80	387.80	38.3	0.096	0.195
SR-402	387.80	389.20	16.4	0.052	0.153
SR-402	346.25	349.50	0.8	0.005	0.006
SR-402	389.20	390.20	53.6	0.115	0.322
SR-402	390.20	391.35	11.3	0.031	0.058
SR-402	391.35	392.40	120.0	0.235	0.444
SR-402	392.40	393.80	15.5	0.041	0.066
SR-402	393.80	395.50	138.0	0.353	0.575
SR-402	395.50	396.80	335.0	0.564	0.744
SR-402	396.80	398.00	24.6	0.058	0.110
SR-402	398.00	399.90	124.0	0.156	0.356
SR-402	399.90	401.10	233.0	0.367	0.803
SR-402	401.10	401.75	237.0	0.450	0.742

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-402	401.75	402.60	75.6	0.169	0.267
SR-402	402.60	404.25	343.0	0.365	0.969
SR-402	404.25	406.05	60.9	0.106	0.167
SR-402	406.05	408.60	7.7	0.022	0.024
SR-402	408.60	410.45	2.8	0.014	0.015
SR-402	410.45	413.48	<0.5	0.007	0.001
SR-402	413.48	415.90	0.5	0.008	0.002
SR-402	415.90	418.00	2.1	0.010	0.001
SR-402	418.00	420.00	<0.5	0.011	0.001
SR-402	420.00	422.40	7.2	0.008	0.017
SR-402	410.45	413.48	0.7	0.008	0.001
SR-402	422.40	424.90	<0.5	<0.005	0.001
SR-402	424.90	427.25	<0.5	0.005	0.001
SR-402	427.25	429.80	13.8	0.009	0.036
SR-402	429.80	431.60	2.8	0.015	0.006
SR-402	431.60	433.50	<0.5	0.006	0.005
SR-402	433.50	435.00	<0.5	<0.005	0.003
SR-402	435.00	437.45	0.5	0.016	0.006
SR-402	437.45	441.30	0.5	0.016	0.004
SR-402	441.30	443.60	0.8	0.020	0.003
SR-406	13.40	15.40	2.4	0.099	0.004
SR-406	15.40	18.15	29.2	0.110	0.003
SR-406	18.15	20.18	18.7	0.048	0.002
SR-406	20.18	21.30	7.2	0.033	0.001
SR-406	21.30	23.90	9.7	0.293	0.001
SR-406	83.00	85.30	0.6	0.003	0.000
SR-406	112.95	114.95	0.8	0.005	0.000
SR-406	114.95	116.95	0.3	0.003	0.000
SR-406	116.95	118.95	0.3	0.003	0.001
SR-406	118.95	120.95	0.3	0.003	0.000
SR-406	120.95	122.95	0.3	0.003	0.000
SR-406	122.95	124.80	0.6	0.003	0.000
SR-406	148.60	150.50	3.2	0.029	0.000
SR-406	150.50	152.35	11.0	0.108	0.029
SR-406	152.35	154.00	31.8	0.045	0.085
SR-406	154.00	155.55	1.1	0.029	0.004
SR-406	155.55	156.58	2.4	0.015	0.013
SR-406	156.58	157.55	17.3	0.027	0.010
SR-406	157.55	159.70	2.4	0.006	0.005
SR-406	159.70	161.15	100.0	0.416	0.381
SR-406	161.15	162.60	43.2	0.012	0.088
SR-406	162.60	164.00	11.6	0.006	0.046
SR-406	164.00	165.13	21.1	0.023	0.086

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-406	165.13	166.23	67.8	0.042	0.069
SR-406	166.23	167.00	28.3	0.019	0.018
SR-406	167.00	168.43	42.8	0.047	0.023
SR-406	168.43	169.40	13.4	0.014	0.032
SR-406	169.40	170.25	41.7	0.136	0.049
SR-406	170.25	172.50	1.3	0.011	0.003
SR-406	172.50	174.23	1.8	0.010	0.006
SR-406	174.23	176.00	2.9	0.014	0.009
SR-406	176.00	178.15	4.2	0.025	0.008
SR-406	178.15	180.25	11.5	0.025	0.019
SR-406	180.25	182.00	39.0	0.055	0.091
SR-406	182.00	184.45	3.3	0.005	0.006
SR-406	184.45	185.87	5.9	0.008	0.006
SR-406	185.87	187.75	15.7	0.036	0.060
SR-406	187.75	188.80	10.1	0.042	0.056
SR-406	188.80	191.00	1.5	0.017	0.003
SR-406	191.00	193.20	1.9	0.039	0.004
SR-406	193.20	195.00	4.4	0.015	0.008
SR-406	195.00	196.35	0.5	0.003	0.001
SR-406	196.35	198.40	0.5	0.005	0.001
SR-406	198.40	199.70	0.3	0.003	0.001
SR-406	199.70	201.50	5.1	0.026	0.018
SR-406	201.50	203.90	20.1	2.470	0.029
SR-406	203.90	205.30	10.4	0.849	0.022
SR-406	205.30	208.10	0.3	0.009	0.002
SR-406	208.10	209.85	0.8	0.050	0.001
SR-406	209.85	212.80	0.3	0.014	0.001
SR-406	221.00	224.00	4.9	0.011	0.005
SR-406	212.80	215.00	0.3	0.007	0.000
SR-406	215.00	218.00	0.3	0.007	0.000
SR-406	218.00	221.00	0.3	0.003	0.000
SR-406	221.00	224.00	0.3	0.003	0.001
SR-406	224.00	227.00	0.3	0.003	0.000
SR-406	227.00	230.00	0.3	0.003	0.001
SR-406	230.00	233.00	0.3	0.003	0.001
SR-406	233.00	236.00	0.3	0.003	0.001
SR-406	236.00	239.00	0.3	0.006	0.000
SR-406	239.00	242.00	0.3	0.007	0.001
SR-406	242.00	245.00	0.3	0.005	0.002
SR-406	245.00	246.35	0.3	0.005	0.001
SR-406	246.35	248.12	3.9	0.031	0.003
SR-406	248.12	251.00	0.5	0.014	0.002
SR-406	251.00	254.00	0.3	0.006	0.001

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-406	254.00	257.00	0.3	0.003	0.001
SR-406	257.00	260.00	0.3	0.016	0.002
SR-406	260.00	263.00	0.3	0.007	0.006
SR-406	271.73	283.93	1.3	0.130	0.005
SR-406	263.00	266.00	0.3	0.009	0.002
SR-406	266.00	267.50	0.3	0.003	0.001
SR-406	267.50	268.80	0.5	0.020	0.001
SR-406	268.80	269.55	1.7	0.051	0.006
SR-406	269.55	270.00	0.6	0.016	0.004
SR-406	270.00	270.95	2.3	0.068	0.010
SR-406	270.95	272.80	0.6	0.011	0.003
SR-406	272.80	274.30	1.6	0.078	0.009
SR-406	274.30	276.50	1.0	0.113	0.005
SR-406	276.50	278.20	1.9	0.120	0.005
SR-406	278.20	280.35	2.0	0.204	0.009
SR-406	280.35	271.73	1.2	0.057	0.004
SR-406	271.73	283.93	1.3	0.143	0.005
SR-406	283.93	286.00	1.2	0.215	0.003
SR-406	286.00	288.80	1.1	0.071	0.003
SR-406	288.80	291.65	0.3	0.010	0.001
SR-406	291.65	294.65	0.3	0.008	0.001
SR-406	294.65	297.70	0.3	0.007	0.001
SR-406	297.70	300.87	0.3	0.015	0.001
SR-406	300.87	303.85	0.3	0.013	0.003
SR-406	303.85	306.78	43.8	0.095	0.111
SR-406	306.78	309.43	66.4	0.071	0.161
SR-406	309.43	310.90	4.8	0.014	0.010
SR-406	310.90	312.36	4.8	0.042	0.008
SR-406	312.36	315.10	6.3	0.016	0.014
SR-406	315.10	316.25	10.2	0.010	0.052
SR-406	316.25	317.45	26.3	0.010	0.066
SR-406	317.45	320.00	0.9	0.007	0.002
SR-406	320.00	321.75	1.6	0.005	0.004
SR-406	321.75	324.00	2.8	0.008	0.010
SR-406	324.00	324.80	10.1	0.009	0.031
SR-406	324.80	326.00	16.3	0.010	0.050
SR-406	326.00	327.95	23.4	0.019	0.043
SR-406	327.95	330.23	12.1	0.044	0.010
SR-406	330.23	332.80	25.8	0.144	0.012
SR-406	332.80	335.25	0.3	0.020	0.000
SR-406	335.25	338.10	1.4	0.022	0.001
SR-406	338.10	339.60	0.3	0.006	0.000
SR-406	339.60	342.65	0.3	0.005	0.000

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-406	342.65	346.25	0.3	0.005	0.000
SR-406	346.25	347.95	0.3	0.003	0.000
SR-406	347.95	350.00	0.3	0.006	0.000
SR-406	350.00	353.00	0.3	0.005	0.000
SR-406	353.00	355.55	0.3	0.003	0.000
SR-406	355.55	357.50	0.3	0.011	0.000
SR-406	357.50	359.90	0.3	0.005	0.001
SR-406	359.90	361.65	0.3	0.007	0.001
SR-406	361.65	364.10	0.8	0.014	0.002
SR-406	364.10	365.65	1.2	0.052	0.001
SR-406	365.65	367.50	0.3	0.008	0.002
SR-406	367.50	369.65	0.8	0.011	0.004
SR-406	369.65	372.40	0.3	0.008	0.002
SR-406	372.40	374.33	1.9	0.397	0.008
SR-406	374.33	376.34	0.3	0.022	0.001
SR-406	376.34	378.90	0.3	0.003	0.001
SR-406	378.90	379.90	0.6	0.003	0.003
SR-406	379.90	381.80	0.3	0.003	0.001
SR-406	381.80	384.36	0.3	0.003	0.001
SR-406	384.36	378.90	0.3	0.003	0.001
SR-406	512.35	514.40	0.3	0.003	0.002
SR-406	514.40	515.35	0.3	0.003	0.000
SR-406	515.35	415.00	0.8	0.008	0.000
SR-406	415.00	517.45	0.5	0.005	0.000
SR-406	533.00	534.20	0.3	0.003	0.000
SR-406	534.20	535.20	0.3	0.003	0.000
SR-406	535.20	536.44	0.3	0.003	0.001
SR-406	536.44	538.10	0.3	0.003	0.003
SR-406	538.10	539.70	0.3	0.003	0.001
SR-406	547.50	549.38	0.3	0.003	0.000
SR-406	549.38	551.00	0.3	0.003	0.002
SR-406	551.00	553.00	4.4	0.003	0.040
SR-406	553.00	555.00	0.9	0.003	0.021
SR-406	555.00	558.00	0.3	0.005	0.002
SR-406	558.00	560.00	0.3	0.003	0.001
SR-406	560.00	563.00	0.3	0.003	0.000
SR-406	563.00	565.30	0.3	0.003	0.002
SR-406	565.30	567.10	0.3	0.003	0.002
SR-406	567.10	568.05	0.8	0.010	0.005
SR-406	568.05	570.00	0.3	0.003	0.003
SR-406	570.00	572.00	0.3	0.003	0.001
SR-406	572.00	573.40	0.3	0.003	0.002
SR-406	573.40	576.00	0.3	0.003	0.004

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-406	576.00	578.10	0.3	0.003	0.001
SR-406	578.10	578.55	0.3	0.003	0.008
SR-406	578.55	580.40	0.3	0.003	0.002
SR-406	580.40	581.00	4.8	0.025	0.005
SR-406	581.00	583.30	0.8	0.024	0.002
SR-406	583.30	584.76	0.3	0.012	0.006
SR-406	584.76	586.63	0.3	0.003	0.001
SR-406	586.63	588.00	0.5	0.008	0.003
SR-406	588.00	589.73	0.3	0.003	0.011
SR-406	589.73	591.80	0.3	0.003	0.003
SR-406	591.80	584.00	0.3	0.003	0.003
SR-408	43.73	45.10	<0.5	<0.005	0.000
SR-408	45.10	47.70	<0.5	<0.005	0.002
SR-408	47.70	50.10	<0.5	0.005	0.002
SR-408	50.10	51.90	<0.5	<0.005	0.004
SR-408	51.90	53.50	<0.5	<0.005	0.001
SR-408	53.50	54.60	<0.5	<0.005	0.002
SR-408	54.60	55.80	<0.5	<0.005	0.001
SR-408	55.80	57.40	<0.5	<0.005	0.001
SR-408	57.40	58.50	<0.5	<0.005	0.000
SR-408	58.50	61.50	<0.5	0.006	0.001
SR-408	61.50	63.66	<0.5	<0.005	0.001
SR-408	63.66	65.75	<0.5	<0.005	0.000
SR-408	61.50	63.66	<0.5	<0.005	0.000
SR-408	65.75	67.60	<0.5	<0.005	0.001
SR-408	126.00	127.63	0.5	0.034	0.010
SR-408	127.63	128.40	0.9	0.012	0.004
SR-408	128.40	130.05	0.9	0.008	0.002
SR-408	130.05	132.00	0.6	0.007	0.003
SR-408	132.00	133.48	1.5	0.008	0.001
SR-408	133.48	135.70	0.8	<0.005	0.000
SR-408	135.70	137.70	<0.5	<0.005	0.002
SR-408	137.70	139.50	1.1	0.195	0.014
SR-408	139.50	141.00	<0.5	0.006	0.001
SR-408	141.00	143.00	0.6	0.006	0.001
SR-408	143.00	144.66	0.7	0.151	0.001
SR-408	144.66	146.00	<0.5	<0.005	0.000
SR-408	146.00	147.08	<0.5	<0.005	0.001
SR-408	147.08	148.50	<0.5	0.005	0.001
SR-408	148.50	150.10	<0.5	0.006	0.004
SR-408	150.10	152.10	<0.5	0.005	0.001
SR-408	152.10	153.20	<0.5	0.005	0.001
SR-408	153.20	154.30	0.6	0.007	0.002

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-408	154.30	155.40	1.3	0.016	0.002
SR-408	155.40	156.60	0.8	0.013	0.011
SR-408	156.60	158.55	1.8	0.013	0.012
SR-408	163.30	164.81	3.8	0.033	0.012
SR-408	158.55	160.70	3.0	0.011	0.010
SR-408	160.70	161.70	3.4	0.013	0.007
SR-408	161.70	163.30	2.1	0.013	0.004
SR-408	163.30	164.81	3.3	0.022	0.009
SR-408	164.81	166.50	4.2	0.058	0.011
SR-408	166.50	168.00	3.7	0.023	0.006
SR-408	207.45	209.30	2.6	0.006	0.000
SR-408	209.30	210.50	6.0	0.182	0.002
SR-408	210.50	211.85	8.5	0.062	0.003
SR-408	224.45	226.50	0.6	0.007	0.000
SR-408	226.50	228.10	1.0	0.007	0.002
SR-408	228.10	229.90	<0.5	0.006	0.002
SR-408	229.90	232.25	<0.5	<0.005	0.002
SR-408	232.25	234.00	<0.5	<0.005	0.000
SR-408	248.70	250.70	0.6	0.007	0.001
SR-408	250.70	252.50	<0.5	<0.005	0.000
SR-408	252.50	254.75	<0.5	<0.005	0.001
SR-408	254.75	256.80	<0.5	<0.005	0.001
SR-408	256.80	258.65	<0.5	<0.005	0.006
SR-408	258.65	260.80	<0.5	0.005	0.001
SR-408	260.80	262.90	<0.5	0.005	0.002
SR-408	262.90	264.40	<0.5	0.006	0.001
SR-408	264.40	265.75	<0.5	0.005	0.001
SR-408	265.75	268.75	<0.5	0.006	0.001
SR-408	268.75	270.60	<0.5	0.008	0.001
SR-408	270.60	272.50	<0.5	<0.005	0.001
SR-408	272.50	274.50	<0.5	<0.005	0.000
SR-408	274.50	275.35	<0.5	<0.005	0.004
SR-408	275.35	276.80	<0.5	<0.005	0.004
SR-408	275.35	276.80	<0.5	<0.005	0.006
SR-408	276.80	278.30	<0.5	<0.005	0.001
SR-408	278.30	280.10	<0.5	<0.005	0.001
SR-408	280.10	281.60	<0.5	<0.005	0.000
SR-408	281.60	282.80	<0.5	<0.005	0.001
SR-408	282.80	283.75	<0.5	0.005	0.001
SR-408	283.75	284.80	<0.5	<0.005	0.000
SR-408	284.80	286.40	<0.5	0.006	0.000
SR-408	286.40	288.10	<0.5	0.005	0.001
SR-408	288.10	289.05	<0.5	<0.005	0.000

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-408	289.05	289.95	<0.5	<0.005	0.000
SR-408	289.95	292.00	<0.5	0.006	0.000
SR-408	292.00	293.35	0.7	0.007	0.001
SR-408	293.35	294.70	<0.5	0.006	0.001
SR-408	294.70	295.50	<0.5	0.006	0.000
SR-408	295.50	296.60	0.6	0.005	0.001
SR-408	296.60	298.15	0.5	<0.005	0.000
SR-408	298.15	299.50	0.7	<0.005	0.000
SR-408	299.50	300.90	0.7	<0.005	0.001
SR-408	300.90	302.15	13.9	0.013	0.007
SR-408	302.15	304.30	8.6	0.015	0.011
SR-408	304.30	305.55	8.6	0.008	0.001
SR-408	305.55	307.40	1.3	0.005	0.001
SR-408	307.40	308.10	0.7	0.005	0.018
SR-408	308.10	308.65	<0.5	<0.005	0.002
SR-408	308.65	310.35	<0.5	<0.005	0.002
SR-408	310.35	312.00	<0.5	<0.005	0.000
SR-408	312.00	314.40	0.5	<0.005	0.001
SR-408	314.40	315.30	<0.5	<0.005	0.000
SR-408	315.30	317.40	<0.5	<0.005	0.003
SR-408	317.40	319.70	<0.5	0.010	0.003
SR-408	319.70	321.80	2.7	0.027	0.006
SR-408	321.80	323.60	1.9	0.017	0.004
SR-408	323.60	324.20	<0.5	0.006	0.002
SR-408	324.20	325.75	14.1	0.023	0.012
SR-408	325.75	327.25	0.9	0.010	0.005
SR-408	327.25	329.40	0.7	0.007	0.002
SR-408	329.40	331.45	<0.5	0.005	0.002
SR-408	331.45	333.80	4.7	0.027	0.009
SR-408	333.80	336.25	<0.5	0.006	0.001
SR-408	336.25	337.70	<0.5	<0.005	0.001
SR-408	337.70	339.00	<0.5	0.007	0.001
SR-408	339.00	340.90	<0.5	0.009	0.002
SR-408	340.90	342.00	<0.5	<0.005	0.001
SR-408	342.00	344.50	<0.5	<0.005	0.003
SR-408	344.50	346.90	<0.5	<0.005	0.002
SR-408	346.90	348.90	<0.5	<0.005	0.003
SR-408	348.90	352.05	0.5	<0.005	0.000
SR-408	352.05	354.40	0.8	<0.005	0.001
SR-408	354.40	356.05	0.5	<0.005	0.001
SR-408	356.05	357.90	1.0	<0.005	0.001
SR-408	357.90	360.00	3.7	0.006	0.005
SR-408	348.90	352.05	0.8	<0.005	0.000

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-408	360.00	361.75	3.6	0.005	0.001
SR-408	361.75	363.60	3.9	<0.005	0.003
SR-408	363.60	365.00	4.0	0.005	0.004
SR-408	365.00	367.05	1.4	<0.005	0.001
SR-408	367.05	368.10	6.8	0.012	0.002
SR-408	368.10	370.10	2.6	0.007	0.003
SR-408	370.10	372.25	2.0	0.007	0.001
SR-408	372.25	374.25	<0.5	0.010	0.002
SR-408	374.25	376.05	<0.5	<0.005	0.001
SR-408	376.05	377.60	4.9	0.008	0.001
SR-408	377.60	379.10	4.4	0.021	0.002
SR-408	379.10	380.20	3.3	0.006	0.002
SR-408	380.20	381.70	3.6	0.013	0.001
SR-408	381.70	382.70	4.7	0.046	0.002
SR-408	382.70	384.20	3.2	0.015	0.001
SR-408	384.20	386.30	1.8	0.006	0.001
SR-408	386.30	387.60	<0.5	<0.005	0.001
SR-408	387.60	389.40	1.0	0.007	0.002
SR-408	389.40	391.30	<0.5	0.007	0.000
SR-408	391.30	393.30	0.5	0.013	0.001
SR-408	393.30	395.35	1.7	0.030	0.001
SR-408	395.35	397.54	0.8	0.013	0.000
SR-408	399.30	400.73	<0.5	<0.005	0.000
SR-408	397.54	399.30	0.8	0.039	0.000
SR-408	399.30	400.73	<0.5	<0.005	0.000
SR-408	400.73	403.18	0.8	0.005	0.002
SR-408	403.18	405.00	14.0	0.019	0.002
SR-408	405.00	406.45	6.7	0.011	0.002
SR-408	406.45	408.85	5.4	0.011	0.006
SR-408	408.85	409.22	2.2	0.006	0.000
SR-408	409.22	410.20	6.9	0.012	0.002
SR-408	410.20	412.75	0.6	<0.005	0.001
SR-408	412.75	414.00	0.5	<0.005	0.003
SR-408	414.00	416.55	6.1	0.009	0.004
SR-408	416.55	417.88	<0.5	<0.005	0.007
SR-408	417.88	419.40	<0.5	0.005	0.000
SR-408	419.40	421.00	<0.5	<0.005	0.006
SR-408	421.00	422.75	<0.5	0.005	0.001
SR-408	422.75	425.00	<0.5	<0.005	0.001
SR-408	425.00	427.60	<0.5	0.006	0.002
SR-408	427.60	429.00	0.8	0.016	0.004
SR-408	429.00	430.55	<0.5	<0.005	0.001
SR-408	430.55	432.60	0.6	0.007	0.006

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-408	432.60	433.80	1.4	0.008	0.005
SR-408	433.80	435.20	0.5	<0.005	0.001
SR-408	435.20	437.20	3.5	0.008	0.001
SR-408	437.20	439.00	0.6	0.006	0.001
SR-408	439.00	441.00	4.0	0.007	0.003
SR-408	441.00	442.00	<0.5	<0.005	0.000
SR-408	442.00	443.55	<0.5	<0.005	0.003
SR-408	443.55	445.80	<0.5	<0.005	0.002
SR-408	445.80	446.90	<0.5	<0.005	0.014
SR-408	446.90	447.50	<0.5	<0.005	0.000
SR-408	447.50	449.40	<0.5	<0.005	0.005
SR-408	449.40	451.60	1.4	0.006	0.000
SR-408	451.60	453.90	1.0	0.006	0.019
SR-408	453.90	456.00	<0.5	0.006	0.000
SR-408	456.00	458.00	<0.5	0.005	0.000
SR-408	458.00	460.00	<0.5	<0.005	0.000
SR-408	460.00	462.00	<0.5	<0.005	0.000
SR-408	462.00	464.00	<0.5	0.006	0.000
SR-408	464.00	466.00	<0.5	<0.005	0.000
SR-408	466.00	468.00	<0.5	<0.005	0.000
SR-408	468.00	470.00	<0.5	<0.005	0.000
SR-408	470.00	471.50	<0.5	0.015	0.002
SR-408	471.50	473.50	1.5	0.043	0.013
SR-408	473.50	475.30	<0.5	0.009	0.002
SR-408	475.30	477.10	<0.5	0.019	0.005
SR-408	488.00	489.70	4.0	0.222	0.003
SR-408	489.70	491.90	<0.5	0.042	0.003
SR-408	491.90	494.00	<0.5	0.009	0.002
SR-408	494.00	495.90	<0.5	0.007	0.005
SR-408	495.90	498.00	<0.5	<0.005	0.002
SR-408	519.00	520.30	<0.5	0.008	0.002
SR-409	129.00	131.20	<0.5	0.022	0.002
SR-409	131.20	132.58	<0.5	0.021	0.003
SR-409	132.58	134.70	1.5	0.057	0.009
SR-409	134.70	136.50	1.5	0.212	0.014
SR-409	136.50	137.30	0.6	0.020	0.002
SR-409	137.30	139.50	0.8	0.019	0.001
SR-409	177.60	178.90	2.5	0.032	0.006
SR-409	178.90	180.20	3.3	0.056	0.022
SR-409	180.20	181.90	3.1	0.102	0.008
SR-409	181.90	183.80	3.1	0.044	0.006
SR-409	183.80	185.55	4.0	0.070	0.008
SR-409	185.55	186.80	7.1	0.074	0.017

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-409	186.80	188.25	6.8	0.068	0.006
SR-409	188.25	189.55	7.1	0.060	0.018
SR-409	189.55	190.95	5.4	0.054	0.028
SR-409	190.95	192.00	8.1	0.095	0.031
SR-409	192.00	193.00	23.0	0.091	0.127
SR-409	193.00	194.85	37.1	0.058	0.021
SR-409	194.85	196.20	88.8	0.163	0.127
SR-409	196.20	197.60	33.2	0.483	0.071
SR-409	197.60	198.90	40.0	0.815	0.054
SR-409	198.90	199.80	90.2	0.459	0.074
SR-409	199.80	200.80	19.5	0.188	0.067
SR-409	200.80	202.00	4.4	0.026	0.019
SR-409	202.00	203.75	45.5	0.372	0.168
SR-409	203.75	204.90	3.5	0.011	0.012
SR-409	204.90	206.40	31.6	0.026	0.108
SR-409	206.40	208.92	>100	0.205	0.383
SR-409	208.92	210.32	8.6	0.024	0.021
SR-409	210.32	212.40	3.0	0.005	0.008
SR-409	212.40	213.90	6.0	0.015	0.019
SR-409	213.90	216.05	9.3	0.011	0.030
SR-409	216.05	217.00	3.6	0.011	0.011
SR-409	217.00	219.00	0.8	0.006	0.001
SR-409	219.00	222.00	0.5	0.007	0.001
SR-409	222.00	223.57	<0.5	0.011	0.002
SR-409	223.57	225.00	0.7	0.010	0.002
SR-409	219.00	222.00	<0.5	0.008	0.001
SR-409	225.00	226.60	1.7	0.007	0.010
SR-409	226.60	228.00	2.3	0.007	0.006
SR-409	228.00	230.00	>100	0.395	1.000
SR-409	230.00	230.90	10.9	0.061	0.058
SR-409	230.90	232.40	4.4	0.036	0.008
SR-409	232.40	233.80	47.4	0.076	0.146
SR-409	233.80	235.20	13.9	0.070	0.026
SR-409	235.20	236.18	26.5	0.056	0.241
SR-409	236.18	237.90	4.1	0.015	0.009
SR-409	237.90	239.80	3.7	0.019	0.004
SR-409	239.80	241.75	<0.5	<0.005	0.002
SR-409	241.75	243.35	97.4	0.022	0.575
SR-409	243.35	245.65	<0.5	<0.005	0.003
SR-409	245.65	247.65	<0.5	<0.005	0.002
SR-409	247.65	249.40	3.3	<0.005	0.015
SR-409	249.40	251.80	0.7	0.006	0.006
SR-409	251.80	253.80	<0.5	<0.005	0.002

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-409	253.80	255.60	0.5	0.005	0.003
SR-409	255.60	258.00	<0.5	<0.005	0.003
SR-409	258.00	258.78	7.8	0.046	0.021
SR-409	258.78	260.00	30.7	0.040	0.069
SR-409	260.00	262.24	61.4	0.064	0.340
SR-409	262.24	264.10	10.2	0.012	0.047
SR-409	264.10	265.25	80.1	0.046	0.490
SR-409	265.25	266.40	0.8	0.005	0.006
SR-409	266.40	267.60	75.9	0.105	0.087
SR-409	267.60	269.45	7.3	0.030	0.020
SR-409	269.45	271.90	55.3	0.052	0.118
SR-409	271.90	274.10	35.5	0.051	0.079
SR-409	274.10	276.00	<0.5	<0.005	0.003
SR-409	276.00	278.00	<0.5	0.010	0.001
SR-409	278.00	280.00	<0.5	<0.005	0.002
SR-409	280.00	282.00	<0.5	<0.005	0.001
SR-409	282.00	283.30	<0.5	<0.005	0.002
SR-409	283.30	285.25	34.9	0.075	0.093
SR-409	285.25	286.80	89.6	0.138	0.162
SR-409	266.40	267.60	47.7	0.065	0.081
SR-409	286.80	288.80	3.9	0.008	0.003
SR-409	288.80	290.30	26.0	0.266	0.070
SR-409	290.30	292.30	35.7	0.202	0.022
SR-409	292.30	294.50	81.5	0.080	0.139
SR-409	294.50	295.35	4.1	0.014	0.007
SR-409	295.35	296.95	38.5	0.065	0.028
SR-409	296.95	298.00	27.5	0.187	0.056
SR-409	298.00	299.25	20.0	0.045	0.008
SR-409	299.25	300.40	8.9	0.065	0.013
SR-409	300.40	302.00	19.5	0.206	0.008
SR-409	302.00	304.00	14.1	0.142	0.008
SR-409	304.00	306.00	61.6	0.527	0.101
SR-409	306.00	307.10	18.7	0.102	0.035
SR-409	307.10	309.00	0.5	<0.005	0.004
SR-409	309.00	311.35	0.9	<0.005	0.002
SR-409	311.35	313.15	14.3	0.447	0.017
SR-409	313.15	315.00	<0.5	0.005	0.001
SR-409	315.00	316.00	4.9	0.168	0.005
SR-409	316.00	318.00	0.7	0.045	0.001
SR-409	318.00	319.10	1.6	0.117	0.001
SR-409	319.10	319.80	7.6	0.520	0.014
SR-409	319.80	322.50	0.8	0.054	0.001
SR-409	322.50	323.40	2.2	0.640	0.002

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-409	323.40	324.75	21.4	0.114	0.088
SR-409	324.75	326.25	27.2	0.079	0.085
SR-409	326.25	327.60	4.2	0.015	0.021
SR-409	327.60	329.37	1.2	<0.005	0.007
SR-409	329.37	331.40	0.6	<0.005	0.021
SR-409	331.40	333.65	2.5	<0.005	0.003
SR-409	333.65	335.65	0.8	<0.005	0.003
SR-409	335.65	336.85	1.1	<0.005	0.005
SR-409	336.85	338.35	1.6	<0.005	0.006
SR-409	338.35	340.00	11.3	0.028	0.035
SR-409	340.00	342.00	24.0	0.035	0.021
SR-409	342.00	343.00	2.8	0.015	0.004
SR-409	343.00	344.60	1.7	0.021	0.001
SR-409	344.60	347.00	<0.5	<0.005	0.004
SR-409	347.00	348.25	5.7	0.009	0.004
SR-409	348.25	349.65	16.9	0.015	0.011
SR-409	349.65	350.85	16.8	0.032	0.014
SR-409	350.85	353.05	1.7	0.008	0.002
SR-409	353.05	354.00	22.7	0.010	0.009
SR-409	354.00	356.30	10.5	0.005	0.003
SR-409	356.30	358.00	1.8	<0.005	0.003
SR-409	358.00	359.60	1.5	0.008	0.021
SR-409	359.60	362.00	1.5	0.005	0.005
SR-409	362.00	364.45	1.1	<0.005	0.003
SR-409	364.45	366.90	1.0	<0.005	0.002
SR-409	366.90	369.00	<0.5	<0.005	0.001
SR-409	369.00	371.00	<0.5	<0.005	0.001
SR-409	371.00	372.00	<0.5	<0.005	0.000
SR-409	372.00	374.15	<0.5	<0.005	0.001
SR-409	374.15	375.85	<0.5	<0.005	0.001
SR-409	375.85	377.60	4.0	0.006	0.010
SR-409	377.60	378.95	1.6	<0.005	0.006
SR-409	378.95	379.65	0.8	<0.005	0.002
SR-409	379.65	381.30	1.0	<0.005	0.004
SR-409	381.30	382.30	0.9	<0.005	0.004
SR-409	382.30	384.40	<0.5	<0.005	0.001
SR-409	384.40	387.00	0.8	0.006	0.002
SR-409	387.00	388.40	1.9	<0.005	0.013
SR-409	388.40	390.45	<0.5	<0.005	0.002
SR-409	390.45	393.00	0.9	<0.005	0.003
SR-409	393.00	394.40	<0.5	<0.005	0.002
SR-409	394.40	395.50	0.7	<0.005	0.002
SR-409	395.50	397.25	<0.5	<0.005	0.001

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-409	397.25	399.75	1.7	<0.005	0.001
SR-409	399.75	402.00	<0.5	<0.005	0.000
SR-409	402.00	404.40	0.6	<0.005	0.003
SR-409	404.40	407.20	0.6	<0.005	0.004
SR-409	407.20	407.90	8.6	0.014	0.014
SR-409	407.90	409.15	1.5	<0.005	0.001
SR-409	409.15	411.00	<0.5	<0.005	0.002
SR-409	411.00	413.28	<0.5	<0.005	0.003
SR-409	413.28	415.40	3.5	<0.005	0.009
SR-409	415.40	417.85	2.0	<0.005	0.003
SR-409	417.85	420.65	<0.5	<0.005	0.001
SR-409	417.85	420.65	<0.5	<0.005	0.001
SR-409	420.65	422.75	5.4	0.007	0.018
SR-409	422.75	423.55	80.3	0.033	0.027
SR-409	423.55	424.90	4.5	0.018	0.012
SR-409	424.90	426.30	<0.5	<0.005	0.003
SR-409	426.30	427.95	3.2	0.005	0.012
SR-409	427.95	429.60	3.3	0.012	0.008
SR-409	429.60	432.00	4.0	0.006	0.003
SR-409	432.00	433.70	9.0	0.034	0.016
SR-409	433.70	435.55	7.7	0.018	0.020
SR-409	435.55	436.75	2.2	0.028	0.006
SR-409	436.75	438.70	0.7	<0.005	0.003
SR-409	438.70	439.55	0.6	0.007	0.005
SR-409	439.55	441.70	<0.5	<0.005	0.002
SR-409	441.70	443.75	0.5	0.007	0.002
SR-409	443.75	444.70	15.2	0.048	0.016
SR-409	444.70	446.20	5.3	0.039	0.007
SR-409	446.20	447.70	10.7	0.049	0.018
SR-409	447.70	449.55	1.0	0.006	0.001
SR-409	449.55	452.00	3.3	0.013	0.002
SR-409	452.00	453.80	4.0	0.019	0.002
SR-409	453.80	455.75	2.7	0.025	0.006
SR-409	455.75	457.10	1.1	0.008	0.001
SR-409	457.10	459.00	<0.5	<0.005	0.000
SR-409	459.00	460.80	<0.5	<0.005	0.001
SR-409	460.80	462.85	1.4	0.011	0.001
SR-409	462.85	464.50	<0.5	<0.005	0.004
SR-409	464.50	466.00	<0.5	<0.005	0.002
SR-409	478.00	480.00	<0.5	0.008	0.003
SR-410	139.10	140.70	0.5	0.021	0.010
SR-410	140.70	142.55	0.5	0.030	0.007
SR-410	142.55	144.30	<0.5	0.019	0.004

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-410	144.30	145.70	<0.5	0.012	0.001
SR-410	145.70	148.25	1.1	0.012	0.002
SR-410	148.25	151.00	0.6	0.021	0.003
SR-410	151.00	153.20	<0.5	0.009	0.002
SR-410	153.20	155.25	<0.5	0.007	0.001
SR-410	155.25	157.35	<0.5	0.012	0.001
SR-410	157.35	158.85	<0.5	0.010	0.002
SR-410	158.85	161.30	0.6	0.014	0.003
SR-410	161.30	163.55	4.6	0.025	0.009
SR-410	163.55	164.45	>100	1.225	1.000
SR-410	164.45	165.30	7.3	0.055	0.026
SR-410	165.30	166.45	11.9	0.071	0.056
SR-410	166.45	167.38	3.8	0.021	0.008
SR-410	167.38	168.25	59.3	0.122	0.154
SR-410	168.25	170.50	1.9	0.012	0.003
SR-410	170.50	171.80	38.4	0.091	0.176
SR-410	171.80	173.00	>100	0.107	0.253
SR-410	173.00	174.25	>100	0.068	0.364
SR-410	174.25	175.85	2.9	0.014	0.010
SR-410	175.85	177.55	0.7	<0.005	0.001
SR-410	228.00	230.30	4.5	<0.005	0.007
SR-410	230.30	231.80	1.2	0.024	0.001
SR-410	231.80	232.70	0.7	0.020	0.001
SR-410	232.70	233.73	0.8	0.024	0.001
SR-410	233.73	235.00	0.8	0.017	0.001
SR-410	235.00	236.00	1.4	0.041	0.001
SR-410	236.00	238.10	3.0	0.076	0.001
SR-410	238.10	239.60	4.3	0.203	0.000
SR-410	239.60	240.80	<0.5	0.592	0.000
SR-410	148.25	151.00	0.5	0.017	0.002
SR-410	240.80	241.55	1.3	0.212	0.001
SR-410	241.55	242.45	0.5	0.059	0.001
SR-410	242.45	243.87	1.4	0.075	0.001
SR-410	243.87	244.97	0.5	0.043	0.001
SR-410	244.97	247.10	<0.5	0.018	0.001
SR-410	247.10	248.22	<0.5	0.006	0.000
SR-410	248.22	249.13	0.6	0.017	0.001
SR-410	249.13	250.13	<0.5	0.015	0.001
SR-410	250.13	252.00	<0.5	0.012	0.000
SR-410	252.00	254.00	4.4	0.016	0.001
SR-410	254.00	256.00	4.4	0.021	0.001
SR-410	256.00	258.00	0.9	0.015	0.001
SR-410	258.00	260.00	1.9	0.025	0.000

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-410	260.00	262.00	1.9	0.079	0.000
SR-410	262.00	263.50	1.6	0.008	0.000
SR-410	263.50	265.00	<0.5	<0.005	0.005
SR-410	265.00	266.60	0.8	0.019	0.000
SR-410	266.60	268.60	1.7	0.013	0.000
SR-410	268.60	270.60	0.8	0.007	0.000
SR-410	270.60	272.60	<0.5	<0.005	0.001
SR-410	272.60	274.60	0.5	0.007	0.000
SR-410	274.60	276.60	0.5	<0.005	0.000
SR-410	276.60	278.35	<0.5	<0.005	0.000
SR-410	278.35	280.65	1.3	0.012	0.001
SR-410	280.65	282.60	0.6	0.008	0.002
SR-410	282.60	284.50	0.9	0.008	0.003
SR-410	284.50	285.75	0.6	0.006	0.002
SR-410	285.75	287.00	0.6	<0.005	0.001
SR-410	287.00	289.00	1.5	0.006	0.007
SR-410	289.00	291.00	<0.5	<0.005	0.000
SR-410	291.00	292.70	<0.5	<0.005	0.003
SR-410	292.70	294.60	0.7	<0.005	0.001
SR-410	294.60	296.50	1.2	<0.005	0.001
SR-410	296.50	298.50	<0.5	<0.005	0.000
SR-410	298.50	300.50	<0.5	<0.005	0.004
SR-410	300.50	302.50	<0.5	<0.005	0.001
SR-410	302.50	304.50	<0.5	<0.005	0.000
SR-410	304.50	306.00	0.5	<0.005	0.002
SR-410	306.00	307.60	0.5	0.005	0.002
SR-410	307.60	309.30	<0.5	<0.005	0.006
SR-410	309.30	311.00	<0.5	<0.005	0.001
SR-410	311.00	312.65	0.5	<0.005	0.004
SR-410	312.65	314.30	0.6	<0.005	0.003
SR-410	314.30	316.00	0.7	0.016	0.001
SR-410	316.00	317.80	2.8	0.009	0.001
SR-410	317.80	319.60	2.5	0.013	0.010
SR-410	319.60	321.40	1.5	0.012	0.004
SR-410	321.40	322.95	9.6	0.035	0.003
SR-410	322.95	324.45	8.0	0.014	0.002
SR-410	324.45	326.30	<0.5	0.005	0.002
SR-410	326.30	328.20	<0.5	0.005	0.001
SR-410	328.20	329.90	1.5	0.005	0.001
SR-410	329.90	331.55	4.0	<0.005	0.001
SR-410	331.55	333.15	1.5	0.006	0.001
SR-410	333.15	334.85	<0.5	<0.005	0.000
SR-410	334.85	336.35	4.8	<0.005	0.001

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-410	336.35	338.05	<0.5	<0.005	0.000
SR-410	338.05	339.30	<0.5	0.022	0.001
SR-410	339.30	340.70	<0.5	<0.005	0.001
SR-410	340.70	342.40	0.6	<0.005	0.000
SR-410	342.40	344.15	<0.5	0.007	0.000
SR-410	344.15	345.75	<0.5	0.005	0.001
SR-410	345.75	347.35	<0.5	<0.005	0.000
SR-410	347.35	349.20	<0.5	0.013	0.000
SR-410	349.20	351.00	<0.5	<0.005	0.000
SR-410	351.00	352.35	<0.5	<0.005	0.000
SR-410	352.35	354.50	<0.5	0.005	0.001
SR-410	342.40	344.15	0.6	0.007	0.001
SR-410	354.50	356.20	<0.5	<0.005	0.002
SR-410	356.20	357.90	<0.5	<0.005	0.001
SR-410	357.90	359.40	<0.5	<0.005	0.000
SR-410	359.40	360.75	0.9	0.007	0.001
SR-410	360.75	362.00	<0.5	<0.005	0.001
SR-410	362.00	363.25	0.5	0.012	0.001
SR-410	363.25	365.00	<0.5	0.025	0.001
SR-410	365.00	366.50	0.7	0.011	0.000
SR-410	366.50	368.05	<0.5	<0.005	0.001
SR-410	368.05	369.10	<0.5	<0.005	0.000
SR-410	369.10	370.85	<0.5	<0.005	0.000
SR-410	370.85	372.60	0.7	0.005	0.004
SR-410	372.60	373.70	10.4	0.024	0.120
SR-410	373.70	375.00	0.5	<0.005	0.001
SR-410	375.00	376.40	1.3	<0.005	0.002
SR-410	376.40	378.30	<0.5	<0.005	0.002
SR-410	378.30	379.30	1.8	0.008	0.022
SR-410	379.30	380.75	0.5	0.005	0.001
SR-410	380.75	381.85	1.7	0.008	0.027
SR-410	381.85	383.15	1.4	<0.005	0.002
SR-410	383.15	384.55	0.8	<0.005	0.001
SR-410	384.55	386.50	0.8	0.006	0.011
SR-410	386.50	388.10	2.0	0.011	0.015
SR-410	388.10	389.55	<0.5	<0.005	0.004
SR-410	389.55	390.65	<0.5	<0.005	0.002
SR-410	390.65	392.55	<0.5	0.005	0.002
SR-410	392.55	394.50	1.3	<0.005	0.004
SR-410	394.50	396.40	1.1	<0.005	0.002
SR-410	396.40	397.25	<0.5	<0.005	0.002
SR-410	397.25	398.00	3.5	<0.005	0.018
SR-410	398.00	399.25	2.8	<0.005	0.009

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-410	399.25	401.15	<0.5	<0.005	0.001
SR-410	401.15	403.15	<0.5	<0.005	0.001
SR-410	403.15	405.40	6.8	<0.005	0.032
SR-410	403.15	405.40	2.4	<0.005	0.016
SR-410	405.40	406.10	2.1	<0.005	0.016
SR-410	406.10	407.00	1.5	<0.005	0.006
SR-410	407.00	407.90	<0.5	<0.005	0.000
SR-410	407.90	409.55	<0.5	<0.005	0.001
SR-410	409.55	411.00	0.9	<0.005	0.020
SR-410	411.00	413.00	<0.5	<0.005	0.002
SR-410	413.00	415.00	0.7	0.011	0.005
SR-410	415.00	417.00	<0.5	<0.005	0.008
SR-410	417.00	417.65	<0.5	0.010	0.000
SR-410	417.65	418.30	0.7	0.008	0.004
SR-410	418.30	420.60	<0.5	<0.005	0.001
SR-410	420.60	422.50	1.0	<0.005	0.006
SR-410	422.50	424.35	<0.5	0.006	0.002
SR-410	424.35	425.65	<0.5	<0.005	0.001
SR-410	425.65	427.75	0.8	0.013	0.001
SR-410	427.75	429.20	<0.5	0.010	0.000
SR-410	429.20	430.50	<0.5	0.007	0.001
SR-410	430.50	432.15	<0.5	0.005	0.000
SR-410	432.15	433.95	0.6	0.014	0.000
SR-410	433.95	434.60	<0.5	0.010	0.000
SR-410	434.60	435.75	0.6	0.011	0.000
SR-410	435.75	437.55	<0.5	0.006	0.001
SR-410	437.55	439.40	<0.5	<0.005	0.004
SR-410	439.40	440.60	<0.5	0.005	0.000
SR-410	440.60	442.60	<0.5	<0.005	0.000
SR-410	442.60	444.15	0.8	0.012	0.000
SR-410	444.15	445.60	<0.5	<0.005	0.000
SR-410	445.60	446.85	<0.5	<0.005	0.000
SR-410	446.85	448.25	0.8	0.006	0.000
SR-410	448.25	450.25	<0.5	<0.005	0.002
SR-410	450.25	452.25	<0.5	0.007	0.000
SR-410	452.25	454.25	<0.5	<0.005	0.001
SR-410	454.25	456.25	<0.5	0.019	0.000
SR-410	456.25	458.25	<0.5	0.013	0.001
SR-410	458.25	460.60	2.9	0.031	0.003
SR-410	460.60	462.65	<0.5	0.006	0.000
SR-410	462.65	463.35	<0.5	0.016	0.001
SR-410	463.35	464.75	<0.5	<0.005	0.000
SR-410	464.75	466.15	2.8	0.024	0.002

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-410	466.15	467.40	<0.5	0.009	0.001
SR-410	467.40	468.65	<0.5	0.009	0.000
SR-410	468.65	470.25	10.6	0.318	0.006
SR-410	470.25	472.00	<0.5	0.011	0.001
SR-410	472.00	473.55	<0.5	<0.005	0.000
SR-410	473.55	475.00	<0.5	0.006	0.001
SR-410	483.00	484.60	<0.5	0.015	0.001
SR-410	484.60	486.10	<0.5	0.016	0.001
SR-410	492.90	493.50	<0.5	0.007	0.012
SR-410	493.50	495.00	<0.5	0.007	0.001
SR-410	496.60	498.00	<0.5	0.005	0.003
SR-411	8.85	10.55	0.9	0.018	0.002
SR-411	10.55	11.50	11.8	0.067	0.017
SR-411	11.50	13.00	24.7	0.089	0.037
SR-411	13.00	14.50	6.6	0.053	0.015
SR-411	14.50	15.75	0.9	0.010	0.006
SR-411	15.75	17.30	1.3	0.007	0.007
SR-411	17.30	18.65	1.1	0.019	0.009
SR-411	18.65	20.30	4.3	0.022	0.009
SR-411	20.30	22.35	1.6	0.017	0.002
SR-411	22.35	23.45	58.1	0.054	0.028
SR-411	23.45	24.45	3.3	0.014	0.007
SR-411	24.45	26.20	2.3	0.014	0.006
SR-411	26.20	28.00	2.2	0.009	0.003
SR-411	28.00	29.35	2.8	0.023	0.002
SR-411	29.35	30.55	1.9	0.023	0.002
SR-411	30.55	31.30	3.0	0.027	0.009
SR-411	31.30	32.85	2.7	0.046	0.001
SR-411	32.85	34.45	1.7	0.014	0.001
SR-411	34.45	35.65	7.1	0.023	0.008
SR-411	35.65	37.45	2.0	0.029	0.003
SR-411	37.45	39.10	41.6	0.040	0.004
SR-411	39.10	41.00	15.4	0.044	0.003
SR-411	41.00	42.70	9.4	0.494	0.010
SR-411	39.10	41.00	12.9	0.056	0.003
SR-411	42.70	43.80	1.1	0.010	0.001
SR-411	43.80	45.50	<0.5	<0.005	0.001
SR-411	45.50	47.35	<0.5	<0.005	0.004
SR-411	47.35	49.00	<0.5	<0.005	0.003
SR-411	49.00	50.75	<0.5	<0.005	0.007
SR-411	50.75	52.45	<0.5	<0.005	0.012
SR-411	52.45	54.15	<0.5	<0.005	0.011
SR-411	54.15	56.30	<0.5	0.006	0.010

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-411	56.30	58.00	1.7	0.007	0.004
SR-411	58.00	59.30	<0.5	<0.005	0.002
SR-411	59.30	61.30	0.5	0.017	0.004
SR-411	61.30	63.00	18.1	0.011	0.013
SR-411	63.00	64.75	24.5	0.020	0.043
SR-411	64.75	66.00	3.4	0.018	0.007
SR-411	66.00	66.80	8.7	0.021	0.015
SR-411	66.80	68.30	3.4	0.021	0.006
SR-411	68.30	70.00	1.5	0.099	0.004
SR-411	70.00	70.50	1.4	0.017	0.004
SR-411	70.50	71.95	1.3	0.044	0.003
SR-411	71.95	73.00	32.4	0.046	0.049
SR-411	73.00	74.10	7.7	0.047	0.021
SR-411	74.10	76.15	1.4	0.043	0.003
SR-411	76.15	77.10	2.8	0.029	0.017
SR-411	77.10	78.15	29.1	0.022	0.027
SR-411	78.15	79.60	1.2	0.032	0.004
SR-411	79.60	81.00	3.9	0.024	0.008
SR-411	81.00	82.15	4.9	0.093	0.014
SR-411	82.15	83.30	2.1	0.015	0.009
SR-411	83.30	84.40	3.6	0.015	0.008
SR-411	84.40	86.30	7.4	0.020	0.018
SR-411	86.30	87.85	3.8	0.034	0.003
SR-411	86.30	87.85	1.5	0.031	0.003
SR-411	87.85	88.55	1.8	0.023	0.004
SR-411	88.55	90.30	6.1	0.027	0.014
SR-411	90.30	91.75	7.2	0.027	0.022
SR-411	91.75	92.55	14.0	0.027	0.042
SR-411	92.55	93.40	93.1	0.119	0.424
SR-411	93.40	93.90	60.5	0.073	0.175
SR-411	93.90	94.80	>100	0.071	0.472
SR-411	94.80	96.80	2.9	0.012	0.024
SR-411	96.80	98.30	7.5	0.030	0.023
SR-411	98.30	99.80	15.1	0.036	0.040
SR-411	99.80	100.80	0.6	0.010	0.013
SR-411	100.80	102.90	1.9	0.012	0.031
SR-411	102.90	103.95	8.4	0.030	0.006
SR-411	103.95	105.20	51.2	0.057	0.084
SR-411	105.20	106.65	5.3	0.022	0.012
SR-411	106.65	108.10	10.8	0.019	0.018
SR-411	108.10	109.60	40.4	0.078	0.027
SR-411	109.60	110.25	1.3	0.008	0.004
SR-411	110.25	113.00	4.1	0.012	0.022

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-411	113.00	115.40	68.2	0.051	0.068
SR-411	115.40	117.28	2.4	0.015	0.012
SR-411	117.28	118.67	3.9	0.018	0.012
SR-411	118.67	120.84	5.4	0.020	0.009
SR-411	120.84	122.90	61.0	0.057	0.071
SR-411	122.90	123.47	2.4	0.015	0.004
SR-411	123.47	125.40	6.5	0.006	0.055
SR-411	125.40	127.33	9.6	0.013	0.038
SR-411	127.33	128.60	100.0	0.193	0.168
SR-411	128.60	130.80	23.6	0.236	0.054
SR-411	130.80	131.80	30.6	0.069	0.054
SR-411	131.80	132.60	16.3	0.053	0.039
SR-411	132.60	135.00	45.0	0.047	0.048
SR-411	135.00	135.96	4.8	0.042	0.025
SR-411	135.96	137.10	1.3	0.011	0.015
SR-411	137.10	138.85	8.0	0.021	0.026
SR-411	138.85	140.40	3.7	0.031	0.015
SR-411	140.40	141.53	24.9	0.032	0.141
SR-411	141.53	143.50	27.1	0.032	0.054
SR-411	143.50	145.70	10.0	0.030	0.025
SR-411	145.70	146.20	10.3	0.016	0.042
SR-411	146.20	147.24	5.4	0.019	0.016
SR-411	147.24	149.60	4.2	0.021	0.019
SR-411	149.60	151.55	6.3	0.013	0.030
SR-411	151.55	152.75	22.9	0.046	0.036
SR-411	152.75	153.70	10.7	0.021	0.037
SR-411	153.70	154.90	53.1	0.027	0.139
SR-411	154.90	156.60	28.2	0.015	0.034
SR-411	156.60	157.40	87.3	0.040	0.268
SR-411	157.40	159.15	57.0	0.019	0.034
SR-411	159.15	159.80	56.7	0.026	0.033
SR-411	159.80	162.00	2.9	0.006	0.011
SR-411	162.00	164.00	2.9	0.011	0.009
SR-411	164.00	166.00	1.6	0.007	0.007
SR-411	166.00	168.00	2.4	0.005	0.007
SR-411	168.00	170.00	3.0	<0.005	0.006
SR-411	170.00	172.00	2.8	0.009	0.009
SR-411	172.00	174.00	3.2	0.010	0.011
SR-411	174.00	176.00	2.4	0.007	0.022
SR-411	172.00	174.00	4.5	0.011	0.006
SR-411	176.00	178.00	1.5	0.007	0.004
SR-411	178.00	180.00	4.3	0.009	0.009
SR-411	180.00	181.80	2.2	0.014	0.007

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-411	181.80	183.20	3.5	0.017	0.012
SR-411	183.20	184.40	8.2	0.034	0.039
SR-411	184.40	186.00	2.9	0.015	0.019
SR-411	186.00	187.75	<0.5	<0.005	0.002
SR-411	187.75	189.10	<0.5	<0.005	0.003
SR-411	189.10	190.95	<0.5	<0.005	0.002
SR-411	190.95	192.48	5.8	0.016	0.022
SR-411	192.48	194.50	0.6	<0.005	0.003
SR-411	194.50	196.35	22.8	0.699	0.001
SR-411	196.35	197.40	8.8	0.029	0.009
SR-411	197.40	198.70	27.0	0.023	0.006
SR-411	198.70	200.60	1.6	0.012	0.002
SR-411	200.60	202.00	1.5	0.006	0.004
SR-411	202.00	202.85	49.4	0.015	0.009
SR-411	202.85	204.65	5.1	0.009	0.005
SR-411	204.65	206.60	1.0	0.012	0.005
SR-411	206.60	208.60	1.9	0.006	0.002
SR-411	208.60	210.60	0.7	0.005	0.001
SR-411	210.60	212.40	0.9	0.007	0.001
SR-411	212.40	214.20	3.0	0.011	0.012
SR-411	214.20	216.15	0.9	0.010	0.002
SR-411	216.15	218.20	2.4	0.013	0.015
SR-411	218.20	220.00	1.8	0.008	0.018
SR-411	220.00	222.00	0.7	0.006	0.001
SR-411	222.00	223.90	0.9	0.009	0.004
SR-411	223.90	225.28	6.9	0.015	0.002
SR-411	225.28	226.28	5.3	0.011	0.002
SR-411	226.28	227.65	2.2	0.017	0.002
SR-411	227.65	229.20	1.3	0.014	0.003
SR-411	229.20	230.10	12.7	0.014	0.015
SR-411	230.10	231.35	14.0	0.011	0.012
SR-411	231.35	232.60	12.3	0.037	0.036
SR-411	232.60	234.25	4.6	0.005	0.003
SR-411	234.25	236.00	2.4	0.008	0.004
SR-411	236.00	236.85	<0.5	0.013	0.001
SR-411	236.85	237.50	1.3	0.010	0.002
SR-411	232.60	234.25	5.9	<0.005	0.005
SR-411	237.50	239.05	10.4	0.019	0.004
SR-411	239.05	240.00	9.8	0.014	0.004
SR-411	240.00	241.25	7.8	0.019	0.013
SR-411	241.25	242.50	>100	0.085	0.001
SR-411	242.50	243.50	7.3	0.050	0.002
SR-411	243.50	244.75	46.6	0.071	0.004

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-411	244.75	246.30	4.3	0.056	0.001
SR-411	246.30	248.55	3.2	0.012	0.001
SR-411	248.55	250.10	1.3	0.041	0.001
SR-411	250.10	251.05	2.7	0.034	0.000
SR-411	251.05	252.25	<0.5	0.012	0.000
SR-411	252.25	253.90	<0.5	0.011	0.000
SR-411	253.90	255.95	<0.5	0.011	0.000
SR-411	255.95	256.80	<0.5	0.008	0.000
SR-411	256.80	258.10	1.4	0.017	0.015
SR-411	258.10	259.25	2.1	0.026	0.021
SR-411	259.25	261.00	<0.5	0.009	0.003
SR-411	261.00	262.18	<0.5	0.009	0.002
SR-411	262.18	264.00	<0.5	0.006	0.002
SR-411	264.00	265.20	<0.5	0.009	0.002
SR-411	265.20	267.00	<0.5	0.009	0.002
SR-411	220.00	222.00	1.2	0.009	0.001
SR-412	71.40	72.55	1.7	0.020	0.013
SR-412	72.55	73.40	11.3	0.026	0.071
SR-412	73.40	74.40	5.1	0.018	0.054
SR-412	74.40	75.56	15.4	0.020	0.105
SR-412	75.56	77.40	7.7	0.012	0.030
SR-412	77.40	78.30	2.9	0.011	0.015
SR-412	78.30	80.00	2.9	0.009	0.008
SR-412	80.00	81.70	10.0	0.015	0.032
SR-412	81.70	83.00	<0.5	<0.005	0.004
SR-412	83.00	84.65	0.5	<0.005	0.001
SR-412	84.65	86.00	<0.5	<0.005	0.005
SR-412	86.00	87.65	1.3	<0.005	0.021
SR-412	87.65	89.70	0.8	<0.005	0.005
SR-412	89.70	91.00	<0.5	<0.005	0.002
SR-412	91.00	92.75	1.8	<0.005	0.007
SR-412	92.75	94.65	1.9	0.007	0.013
SR-412	94.65	96.20	1.8	0.008	0.011
SR-412	96.20	97.45	20.1	0.009	0.067
SR-412	97.45	98.30	11.1	0.020	0.039
SR-412	98.30	99.90	37.3	0.021	0.177
SR-412	99.90	100.95	10.7	0.005	0.050
SR-412	100.95	102.80	1.0	<0.005	0.005
SR-412	102.80	104.40	2.7	0.009	0.021
SR-412	104.40	106.20	1.2	<0.005	0.009
SR-412	106.20	108.00	<0.5	<0.005	0.004
SR-412	108.00	109.50	1.4	0.008	0.005
SR-412	109.50	111.00	1.6	0.007	0.001

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-412	111.00	112.20	17.0	0.014	0.064
SR-412	112.20	114.00	1.6	0.009	0.004
SR-412	114.00	115.20	0.5	0.009	0.001
SR-412	115.20	116.50	<0.5	<0.005	0.004
SR-412	116.50	118.75	0.7	<0.005	0.002
SR-412	115.20	116.50	<0.5	0.005	0.005
SR-412	118.75	120.00	0.8	0.006	0.002
SR-412	120.00	121.55	2.4	0.010	0.006
SR-412	121.55	123.80	1.8	0.010	0.004
SR-412	123.80	125.80	0.6	0.011	0.001
SR-412	125.80	127.45	0.6	0.011	0.001
SR-412	127.45	128.30	10.1	0.021	0.018
SR-412	128.30	129.90	73.9	0.098	0.015
SR-412	129.90	131.45	5.3	0.022	0.009
SR-412	131.45	133.15	2.1	0.032	0.006
SR-412	133.15	134.60	47.0	0.021	0.001
SR-412	134.60	135.90	0.7	0.007	0.000
SR-412	135.90	137.40	2.1	0.012	0.000
SR-412	137.40	139.00	1.3	0.009	0.001
SR-412	139.00	141.55	<0.5	<0.005	0.002
SR-412	141.55	142.65	<0.5	0.005	0.000
SR-412	142.65	144.60	<0.5	0.005	0.000
SR-412	144.60	146.45	1.5	0.015	0.001
SR-412	146.45	147.60	0.5	0.006	0.000
SR-412	147.60	149.00	<0.5	<0.005	0.001
SR-412	149.00	150.25	0.6	<0.005	0.017
SR-412	150.25	152.35	<0.5	<0.005	0.002
SR-412	152.35	153.50	<0.5	0.006	0.000
SR-412	153.50	155.00	<0.5	0.005	0.002
SR-412	155.00	156.65	<0.5	0.008	0.002
SR-412	156.65	158.30	0.5	0.011	0.000
SR-412	158.30	160.30	<0.5	0.008	0.000
SR-412	160.30	162.30	0.8	0.013	0.000
SR-412	162.30	164.25	1.4	0.021	0.000
SR-412	164.25	166.30	0.7	<0.005	0.000
SR-412	166.30	167.50	0.9	<0.005	0.000
SR-412	167.50	169.40	0.6	0.015	0.001
SR-412	169.40	171.40	0.6	0.005	0.001
SR-412	171.40	173.40	<0.5	0.006	0.001
SR-412	173.40	175.00	<0.5	0.015	0.001
SR-412	171.40	173.40	<0.5	0.007	0.001
SR-412	175.00	176.60	<0.5	0.019	0.000
SR-412	176.60	178.35	1.5	0.007	0.002

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-412	178.35	179.55	25.5	0.036	0.035
SR-412	179.55	181.00	0.5	0.007	0.000
SR-412	181.00	183.00	<0.5	0.005	0.000
SR-412	160.30	162.30	0.6	0.010	0.001
SR-412	183.00	185.00	<0.5	<0.005	0.000
SR-412	185.00	185.85	1.6	0.016	0.005
SR-412	185.85	187.45	0.5	0.028	0.002
SR-412	187.45	188.45	<0.5	0.006	0.000
SR-412	188.45	189.25	<0.5	0.005	0.003
SR-412	189.25	190.95	<0.5	0.014	0.001
SR-412	190.95	193.05	0.5	0.006	0.001
SR-412	193.05	194.70	6.5	<0.005	0.000
SR-412	194.70	196.50	<0.5	<0.005	0.006
SR-412	196.50	197.75	<0.5	<0.005	0.002
SR-412	197.75	199.40	0.5	<0.005	0.023
SR-412	199.40	200.25	<0.5	0.008	0.000
SR-412	200.25	200.85	<0.5	0.011	0.000
SR-412	200.85	202.45	<0.5	<0.005	0.000
SR-412	263.25	264.75	<0.5	0.020	0.000
SR-412	264.75	265.65	<0.5	0.022	0.000
SR-412	265.65	266.00	0.5	0.011	0.001
SR-412	266.00	267.15	0.6	0.069	0.001
SR-412	267.15	268.80	<0.5	0.006	0.001
SR-412	268.80	269.60	18.5	0.035	0.065
SR-412	269.60	270.75	0.8	0.036	0.001
SR-412	270.75	272.85	0.6	0.007	0.004
SR-412	272.85	274.10	<0.5	<0.005	0.002
SR-412	274.10	275.55	<0.5	<0.005	0.004
SR-412	275.55	276.10	<0.5	<0.005	0.000
SR-412	276.10	277.25	<0.5	<0.005	0.000
SR-412	277.25	277.87	<0.5	<0.005	0.000
SR-412	277.87	279.00	0.5	0.007	0.001
SR-412	279.00	280.13	<0.5	<0.005	0.001
SR-412	280.13	282.60	3.2	0.012	0.002
SR-412	282.60	284.35	1.5	0.007	0.004
SR-412	284.35	285.30	1.0	0.007	0.011
SR-412	285.30	286.30	22.1	0.151	0.267
SR-412	286.30	288.00	<0.5	<0.005	0.003
SR-412	288.00	289.70	<0.5	<0.005	0.002
SR-412	289.70	291.75	<0.5	<0.005	0.003
SR-412	291.75	292.92	0.5	0.015	0.001
SR-412	292.92	294.70	1.5	<0.005	0.016
SR-412	294.70	296.45	1.3	<0.005	0.002

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-412	296.45	297.25	<0.5	<0.005	0.006
SR-412	297.25	298.75	<0.5	<0.005	0.005
SR-412	298.75	300.00	1.1	<0.005	0.017
SR-412	300.00	302.00	<0.5	<0.005	0.001
SR-412	302.00	305.00	0.5	<0.005	0.002
SR-412	305.00	305.90	1.8	0.005	0.023
SR-412	305.90	307.15	1.2	<0.005	0.018
SR-412	307.15	308.30	<0.5	<0.005	0.004
SR-412	384.40	386.90	<0.5	0.009	0.000
SR-412	355.20	356.25	0.7	<0.005	0.009
SR-412	356.25	357.40	1.3	<0.005	0.012
SR-412	357.40	359.05	<0.5	<0.005	0.000
SR-412	359.05	361.30	<0.5	<0.005	0.000
SR-412	361.30	362.35	<0.5	<0.005	0.000
SR-412	362.35	363.65	<0.5	0.005	0.001
SR-412	363.65	364.85	<0.5	<0.005	0.002
SR-412	364.85	365.80	<0.5	<0.005	0.001
SR-412	365.80	366.75	4.9	0.006	0.010
SR-412	366.75	367.75	1.1	<0.005	0.031
SR-412	367.75	368.40	<0.5	<0.005	0.002
SR-412	368.40	370.33	<0.5	<0.005	0.003
SR-412	370.33	371.50	<0.5	<0.005	0.002
SR-412	371.50	373.00	<0.5	<0.005	0.001
SR-412	373.00	373.65	0.5	<0.005	0.001
SR-412	373.65	374.15	<0.5	<0.005	0.001
SR-412	374.15	374.80	1.8	0.013	0.001
SR-412	374.80	376.10	<0.5	<0.005	0.001
SR-412	370.33	371.50	<0.5	<0.005	0.001
SR-412	376.10	377.50	<0.5	<0.005	0.000
SR-412	377.50	378.50	0.5	<0.005	0.000
SR-412	378.50	379.70	<0.5	<0.005	0.001
SR-412	379.70	380.90	1.3	<0.005	0.006
SR-412	380.90	382.45	0.6	0.005	0.000
SR-412	382.45	384.40	0.9	<0.005	0.000
SR-412	384.40	386.90	0.5	0.012	0.001
SR-412	482.40	484.75	0.5	<0.005	0.007
SR-412	484.75	486.10	<0.5	<0.005	0.007
SR-412	486.10	488.60	<0.5	<0.005	0.002
SR-412	488.60	492.00	<0.5	<0.005	0.001
SR-412	492.00	494.25	10.8	0.005	0.022
SR-412	494.25	496.40	77.9	0.023	0.226
SR-412	496.40	498.00	5.3	<0.005	0.016
SR-412	498.00	499.20	>100	0.058	0.558

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-412	499.20	500.80	28.3	0.009	0.038
SR-412	498.00	499.20	>100	0.038	0.482
SR-412	500.80	502.40	48.0	0.022	0.219
SR-412	502.40	504.00	4.9	<0.005	0.011
SR-412	504.00	506.00	4.0	<0.005	0.010
SR-412	506.00	508.70	3.8	<0.005	0.009
SR-412	508.70	510.40	2.7	0.009	0.005
SR-412	510.40	512.00	5.6	<0.005	0.034
SR-412	512.00	513.45	4.4	<0.005	0.013
SR-412	513.45	515.15	25.1	0.016	0.107
SR-412	515.15	517.15	13.9	<0.005	0.027
SR-412	517.15	517.65	1.7	<0.005	0.006
SR-412	517.65	518.80	62.9	0.013	0.026
SR-412	518.80	521.30	1.9	<0.005	0.005
SR-412	521.30	523.90	3.1	<0.005	0.007
SR-412	523.90	526.65	0.6	0.006	0.002
SR-412	526.65	528.30	0.5	<0.005	0.002
SR-412	528.30	531.00	<0.5	<0.005	0.001
SR-413	59.03	60.20	5.4	0.005	0.002
SR-413	60.20	61.00	7.2	0.033	0.002
SR-413	61.00	62.08	<0.5	<0.005	0.006
SR-413	178.65	180.15	<0.5	<0.005	0.000
SR-413	180.15	180.85	<0.5	<0.005	0.000
SR-413	180.85	182.30	<0.5	0.007	0.010
SR-413	182.30	184.05	<0.5	0.007	0.042
SR-413	184.05	185.80	<0.5	<0.005	0.010
SR-413	185.80	187.60	<0.5	<0.005	0.068
SR-413	187.60	189.80	<0.5	<0.005	0.028
SR-413	189.80	192.00	<0.5	<0.005	0.013
SR-413	192.00	194.00	<0.5	<0.005	0.002
SR-413	246.70	248.70	<0.5	<0.005	0.000
SR-413	248.70	249.60	<0.5	0.005	0.005
SR-413	249.60	250.20	1.3	<0.005	0.032
SR-413	250.20	252.00	<0.5	<0.005	0.001
SR-413	252.00	253.30	6.0	0.006	0.001
SR-413	253.30	253.70	>100	0.198	0.021
SR-413	253.70	255.00	<0.5	<0.005	0.001
SR-413	255.00	256.50	<0.5	<0.005	0.001
SR-413	287.05	289.05	1.4	<0.005	0.004
SR-413	289.05	290.85	<0.5	0.010	0.004
SR-413	290.85	292.65	18.0	0.014	0.071
SR-413	292.65	294.45	22.4	<0.005	0.041
SR-413	294.45	296.45	<0.5	<0.005	0.011

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-415	72.20	73.85	<0.5	0.041	0.006
SR-415	73.85	74.55	<0.5	0.107	0.004
SR-415	74.55	76.20	0.6	0.016	0.002
SR-415	104.00	105.65	<0.5	0.042	0.004
SR-415	105.65	107.70	<0.5	0.030	0.003
SR-415	107.70	108.55	>100	0.384	0.234
SR-415	108.55	109.70	2.7	0.042	0.008
SR-415	109.70	111.00	<0.5	0.038	0.003
SR-415	158.40	160.10	1.4	0.043	0.006
SR-415	160.10	161.70	1.3	0.052	0.004
SR-415	161.70	163.70	1.2	0.064	0.005
SR-415	163.70	165.75	1.2	0.049	0.003
SR-415	165.75	167.63	1.4	0.040	0.002
SR-415	167.63	169.60	1.0	0.025	0.001
SR-415	169.60	171.50	1.2	0.022	0.003
SR-415	171.50	173.18	0.8	0.018	0.003
SR-415	173.18	174.60	1.2	0.011	0.005
SR-415	174.60	177.00	1.7	0.010	0.003
SR-415	177.00	179.25	0.9	<0.005	0.001
SR-415	179.25	181.00	1.5	0.014	0.008
SR-415	181.00	183.00	2.0	0.011	0.006
SR-415	183.00	185.03	1.5	0.012	0.005
SR-415	181.00	183.00	1.9	0.011	0.008
SR-415	185.03	186.55	2.7	0.010	0.004
SR-415	186.55	187.95	5.5	0.022	0.015
SR-415	187.95	188.80	5.3	0.018	0.023
SR-415	188.80	189.80	5.5	0.020	0.013
SR-415	189.80	190.50	3.5	0.038	0.003
SR-415	190.50	193.15	3.3	0.049	0.004
SR-415	193.15	195.25	2.6	0.031	0.006
SR-415	195.25	196.70	19.4	0.039	0.032
SR-415	196.70	198.65	18.6	0.028	0.031
SR-415	198.65	200.25	2.8	0.011	0.008
SR-415	200.25	202.00	4.6	0.005	0.017
SR-415	202.00	203.80	<0.5	<0.005	0.005
SR-415	203.80	204.84	0.8	0.005	0.005
SR-415	204.84	206.20	9.5	0.006	0.041
SR-415	206.20	207.10	29.1	0.010	0.052
SR-415	207.10	207.90	21.5	0.008	0.041
SR-415	207.90	209.20	12.1	0.009	0.050
SR-415	209.20	210.74	1.7	0.023	0.002
SR-415	210.74	212.35	1.4	0.005	0.003
SR-415	212.35	214.20	1.0	<0.005	0.007

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-415	214.20	216.00	0.7	0.007	0.005
SR-415	216.00	218.00	0.6	0.008	0.002
SR-415	218.00	219.60	0.6	0.007	0.003
SR-415	219.60	221.10	<0.5	0.005	0.001
SR-415	221.10	222.45	0.6	0.006	0.001
SR-415	222.45	226.15	0.7	0.014	0.001
SR-415	226.15	228.45	<0.5	0.007	0.004
SR-415	228.45	230.40	<0.5	<0.005	0.002
SR-415	230.40	232.30	<0.5	<0.005	0.008
SR-415	232.30	234.00	<0.5	<0.005	0.003
SR-415	234.00	236.00	0.6	0.006	0.010
SR-415	236.00	237.20	<0.5	<0.005	0.005
SR-415	237.20	239.05	0.7	<0.005	0.006
SR-415	239.05	240.80	<0.5	0.005	0.006
SR-415	240.80	242.55	5.8	0.007	0.071
SR-415	242.55	244.60	0.8	<0.005	0.015
SR-415	244.60	246.60	21.9	0.038	0.112
SR-415	246.60	247.90	43.1	0.026	0.140
SR-415	247.90	249.90	2.3	0.017	0.022
SR-415	249.90	251.20	>100	0.400	1.000
SR-415	251.20	252.17	>100	0.317	0.773
SR-415	252.17	253.75	>100	0.356	0.948
SR-415	253.75	254.60	17.7	0.070	0.041
SR-415	254.60	255.37	6.4	0.870	0.006
SR-415	255.37	256.20	2.1	0.146	0.003
SR-415	256.20	257.00	8.9	0.054	0.009
SR-415	256.20	257.00	14.9	0.020	0.014
SR-415	257.00	258.56	37.8	0.120	0.100
SR-415	258.56	260.10	40.3	0.092	0.099
SR-415	260.10	262.30	>100	0.215	0.377
SR-415	262.30	263.00	40.5	0.087	0.153
SR-415	263.00	264.55	30.4	0.093	0.071
SR-415	264.55	266.40	>100	0.116	0.462
SR-415	266.40	267.00	>100	0.157	0.218
SR-415	267.00	268.35	>100	1.320	0.656
SR-415	268.35	269.40	>100	2.610	1.000
SR-415	269.40	270.45	29.9	0.181	0.092
SR-415	270.45	271.75	28.3	0.104	0.068
SR-415	271.75	272.70	65.0	0.200	0.276
SR-415	272.70	273.75	>100	0.669	0.541
SR-415	273.75	274.45	68.1	0.099	0.129
SR-415	274.45	275.43	>100	0.307	0.592
SR-415	275.43	276.30	21.3	0.064	0.051

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-415	276.30	277.54	>100	0.613	1.000
SR-415	277.54	279.00	>100	0.223	0.585
SR-415	279.00	280.35	>100	0.587	1.000
SR-415	280.35	281.80	4.5	0.022	0.012
SR-415	281.80	283.35	0.7	0.015	0.002
SR-415	283.35	284.20	14.5	0.043	0.069
SR-415	284.20	285.30	6.3	0.020	0.030
SR-415	285.30	286.12	19.5	0.142	0.026
SR-415	286.12	288.00	<0.5	0.008	0.002
SR-415	288.00	289.55	<0.5	0.005	0.001
SR-415	289.55	291.10	<0.5	0.007	0.001
SR-415	291.10	292.37	42.5	0.237	0.120
SR-415	292.37	293.30	17.8	0.204	0.033
SR-415	293.30	294.55	47.7	0.309	0.071
SR-415	294.55	296.55	26.7	0.269	0.046
SR-415	296.55	298.30	38.5	0.141	0.083
SR-415	298.30	299.55	>100	0.978	0.433
SR-415	299.55	300.95	>100	0.395	0.501
SR-415	300.95	302.60	30.3	0.080	0.077
SR-415	302.60	303.75	39.7	0.078	0.084
SR-415	303.75	304.72	8.2	0.030	0.036
SR-415	304.72	305.92	88.9	0.040	0.263
SR-415	305.92	308.20	1.3	<0.005	0.006
SR-415	308.20	309.90	10.0	0.009	0.024
SR-415	309.90	311.50	24.3	0.012	0.049
SR-415	311.50	312.84	14.6	0.007	0.017
SR-415	312.84	314.32	13.1	0.008	0.032
SR-415	314.32	316.30	5.9	0.005	0.013
SR-415	316.30	318.30	7.5	0.005	0.018
SR-415	318.30	320.30	1.3	0.009	0.011
SR-415	320.30	322.30	6.6	0.008	0.020
SR-415	322.30	324.30	8.8	0.005	0.017
SR-415	324.30	326.30	2.0	0.006	0.009
SR-415	326.30	328.30	1.7	<0.005	0.005
SR-415	328.30	330.30	<0.5	0.008	0.001
SR-415	330.30	332.30	<0.5	<0.005	0.002
SR-415	332.30	334.30	0.7	<0.005	0.003
SR-415	334.30	336.30	<0.5	<0.005	0.005
SR-415	336.30	338.30	0.5	<0.005	0.011
SR-415	338.30	340.30	0.7	<0.005	0.005
SR-415	340.30	342.30	<0.5	<0.005	0.006
SR-415	342.30	344.30	<0.5	<0.005	0.005
SR-415	338.30	340.30	1.2	<0.005	0.006

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-415	344.30	346.30	<0.5	<0.005	0.010
SR-415	346.30	348.30	<0.5	<0.005	0.011
SR-415	357.00	358.43	<0.5	<0.005	0.001
SR-415	348.30	350.30	2.2	<0.005	0.043
SR-415	350.30	352.30	3.6	0.006	0.012
SR-415	352.30	353.75	6.7	0.005	0.030
SR-415	353.75	354.80	0.9	0.007	0.004
SR-415	354.80	357.00	3.1	<0.005	0.011
SR-415	357.00	358.43	1.0	<0.005	0.004
SR-415	358.43	359.85	9.1	0.005	0.018
SR-415	359.85	362.40	8.7	0.005	0.056
SR-415	362.40	364.50	8.3	<0.005	0.021
SR-415	364.50	366.60	<0.5	<0.005	0.003
SR-415	366.60	368.70	8.9	0.007	0.052
SR-415	368.70	369.35	<0.5	<0.005	0.004
SR-415	369.35	372.25	<0.5	<0.005	0.001
SR-415	372.25	374.15	4.4	0.005	0.012
SR-415	374.15	375.70	0.9	<0.005	0.003
SR-415	375.70	377.25	2.1	<0.005	0.009
SR-415	377.25	378.70	2.3	<0.005	0.013
SR-415	378.70	380.45	<0.5	<0.005	0.002
SR-415	380.45	382.20	0.6	<0.005	0.010
SR-415	382.20	384.00	1.0	<0.005	0.015
SR-415	384.00	385.80	<0.5	<0.005	0.003
SR-415	385.80	387.70	<0.5	<0.005	0.005
SR-415	387.70	389.70	<0.5	<0.005	0.003
SR-415	389.70	391.65	15.6	0.008	0.016
SR-415	391.65	392.85	19.2	0.005	0.016
SR-415	392.85	394.80	40.4	0.023	0.034
SR-415	394.80	396.45	14.7	0.010	0.008
SR-415	396.45	397.95	48.5	0.030	0.065
SR-415	397.95	399.60	4.2	0.006	0.005
SR-415	399.60	401.25	5.2	0.007	0.012
SR-415	401.25	402.85	33.3	0.042	0.028
SR-415	402.85	403.80	9.2	0.018	0.013
SR-415	403.80	404.85	15.5	0.011	0.021
SR-415	404.85	406.80	36.2	0.020	0.047
SR-415	406.80	408.00	55.7	0.046	0.115
SR-415	408.00	409.00	33.9	0.019	0.153
SR-415	409.00	410.00	4.7	0.006	0.010
SR-415	410.00	411.00	10.5	<0.005	0.029
SR-415	411.00	412.50	3.0	<0.005	0.007
SR-415	412.50	413.10	1.5	<0.005	0.003

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-415	413.10	414.55	2.7	0.016	0.016
SR-415	414.55	416.20	3.4	0.017	0.029
SR-415	416.20	417.25	76.5	0.040	0.190
SR-415	417.25	418.60	>100	0.076	0.152
SR-415	418.60	419.20	16.0	0.021	0.011
SR-415	419.20	420.45	>100	0.103	0.200
SR-415	420.45	421.60	>100	0.067	0.191
SR-415	421.60	422.75	>100	0.119	0.186
SR-415	422.75	424.55	>100	0.092	0.073
SR-415	424.55	426.25	68.4	0.053	0.049
SR-415	426.25	427.50	34.0	0.058	0.028
SR-415	427.50	428.45	26.2	0.164	0.026
SR-415	428.45	430.45	1.3	0.022	0.004
SR-415	430.45	431.50	0.6	0.005	0.002
SR-415	431.50	433.00	0.8	0.014	0.001
SR-415	433.00	433.85	<0.5	<0.005	0.001
SR-415	433.85	435.20	4.4	0.071	0.002
SR-415	435.20	436.55	<0.5	<0.005	0.000
SR-415	436.55	438.00	<0.5	0.005	0.000
SR-415	442.30	443.70	<0.5	0.005	0.002
SR-415	438.00	439.50	<0.5	<0.005	0.001
SR-415	439.50	441.30	<0.5	0.007	0.002
SR-415	441.30	442.30	3.4	0.015	0.009
SR-415	442.30	443.70	<0.5	0.009	0.002
SR-415	443.70	445.00	<0.5	0.014	0.002
SR-415	445.00	446.50	<0.5	<0.005	0.002
SR-415	446.50	448.00	<0.5	0.006	0.004
SR-416	160.20	161.50	1.8	0.039	0.006
SR-416	161.50	163.20	2.8	0.027	0.013
SR-416	163.20	164.50	4.4	0.095	0.006
SR-416	164.50	165.70	13.1	0.014	0.013
SR-416	165.70	166.80	10.6	0.030	0.050
SR-416	166.80	167.65	21.7	0.038	0.254
SR-416	167.65	168.80	9.6	0.032	0.135
SR-416	168.80	170.00	13.1	0.016	0.141
SR-416	170.00	171.90	6.4	0.019	0.023
SR-416	171.90	173.75	5.8	0.048	0.020
SR-416	173.75	175.00	17.4	0.060	0.070
SR-416	175.00	176.00	62.4	0.130	0.344
SR-416	176.00	178.20	185.0	0.072	0.428
SR-416	178.20	179.45	13.2	0.021	0.021
SR-416	179.45	180.40	45.0	0.050	0.101
SR-416	180.40	181.50	338.0	0.032	0.914

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-416	181.50	183.00	73.3	0.065	0.224
SR-416	183.00	184.50	12.6	0.024	0.041
SR-416	184.50	185.40	336.0	0.532	0.615
SR-416	185.40	186.65	77.0	0.457	0.130
SR-416	186.65	188.00	90.6	0.501	0.204
SR-416	188.00	189.75	3.7	0.019	0.010
SR-416	189.75	190.35	0.8	0.013	0.004
SR-416	190.35	192.30	1.5	0.009	0.006
SR-416	194.17	196.00	4.9	0.029	0.008
SR-416	196.00	197.95	2.3	0.023	0.006
SR-416	197.95	199.10	0.3	0.016	0.002
SR-416	199.10	201.13	0.9	0.029	0.001
SR-416	201.13	202.65	0.7	0.024	0.003
SR-416	202.65	204.00	0.7	0.033	0.004
SR-416	204.00	205.75	1.7	0.094	0.004
SR-416	205.75	207.15	2.7	0.023	0.015
SR-416	207.15	209.45	0.3	0.003	0.006
SR-416	209.45	210.85	0.3	0.009	0.002
SR-416	210.85	213.25	0.3	0.003	0.005
SR-416	215.30	217.82	23.0	0.037	0.033
SR-416	217.82	218.75	794.0	1.090	1.585
SR-416	218.75	221.00	6.5	0.020	0.017
SR-416	221.00	222.90	0.5	0.025	0.005
SR-416	222.90	224.85	1.1	0.007	0.004
SR-416	224.85	226.85	0.3	0.003	0.003
SR-416	226.85	228.00	0.3	0.003	0.005
SR-416	228.00	230.00	0.3	0.003	0.004
SR-416	230.00	231.20	10.8	0.041	0.054
SR-416	231.20	232.50	74.5	0.038	0.177
SR-416	232.50	235.00	0.3	0.005	0.005
SR-416	235.00	236.12	66.5	0.117	0.157
SR-416	236.12	237.22	32.7	0.095	0.022
SR-416	237.22	239.00	52.3	0.317	0.032
SR-416	239.00	240.80	1.0	0.008	0.002
SR-416	240.80	242.40	0.3	0.009	0.001
SR-416	242.40	244.15	1.0	0.029	0.002
SR-416	244.15	245.70	12.8	0.097	0.031
SR-416	245.70	247.25	9.1	0.049	0.052
SR-416	247.25	248.27	1.8	0.039	0.003
SR-416	248.27	249.55	0.3	0.015	0.007
SR-416	249.55	250.55	18.0	0.070	0.074
SR-416	250.55	251.70	82.9	0.130	0.297
SR-416	251.70	252.50	14.0	0.064	0.027

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-416	252.50	254.00	85.4	0.142	0.197
SR-416	254.00	255.85	36.4	0.057	0.114
SR-416	255.85	257.25	17.8	0.030	0.055
SR-416	257.25	258.35	22.2	0.087	0.062
SR-416	258.35	259.30	100.0	0.078	0.328
SR-416	259.30	260.46	89.6	0.091	0.214
SR-416	260.46	261.95	29.5	0.070	0.087
SR-416	261.95	263.75	100.0	0.081	0.258
SR-416	263.75	265.30	45.3	0.067	0.186
SR-416	265.30	267.00	33.3	0.062	0.077
SR-416	267.00	268.60	84.9	0.394	0.138
SR-416	268.60	270.35	53.1	0.306	0.075
SR-416	270.35	271.30	43.5	0.214	0.034
SR-416	271.30	272.45	79.0	0.479	0.038
SR-416	272.45	274.00	46.9	0.075	0.114
SR-416	274.00	275.00	20.8	0.041	0.047
SR-416	275.00	276.50	33.5	0.115	0.062
SR-416	276.50	278.65	0.6	0.005	0.002
SR-416	278.65	279.90	4.5	0.009	0.014
SR-416	279.90	281.00	44.1	0.071	0.198
SR-416	281.00	282.38	5.2	0.065	0.008
SR-416	282.38	283.90	109.0	0.275	0.220
SR-416	283.90	285.10	122.0	0.142	0.347
SR-416	285.10	286.30	17.3	0.076	0.102
SR-416	286.30	287.45	0.6	0.034	0.001
SR-416	287.45	288.85	10.3	0.138	0.006
SR-416	288.85	291.10	0.5	0.023	0.001
SR-416	291.10	292.75	107.0	0.667	0.236
SR-416	292.75	294.40	32.6	0.044	0.062
SR-416	294.40	295.45	22.5	0.031	0.044
SR-416	295.45	296.00	4.1	0.076	0.008
SR-416	296.00	297.85	1.8	0.009	0.009
SR-416	297.85	300.00	0.8	0.003	0.018
SR-416	300.00	302.30	2.2	0.013	0.009
SR-416	302.30	304.00	2.7	0.010	0.003
SR-416	304.00	305.80	1.5	0.009	0.002
SR-416	305.80	307.40	0.5	0.003	0.002
SR-416	307.40	309.05	12.7	0.025	0.006
SR-416	309.05	311.00	5.9	0.012	0.006
SR-416	311.00	313.10	1.1	0.003	0.003
SR-416	313.10	314.50	18.1	0.098	0.010
SR-416	314.50	316.00	45.7	0.125	0.051
SR-416	316.00	317.45	50.6	0.068	0.039

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-416	317.45	318.70	8.3	0.020	0.014
SR-416	318.70	320.15	8.5	0.013	0.012
SR-416	320.15	321.55	2.3	0.005	0.005
SR-416	321.55	323.20	1.1	0.003	0.003
SR-416	323.20	324.80	0.7	0.003	0.004
SR-416	324.80	326.15	14.9	0.012	0.032
SR-416	326.15	327.17	10.5	0.010	0.028
SR-416	327.17	328.70	28.8	0.020	0.051
SR-416	328.70	330.20	14.6	0.014	0.019
SR-416	330.20	332.20	7.1	0.015	0.024
SR-416	332.20	334.10	4.2	0.007	0.011
SR-416	334.10	335.75	33.2	0.047	0.128
SR-416	335.75	337.40	12.0	0.008	0.012
SR-416	337.40	339.85	5.0	0.008	0.009
SR-416	339.85	341.40	11.0	0.033	0.023
SR-416	341.40	342.75	1.5	0.005	0.004
SR-416	342.75	344.30	0.7	0.010	0.007
SR-416	344.30	347.45	0.8	0.013	0.004
SR-416	347.45	348.70	0.8	0.003	0.002
SR-416	348.70	351.00	0.3	0.003	0.002
SR-416	351.00	352.50	0.3	0.003	0.001
SR-416	352.50	354.05	1.2	0.003	0.008
SR-416	354.05	354.70	0.6	0.003	0.004
SR-416	354.70	356.45	0.3	0.006	0.001
SR-416	356.45	358.20	0.5	0.003	0.002
SR-416	358.20	360.00	0.5	0.005	0.002
SR-416	360.00	362.00	1.9	0.018	0.009
SR-416	362.00	364.00	0.9	0.003	0.002
SR-416	364.00	366.00	1.0	0.003	0.003
SR-416	366.00	368.00	1.1	0.019	0.009
SR-416	368.00	370.05	0.9	0.007	0.002
SR-416	370.05	371.95	0.3	0.003	0.002
SR-416	371.95	373.60	0.8	0.003	0.007
SR-416	373.60	375.80	14.1	0.018	0.033
SR-416	375.80	378.00	9.2	0.019	0.043
SR-416	378.00	380.00	6.3	0.030	0.027
SR-416	380.00	382.00	5.4	0.007	0.016
SR-416	382.00	384.00	6.5	0.035	0.004
SR-416	384.00	386.00	4.8	0.018	0.016
SR-416	386.00	388.00	2.6	0.006	0.007
SR-416	388.00	390.00	14.4	0.023	0.013
SR-416	390.00	392.00	7.1	0.013	0.009
SR-416	392.00	394.00	2.7	0.009	0.008

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-416	394.00	396.00	3.8	0.014	0.010
SR-416	396.00	397.75	5.9	0.027	0.012
SR-416	397.75	398.05	22.0	0.055	0.025
SR-416	398.05	399.50	32.2	0.056	0.096
SR-416	399.50	400.75	51.6	0.036	0.101
SR-416	400.75	401.95	19.3	0.022	0.031
SR-416	401.95	403.00	21.3	0.049	0.085
SR-416	403.00	404.10	12.3	0.018	0.041
SR-416	404.10	405.25	21.0	0.037	0.066
SR-416	405.25	406.50	67.6	0.066	0.168
SR-416	406.50	408.00	38.2	0.055	0.063
SR-416	408.00	409.70	53.4	0.162	0.066
SR-416	409.70	410.40	4.1	0.014	0.017
SR-416	410.40	412.00	44.7	0.048	0.056
SR-416	412.00	413.60	105.0	0.132	0.053
SR-416	413.60	415.00	99.0	0.130	0.052
SR-416	415.00	416.00	11.1	0.077	0.019
SR-416	416.00	417.30	21.9	0.058	0.028
SR-416	417.30	419.00	6.3	0.021	0.013
SR-416	419.00	420.15	7.3	0.050	0.010
SR-416	420.15	422.45	5.4	0.029	0.009
SR-416	422.45	424.40	5.7	0.051	0.005
SR-416	424.40	425.70	2.2	0.030	0.002
SR-416	425.70	427.30	0.3	0.007	0.001
SR-416	427.30	429.33	0.9	0.010	0.001
SR-416	429.33	431.33	0.6	0.011	0.001
SR-416	431.33	432.70	1.1	0.010	0.006
SR-416	432.70	434.30	0.3	0.080	0.002
SR-416	434.30	436.00	0.6	0.005	0.003
SR-416	436.00	438.00	2.6	0.014	0.005
SR-416	438.00	440.00	0.9	0.023	0.001
SR-416	440.00	442.00	3.9	0.013	0.002
SR-416	442.00	444.00	1.9	0.019	0.008
SR-416	444.00	446.00	3.1	0.025	0.027
SR-416	446.00	448.00	4.1	0.051	0.020
SR-416	448.00	450.00	7.9	0.034	0.008
SR-416	450.00	452.00	22.1	0.057	0.075
SR-416	452.00	454.00	4.3	0.031	0.003
SR-416	454.00	456.00	7.7	0.034	0.037
SR-416	456.00	457.75	42.5	0.109	0.039
SR-416	457.75	459.00	21.7	0.068	0.014
SR-416	459.00	461.00	0.5	0.007	0.003
SR-416	461.00	463.00	0.6	0.014	0.007

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-416	463.00	465.00	0.5	0.011	0.002
SR-416	465.00	467.00	0.3	0.014	0.004
SR-416	467.00	468.95	0.7	0.006	0.004
SR-416	468.95	470.90	0.3	0.007	0.002
SR-416	470.90	473.00	0.8	0.017	0.010
SR-416	473.00	475.00	0.9	0.013	0.014
SR-417	123.60	124.90	2.4	0.040	0.002
SR-417	124.90	126.40	4.7	0.073	0.004
SR-417	126.40	128.00	1.6	0.048	0.005
SR-417	128.00	130.00	2.3	0.048	0.002
SR-417	130.00	132.05	1.6	0.070	0.001
SR-417	132.05	133.85	1.5	0.046	0.002
SR-417	133.85	135.65	0.9	0.025	0.001
SR-417	135.65	137.30	0.3	0.052	0.002
SR-417	137.30	138.90	0.5	0.013	0.002
SR-417	138.90	140.10	0.6	0.013	0.000
SR-417	141.15	142.70	1.5	0.056	0.002
SR-417	142.70	144.52	0.9	0.023	0.001
SR-417	144.52	146.50	0.3	0.012	0.002
SR-417	146.50	148.35	0.8	0.014	0.002
SR-417	148.35	150.36	0.3	0.008	0.001
SR-417	150.36	152.30	0.7	0.013	0.002
SR-417	152.30	154.70	0.5	0.007	0.001
SR-417	154.70	156.20	3.0	0.024	0.010
SR-417	156.20	157.90	1.0	0.007	0.002
SR-417	157.90	159.60	1.3	0.029	0.003
SR-417	159.60	161.55	2.0	0.010	0.002
SR-417	161.55	164.00	2.1	0.017	0.002
SR-417	164.00	165.30	1.7	0.018	0.009
SR-417	165.30	166.75	0.6	0.029	0.005
SR-417	166.75	168.35	0.6	0.022	0.001
SR-417	168.35	170.52	1.2	0.049	0.004
SR-417	170.52	172.60	1.4	0.042	0.001
SR-417	172.60	173.77	1.7	0.032	0.001
SR-417	173.77	175.20	1.3	0.037	0.001
SR-417	175.20	177.00	1.3	0.050	0.011
SR-417	177.00	178.84	1.2	0.016	0.001
SR-417	178.84	180.65	0.3	0.013	0.000
SR-417	180.65	182.60	0.3	0.003	0.000
SR-417	182.60	184.18	0.3	0.006	0.001
SR-417	184.18	185.30	1.3	0.016	0.002
SR-417	185.30	186.20	2.3	0.017	0.010
SR-417	186.20	187.40	6.6	0.032	0.012

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-417	187.40	189.15	12.1	0.031	0.094
SR-417	189.15	191.05	0.6	0.006	0.003
SR-417	191.05	192.95	0.3	0.003	0.004
SR-417	192.95	194.85	1.8	0.013	0.013
SR-417	194.85	196.70	0.6	0.003	0.001
SR-417	196.70	198.70	8.0	0.006	0.039
SR-417	198.70	200.65	11.4	0.010	0.072
SR-417	200.65	202.25	1.6	0.009	0.007
SR-417	202.25	203.85	0.6	0.012	0.004
SR-417	203.85	205.50	1.3	0.014	0.014
SR-417	205.50	206.90	1.9	0.013	0.010
SR-417	206.90	208.25	3.8	0.010	0.023
SR-417	208.25	209.50	9.6	0.020	0.007
SR-417	209.50	210.75	3.7	0.003	0.025
SR-417	210.75	212.20	0.9	0.033	0.002
SR-417	212.20	213.60	0.3	0.003	0.002
SR-417	213.60	215.75	5.9	0.006	0.026
SR-417	215.75	216.95	6.4	0.015	0.011
SR-417	216.95	218.10	9.7	0.021	0.029
SR-417	218.10	219.00	11.5	0.012	0.070
SR-417	219.00	220.45	1.6	0.017	0.008
SR-417	220.45	222.55	0.3	0.003	0.002
SR-417	222.55	224.55	0.3	0.003	0.005
SR-417	224.55	226.55	0.3	0.003	0.002
SR-417	237.00	238.85	0.3	0.003	0.011
SR-417	238.85	240.80	0.5	0.003	0.010
SR-417	240.80	242.00	8.0	0.236	0.020
SR-417	242.00	243.40	5.8	0.003	0.015
SR-417	243.40	244.60	0.5	0.003	0.003
SR-417	244.60	246.00	1.0	0.026	0.014
SR-417	246.00	248.30	13.9	0.076	0.126
SR-417	248.30	249.80	0.6	0.007	0.005
SR-417	249.80	251.40	0.6	0.003	0.001
SR-417	251.40	253.30	1.5	0.011	0.009
SR-417	253.30	254.00	5.4	0.048	0.042
SR-417	254.00	255.20	33.4	0.053	0.234
SR-417	255.20	257.10	25.6	0.048	0.164
SR-417	257.10	259.00	38.4	0.164	0.109
SR-417	259.00	260.35	63.6	0.075	0.217
SR-417	260.35	261.70	210.0	0.218	0.748
SR-417	261.70	262.95	686.0	0.815	1.825
SR-417	262.95	263.75	95.7	0.318	0.327
SR-417	263.75	265.00	490.0	0.626	0.838

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-417	265.00	266.70	129.0	0.299	0.306
SR-417	266.70	268.60	19.4	0.069	0.049
SR-417	268.60	269.75	54.3	0.072	0.163
SR-417	269.75	271.50	11.4	0.052	0.034
SR-417	271.50	272.35	12.5	0.046	0.037
SR-417	272.35	273.70	95.6	0.199	0.278
SR-417	273.70	275.20	95.5	0.121	0.356
SR-417	275.20	277.25	91.5	0.298	0.247
SR-417	277.25	279.00	1.8	0.031	0.009
SR-417	279.00	281.00	0.3	0.003	0.002
SR-417	281.00	283.00	0.3	0.003	0.002
SR-417	283.00	284.70	0.3	0.012	0.001
SR-417	284.70	286.22	3.3	0.029	0.007
SR-417	286.22	287.75	115.0	0.170	0.412
SR-417	287.75	289.10	26.2	0.371	0.060
SR-417	289.10	290.60	11.1	0.405	0.064
SR-417	290.60	292.00	3.5	0.123	0.014
SR-417	292.00	293.65	7.3	0.078	0.025
SR-417	293.65	295.10	283.0	0.360	0.348
SR-417	295.10	296.55	121.0	0.209	0.212
SR-417	296.55	297.95	158.0	0.253	0.494
SR-417	297.95	299.30	352.0	0.291	1.045
SR-417	299.30	300.20	23.2	0.021	0.039
SR-417	300.20	302.55	1.8	0.007	0.010
SR-417	302.55	303.90	0.7	0.003	0.006
SR-417	303.90	305.00	0.6	0.010	0.002
SR-417	305.00	306.00	190.0	0.081	0.438
SR-417	306.00	308.00	2.7	0.003	0.016
SR-417	308.00	310.00	3.4	0.008	0.024
SR-417	310.00	311.90	211.0	0.255	0.621
SR-417	311.90	313.30	10.8	0.036	0.045
SR-417	313.30	314.70	297.0	0.445	0.818
SR-417	316.10	317.15	740.0	0.764	1.535
SR-417	317.15	318.85	7.5	0.005	0.024
SR-417	318.85	320.45	23.5	0.018	0.112
SR-417	320.45	322.00	57.5	0.059	0.164
SR-417	322.00	323.55	19.2	0.036	0.058
SR-417	323.55	324.90	315.0	0.263	0.660
SR-417	324.90	326.25	109.0	0.163	0.331
SR-417	326.25	327.50	9.4	0.009	0.043
SR-417	327.50	328.75	55.7	0.042	0.194
SR-417	328.75	330.75	9.5	0.003	0.047
SR-417	396.40	398.40	1.7	0.003	0.001

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-417	398.40	400.40	95.2	0.034	0.171
SR-417	400.40	402.40	5.2	0.003	0.019
SR-417	402.40	404.40	6.2	0.003	0.028
SR-417	404.40	406.40	2.5	0.003	0.011
SR-417	406.40	408.40	5.3	0.003	0.019
SR-417	408.40	410.40	34.1	0.007	0.076
SR-417	410.40	412.40	101.0	0.032	0.129
SR-417	412.40	414.20	28.1	0.016	0.026
SR-417	414.20	415.20	60.3	0.048	0.130
SR-417	415.20	416.00	71.8	0.038	0.114
SR-417	416.00	417.40	1.5	0.008	0.004
SR-417	417.40	419.40	0.6	0.003	0.001
SR-417	419.40	420.80	2.0	0.003	0.010
SR-417	420.80	422.35	4.1	0.006	0.018
SR-417	422.35	424.30	2.3	0.003	0.004
SR-417	424.30	425.75	1.7	0.003	0.002
SR-417	425.75	426.80	3.9	0.009	0.009
SR-417	426.80	429.00	0.3	0.003	0.002
SR-417	429.00	430.00	0.8	0.003	0.002
SR-417	430.00	431.60	3.1	0.009	0.002
SR-417	431.60	432.80	4.1	0.019	0.003
SR-417	432.80	434.60	0.3	0.003	0.000
SR-417	434.60	436.10	0.8	0.003	0.000
SR-417	436.10	437.60	3.0	0.050	0.001
SR-417	437.60	439.25	1.2	0.007	0.001
SR-417	439.25	441.00	0.3	0.003	0.000
SR-417	441.00	442.65	0.3	0.003	0.000
SR-417	442.65	443.90	0.8	0.007	0.002
SR-417	443.90	445.50	1.6	0.005	0.004
SR-417	445.50	447.40	0.3	0.003	0.002
SR-417	447.40	449.25	0.5	0.003	0.002
SR-417	449.25	451.25	0.3	0.003	0.001
SR-417	451.25	453.00	0.3	0.003	0.002
SR-417	9.60	11.50	1.9	0.014	0.007
SR-417	11.50	13.00	2.9	0.146	0.011
SR-417	13.00	14.30	9.4	0.040	0.005
SR-417	14.30	15.60	5.9	0.079	0.013
SR-417	38.60	40.10	0.3	0.012	0.001
SR-417	40.10	41.62	0.3	0.012	0.002
SR-417	41.62	43.35	2.6	0.016	0.001
SR-417	43.35	45.00	0.3	0.007	0.001
SR-417	63.00	66.00	11.4	0.039	0.007
SR-417	66.00	69.00	13.2	0.041	0.003

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-417	69.00	72.00	8.5	0.065	0.009
SR-417	72.00	75.00	3.6	0.094	0.006
SR-417	75.00	78.00	2.2	0.040	0.002
SR-417	78.00	78.90	1.8	0.032	0.002
SR-417	82.90	84.20	0.3	0.009	0.001
SR-417	84.20	85.50	0.3	0.029	0.001
SR-417	85.50	87.35	0.7	0.025	0.001
SR-417	108.90	111.13	1.8	0.021	0.002
SR-417	111.13	111.97	1.1	0.022	0.002
SR-417	111.97	113.55	1.2	0.025	0.001
SR-417	113.55	115.55	0.6	0.050	0.001
SR-417	115.55	119.75	1.2	0.047	0.006
SR-417	119.75	120.50	1.7	0.064	0.003
SR-417	120.50	122.40	2.4	0.030	0.003
SR-417	122.40	123.60	4.1	0.029	0.003
SR-418	0.00	3.00	57.3	0.046	0.056
SR-418	3.00	6.00	17.8	0.022	0.056
SR-418	6.00	9.00	8.0	0.053	0.152
SR-418	9.00	10.65	6.7	0.069	0.085
SR-418	10.65	12.35	1.5	0.032	0.004
SR-418	12.35	14.05	6.0	0.024	0.018
SR-418	14.05	15.35	24.3	0.029	0.033
SR-418	15.35	16.60	36.0	0.026	0.042
SR-418	16.60	18.60	0.5	0.006	0.003
SR-418	18.60	19.30	1.1	0.016	0.008
SR-418	19.30	21.30	0.8	0.014	0.003
SR-418	21.30	23.30	7.8	0.028	0.012
SR-418	23.30	25.30	10.4	0.032	0.008
SR-418	25.30	27.30	1.6	0.011	0.013
SR-418	27.30	29.30	0.9	0.003	0.004
SR-418	29.30	31.30	7.3	0.005	0.012
SR-418	31.30	32.95	7.8	0.009	0.011
SR-418	32.95	34.60	3.0	0.012	0.010
SR-418	34.60	35.80	11.3	0.019	0.017
SR-418	35.80	37.05	12.0	0.014	0.009
SR-418	37.05	38.05	1.3	0.010	0.013
SR-418	38.05	40.05	0.7	0.008	0.002
SR-418	40.05	42.05	2.7	0.005	0.006
SR-418	42.05	43.50	1.5	0.005	0.006
SR-418	43.50	45.00	1.2	0.006	0.003
SR-418	45.00	46.45	4.5	0.021	0.008
SR-418	46.45	47.35	18.6	0.026	0.076
SR-418	47.35	48.90	3.6	0.010	0.005

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-418	48.90	50.35	8.1	0.014	0.018
SR-418	50.35	51.90	2.9	0.010	0.009
SR-418	51.90	53.30	6.5	0.008	0.013
SR-418	53.30	55.20	17.6	0.012	0.031
SR-418	55.20	56.50	19.2	0.018	0.023
SR-418	56.50	57.40	52.4	0.030	0.018
SR-418	57.40	58.30	19.0	0.069	0.026
SR-418	58.30	59.25	1.9	0.009	0.019
SR-418	59.25	60.20	8.3	0.048	0.013
SR-418	60.20	61.90	4.9	0.008	0.017
SR-418	61.90	63.35	8.7	0.008	0.028
SR-418	96.00	97.20	1.5	0.007	0.012
SR-418	97.20	98.65	4.5	0.003	0.017
SR-418	98.65	100.70	3.4	0.003	0.009
SR-418	100.70	102.00	3.7	0.006	0.015
SR-418	102.00	103.75	1.3	0.005	0.005
SR-418	103.75	105.00	14.8	0.019	0.046
SR-418	105.00	106.20	6.1	0.007	0.015
SR-418	106.20	107.50	20.3	0.015	0.030
SR-418	107.50	109.60	6.0	0.006	0.012
SR-418	109.60	111.60	2.1	0.006	0.008
SR-418	111.60	113.00	1.1	0.007	0.004
SR-418	113.00	114.90	1.7	0.003	0.005
SR-418	114.90	115.90	6.2	0.006	0.007
SR-418	115.90	117.00	1.3	0.003	0.008
SR-418	153.35	155.00	1.1	0.103	0.012
SR-418	155.00	157.00	1.4	0.006	0.004
SR-418	157.00	159.62	2.6	0.030	0.004
SR-418	159.62	161.13	3.4	0.008	0.008
SR-418	161.13	163.05	4.9	0.012	0.004
SR-418	193.17	195.20	1.3	0.003	0.004
SR-418	195.20	197.08	9.0	0.015	0.001
SR-418	197.08	198.52	1.4	0.011	0.014
SR-418	198.52	199.80	25.4	0.022	0.010
SR-418	199.80	201.00	0.3	0.003	0.002
SR-418	274.80	275.94	1.1	0.022	0.001
SR-418	275.94	278.00	0.9	0.033	0.000
SR-418	278.00	279.25	8.2	0.093	0.001
SR-418	279.25	280.60	1.2	0.030	0.000
SR-418	280.60	282.45	5.8	0.038	0.001
SR-418	282.45	284.50	2.2	0.027	0.001
SR-418	284.50	286.50	0.3	0.003	0.002
SR-418	286.50	288.10	0.3	0.003	0.002

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-418	288.10	289.20	1.6	0.017	0.000
SR-418	289.20	290.78	1.6	0.046	0.000
SR-418	290.78	292.73	4.8	0.076	0.001
SR-418	292.73	294.65	2.8	0.013	0.001
SR-418	294.65	296.00	0.5	0.003	0.005
SR-420	0.00	3.00	3.6	0.039	0.002
SR-420	3.00	6.00	0.7	0.018	0.001
SR-420	6.00	9.00	0.9	0.022	0.001
SR-420	9.00	12.00	2.5	0.033	0.001
SR-420	12.00	15.00	1.7	0.044	0.003
SR-420	15.00	18.00	1.2	0.039	0.001
SR-420	71.05	72.40	0.3	0.017	0.001
SR-420	72.40	74.50	0.3	0.021	0.001
SR-420	74.50	76.50	0.3	0.005	0.002
SR-420	76.50	77.40	0.3	0.003	0.000
SR-420	77.40	79.30	9.4	0.128	0.001
SR-420	79.30	80.60	21.1	0.196	0.007
SR-420	80.60	81.60	0.8	0.035	0.001
SR-420	81.60	82.95	0.3	0.011	0.001
SR-420	195.00	196.50	1.0	0.034	0.006
SR-420	196.50	198.00	0.3	0.003	0.001
SR-420	198.00	199.40	2.5	0.018	0.011
SR-420	199.40	201.60	2.0	0.010	0.005
SR-420	201.60	204.00	2.3	0.010	0.012
SR-420	204.00	205.40	2.3	0.009	0.009
SR-420	205.40	206.55	3.0	0.015	0.013
SR-420	206.55	208.40	1.8	0.011	0.014
SR-420	208.40	209.50	5.5	0.030	0.009
SR-420	209.50	210.85	6.6	0.035	0.008
SR-420	210.85	213.00	0.6	0.003	0.003
SR-420	213.00	214.20	0.7	0.003	0.006
SR-420	214.20	216.00	4.2	0.011	0.029
SR-420	216.00	218.50	7.6	0.039	0.025
SR-420	218.50	220.10	2.5	0.003	0.013
SR-420	220.10	221.50	0.9	0.012	0.016
SR-420	221.50	223.00	1.5	0.005	0.017
SR-420	223.00	225.00	3.4	0.009	0.030
SR-420	225.00	226.70	13.4	0.040	0.041
SR-420	226.70	228.00	13.5	0.015	0.027
SR-420	228.00	229.55	40.1	0.027	0.082
SR-420	229.55	231.00	14.6	0.016	0.058
SR-420	231.00	233.00	3.0	0.005	0.027
SR-420	233.00	235.50	8.1	0.014	0.067

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-420	235.50	236.20	2.9	0.007	0.025
SR-420	236.20	238.80	4.3	0.034	0.036
SR-420	238.80	240.00	1.0	0.005	0.012
SR-420	240.00	241.50	1.1	0.003	0.014
SR-420	241.50	244.00	1.7	0.019	0.021
SR-420	244.00	246.00	0.6	0.003	0.009
SR-420	246.00	247.00	0.3	0.003	0.001
SR-420	247.00	249.70	0.3	0.003	0.008
SR-420	249.70	251.60	0.3	0.003	0.005
SR-420	251.60	253.05	0.3	0.006	0.001
SR-420	253.05	255.00	1.0	0.003	0.017
SR-420	255.00	256.80	1.0	0.003	0.018
SR-420	256.80	258.00	4.4	0.003	0.063
SR-420	258.00	259.65	1.2	0.018	0.020
SR-420	259.65	261.00	3.3	0.008	0.017
SR-420	261.00	263.00	0.3	0.009	0.004
SR-420	263.00	264.25	2.0	0.003	0.026
SR-420	264.25	265.36	53.8	0.064	0.501
SR-420	265.36	267.00	28.4	0.047	0.159
SR-420	267.00	267.85	16.2	0.056	0.096
SR-420	267.85	269.10	5.5	0.019	0.037
SR-420	269.10	270.60	12.9	0.090	0.011
SR-420	270.60	272.35	11.8	0.028	0.019
SR-420	272.35	275.00	8.5	0.005	0.036
SR-420	275.00	276.20	10.1	0.020	0.054
SR-420	276.20	277.20	15.6	0.003	0.080
SR-420	277.20	278.70	33.3	0.018	0.149
SR-420	278.70	280.20	15.8	0.023	0.087
SR-420	280.20	281.80	8.2	0.003	0.042
SR-420	281.80	282.70	27.0	0.008	0.149
SR-420	282.70	283.25	5.1	0.003	0.027
SR-420	283.25	285.90	0.8	0.003	0.002
SR-420	285.90	287.20	8.1	0.003	0.042
SR-420	287.20	288.85	16.8	0.003	0.062
SR-420	288.85	289.85	8.0	0.003	0.026
SR-420	289.85	291.15	16.6	0.020	0.112
SR-420	291.15	292.70	10.8	0.003	0.054
SR-420	292.70	294.50	3.0	0.003	0.016
SR-420	294.50	297.00	1.4	0.003	0.009
SR-420	297.00	298.65	6.1	0.003	0.034
SR-420	298.65	300.00	19.4	0.006	0.091
SR-420	300.00	301.00	42.7	0.010	0.234
SR-420	301.00	302.15	81.2	0.136	0.313

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-420	302.15	303.45	61.9	0.030	0.351
SR-420	303.45	304.30	12.9	0.005	0.079
SR-420	304.30	305.95	89.3	0.022	0.566
SR-420	305.95	307.00	10.0	0.020	0.049
SR-420	307.00	308.30	31.0	0.065	0.151
SR-420	308.30	309.70	5.6	0.008	0.030
SR-420	309.70	311.00	4.0	0.003	0.035
SR-420	311.00	312.00	7.8	0.003	0.041
SR-420	312.00	313.25	76.0	0.026	0.411
SR-420	313.25	314.30	9.0	0.003	0.050
SR-420	314.30	315.70	16.1	0.018	0.075
SR-420	315.70	316.80	14.4	0.003	0.019
SR-420	316.80	318.00	12.4	0.005	0.070
SR-420	318.00	319.25	8.0	0.018	0.038
SR-420	319.25	321.20	20.4	0.013	0.081
SR-420	321.20	322.25	78.4	0.031	0.138
SR-420	322.25	323.35	37.8	0.013	0.106
SR-420	323.35	325.30	1.1	0.003	0.003
SR-420	325.30	327.30	0.9	0.003	0.007
SR-420	327.30	328.95	0.3	0.003	0.002
SR-420	328.95	330.45	0.3	0.003	0.003
SR-420	330.45	332.30	0.3	0.003	0.003
SR-420	332.30	334.30	0.3	0.003	0.002
SR-420	334.30	336.00	0.3	0.003	0.002
SR-420	336.00	338.00	5.1	0.003	0.002
SR-420	338.00	340.00	0.3	0.003	0.003
SR-420	340.00	342.00	0.6	0.003	0.001
SR-420	342.00	343.90	0.3	0.003	0.002
SR-420	343.90	345.80	1.1	0.003	0.003
SR-420	345.80	347.40	0.8	0.003	0.003
SR-420	347.40	348.95	1.0	0.006	0.004
SR-420	348.95	350.25	0.6	0.003	0.002
SR-420	350.25	352.30	2.3	0.003	0.013
SR-420	352.30	354.30	0.3	0.003	0.001
SR-420	354.30	356.00	0.8	0.003	0.007
SR-420	356.00	358.00	5.1	0.012	0.023
SR-420	358.00	359.00	5.7	0.003	0.026
SR-420	359.00	360.00	13.7	0.005	0.039
SR-420	360.00	361.60	59.6	0.022	0.224
SR-420	361.60	363.00	61.3	0.023	0.324
SR-420	363.00	364.50	31.8	0.014	0.133
SR-420	364.50	365.30	20.8	0.008	0.062
SR-420	365.30	366.50	26.2	0.008	0.108

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-420	366.50	367.90	9.4	0.003	0.028
SR-420	367.90	369.00	2.9	0.003	0.016
SR-420	369.00	370.00	7.6	0.005	0.057
SR-420	370.00	371.20	8.8	0.005	0.057
SR-420	371.20	373.00	10.9	0.006	0.079
SR-420	373.00	375.00	2.8	0.003	0.012
SR-420	375.00	376.30	11.2	0.006	0.078
SR-420	376.30	377.85	21.2	0.016	0.173
SR-420	377.85	379.75	3.5	0.006	0.022
SR-420	379.75	381.30	2.5	0.005	0.012
SR-420	381.30	383.00	7.7	0.018	0.042
SR-420	383.00	384.50	24.8	0.018	0.180
SR-420	384.50	385.45	15.3	0.012	0.077
SR-420	385.45	386.95	135.0	0.054	0.311
SR-420	386.95	387.80	31.7	0.025	0.154
SR-420	387.80	389.40	912.0	0.570	2.460
SR-420	389.40	390.65	51.7	0.135	0.467
SR-420	390.65	392.20	190.0	0.236	1.300
SR-420	392.20	393.35	186.0	0.305	0.778
SR-420	393.35	394.45	82.4	0.108	0.377
SR-420	394.45	396.00	104.0	0.127	0.363
SR-420	396.00	397.00	63.8	0.319	0.331
SR-420	397.00	398.30	136.0	0.153	0.648
SR-420	398.30	400.25	59.8	0.110	0.228
SR-420	400.25	401.25	14.8	0.045	0.076
SR-420	401.25	402.05	9.8	0.024	0.094
SR-420	402.05	403.45	27.6	0.023	0.104
SR-420	403.45	405.40	62.6	0.028	0.169
SR-420	405.40	406.75	41.1	0.031	0.086
SR-420	406.75	407.60	69.6	0.075	0.239
SR-420	407.60	409.25	98.2	0.072	0.327
SR-420	409.25	410.50	62.7	0.061	0.213
SR-420	410.50	412.20	22.7	0.040	0.125
SR-420	412.20	414.00	27.1	0.045	0.155
SR-420	414.00	415.00	31.1	0.104	0.154
SR-420	415.00	416.80	45.2	0.123	0.164
SR-420	416.80	418.65	5.1	0.028	0.017
SR-420	418.65	420.00	20.2	0.086	0.105
SR-420	420.00	422.50	3.9	0.094	0.016
SR-420	422.50	424.00	6.0	0.008	0.023
SR-420	424.00	426.00	0.6	0.003	0.002
SR-420	426.00	428.15	3.5	0.023	0.001
SR-420	428.15	430.10	1.1	0.011	0.001

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-420	430.10	431.70	0.3	0.003	0.001
SR-420	431.70	433.00	0.7	0.005	0.002
SR-420	433.00	434.90	1.9	0.042	0.001
SR-420	434.90	436.55	1.3	0.013	0.004
SR-420	436.55	437.70	0.3	0.003	0.004
SR-420	437.70	439.45	1.1	0.028	0.018
SR-420	439.45	441.00	0.8	0.011	0.005
SR-421	123.00	124.10	0.6	0.031	0.003
SR-421	124.10	126.00	1.2	0.033	0.015
SR-421	126.00	127.70	1.2	0.064	0.021
SR-421	127.70	128.90	1.7	0.198	0.041
SR-421	128.90	130.55	20.2	0.241	0.434
SR-421	130.55	132.65	0.6	0.006	0.002
SR-421	132.65	133.90	0.5	0.005	0.001
SR-421	133.90	135.33	0.5	0.007	0.002
SR-421	135.33	137.80	0.6	0.005	0.002
SR-421	137.80	139.30	0.6	0.015	0.002
SR-421	139.30	141.00	0.7	0.005	0.001
SR-421	141.00	142.82	0.6	0.005	0.001
SR-421	142.82	144.20	1.6	0.006	0.005
SR-421	144.20	146.03	8.6	0.068	0.053
SR-421	146.03	147.70	10.0	0.181	0.098
SR-421	147.70	149.20	5.8	0.289	0.100
SR-421	149.20	150.00	0.8	0.031	0.006
SR-421	150.00	150.90	6.5	0.175	0.098
SR-421	150.90	152.20	1.6	0.068	0.024
SR-421	152.20	154.10	45.1	0.133	0.429
SR-421	154.10	155.50	0.8	0.035	0.005
SR-421	155.50	157.35	87.7	0.208	0.479
SR-421	157.35	159.00	5.9	0.033	0.022
SR-421	159.00	160.60	16.9	0.051	0.075
SR-421	160.60	162.15	126.0	0.334	0.456
SR-421	162.15	163.65	13.5	0.058	0.092
SR-421	163.65	165.40	3.0	0.016	0.010
SR-421	165.40	166.75	10.6	0.019	0.014
SR-421	166.75	168.61	0.9	0.008	0.001
SR-421	168.61	170.15	20.2	0.098	0.102
SR-421	170.15	171.85	39.7	0.145	0.223
SR-421	171.85	173.35	69.8	0.044	0.318
SR-421	173.35	174.43	88.8	0.161	0.331
SR-421	174.43	176.00	5.7	0.044	0.022
SR-421	176.00	177.94	3.0	0.028	0.006
SR-421	177.94	179.60	2.6	0.025	0.004

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-421	179.60	180.40	12.2	0.084	0.019
SR-421	180.40	182.45	3.2	0.034	0.004
SR-421	182.45	184.55	0.9	0.010	0.003
SR-421	184.55	186.90	1.5	0.031	0.008
SR-421	186.90	189.35	2.0	0.065	0.003
SR-421	189.35	191.35	3.6	0.091	0.012
SR-421	191.35	192.60	4.2	0.195	0.020
SR-421	192.60	194.00	3.9	0.250	0.005
SR-421	194.00	195.07	12.4	1.095	0.130
SR-421	195.07	197.00	7.3	0.420	0.046
SR-421	197.00	198.70	10.9	0.079	0.038
SR-421	198.70	200.50	17.2	0.027	0.019
SR-421	200.50	202.30	15.8	0.031	0.029
SR-421	202.30	204.73	3.9	0.008	0.010
SR-421	204.73	207.17	0.6	0.009	0.005
SR-421	207.17	208.75	1.7	0.007	0.002
SR-421	208.75	210.40	1.9	0.017	0.005
SR-421	210.40	212.15	1.4	0.007	0.004
SR-421	212.15	213.85	6.5	0.035	0.015
SR-421	213.85	215.50	8.6	0.058	0.033
SR-421	215.50	217.17	8.8	0.037	0.027
SR-421	217.17	218.75	6.7	0.032	0.026
SR-421	218.75	220.00	9.6	0.197	0.032
SR-421	220.00	221.65	4.5	0.044	0.015
SR-421	221.65	222.80	1.9	0.025	0.001
SR-421	222.80	224.10	1.4	0.054	0.005
SR-421	224.10	225.10	6.6	0.092	0.007
SR-421	225.10	226.40	1.1	0.015	0.001
SR-421	226.40	228.35	0.8	0.015	0.001
SR-421	228.35	229.75	5.6	0.095	0.011
SR-421	229.75	231.00	12.2	0.055	0.012
SR-421	231.00	233.00	23.1	0.109	0.018
SR-421	233.00	235.00	14.7	0.095	0.028
SR-421	235.00	237.00	5.1	0.052	0.016
SR-421	237.00	239.30	7.5	0.042	0.019
SR-421	239.30	240.96	13.0	0.062	0.017
SR-421	240.96	242.70	22.5	0.106	0.009
SR-421	242.70	245.00	10.6	0.028	0.006
SR-421	245.00	247.00	8.2	0.011	0.012
SR-421	247.00	247.95	37.9	0.035	0.065
SR-421	247.95	249.55	4.1	0.011	0.008
SR-421	249.55	252.00	2.6	0.006	0.005
SR-421	252.00	254.00	0.8	0.010	0.003

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-421	254.00	256.00	0.5	0.008	0.003
SR-421	256.00	258.00	0.5	0.005	0.002
SR-421	258.00	260.00	0.5	0.005	0.002
SR-421	260.00	261.90	0.5	0.008	0.002
SR-421	261.90	264.00	0.5	0.005	0.002
SR-421	264.00	265.75	0.5	0.006	0.001
SR-421	265.75	267.05	0.9	0.008	0.002
SR-421	267.05	268.15	4.7	0.046	0.015
SR-421	268.15	269.30	5.1	0.042	0.003
SR-421	269.30	270.40	44.0	0.040	0.067
SR-421	270.40	271.80	21.4	0.020	0.003
SR-421	271.80	273.20	1.7	0.021	0.001
SR-421	299.60	301.20	2.3	0.005	0.007
SR-421	301.20	302.80	20.3	0.059	0.045
SR-421	302.80	304.20	36.5	0.034	0.115
SR-421	304.20	305.60	26.7	0.076	0.040
SR-421	305.60	306.10	0.9	0.017	0.001
SR-421	306.10	307.40	0.7	0.036	0.002
SR-421	307.40	308.70	0.5	0.015	0.001
SR-421	308.70	310.35	0.5	0.010	0.000
SR-421	310.35	311.88	0.5	0.013	0.001
SR-421	311.88	313.80	12.2	0.014	0.007
SR-421	313.80	314.85	4.9	0.017	0.010
SR-421	314.85	315.95	8.4	1.120	0.005
SR-421	315.95	317.50	7.2	0.029	0.018
SR-421	317.50	319.07	46.6	0.039	0.060
SR-421	319.07	320.60	10.3	0.030	0.031
SR-421	320.60	322.63	6.7	0.018	0.009
SR-421	322.63	325.10	30.3	0.034	0.020
SR-421	325.10	326.10	29.4	0.033	0.009
SR-421	326.10	327.00	17.5	0.047	0.161
SR-421	327.00	328.47	19.8	0.049	0.038
SR-421	328.47	329.70	38.4	0.063	0.017
SR-421	329.70	330.80	4.9	0.026	0.001
SR-421	330.80	331.95	29.2	0.376	0.132
SR-421	331.95	332.90	0.6	0.019	0.000
SR-421	332.90	334.17	9.8	0.045	0.002
SR-421	334.17	335.55	9.5	0.059	0.003
SR-421	335.55	336.90	34.0	0.022	0.063
SR-421	336.90	338.20	16.5	0.028	0.031
SR-421	338.20	340.23	4.2	0.025	0.003
SR-421	340.23	342.00	3.6	0.015	0.009
SR-421	342.00	343.50	6.3	0.008	0.011

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-421	343.50	344.80	9.9	0.019	0.016
SR-421	344.80	346.35	2.8	0.014	0.003
SR-421	346.35	347.85	1.9	0.011	0.017
SR-421	347.85	349.80	0.6	0.007	0.002
SR-421	349.80	351.80	0.6	0.005	0.001
SR-421	351.80	353.40	53.9	0.044	0.162
SR-421	353.40	355.20	5.9	0.009	0.001
SR-421	355.20	357.00	10.8	0.013	0.010
SR-421	357.00	358.80	19.0	0.021	0.012
SR-421	358.80	360.60	11.8	0.015	0.009
SR-421	360.60	362.30	7.5	0.014	0.019
SR-421	362.30	364.20	13.3	0.015	0.005
SR-421	364.20	366.10	3.9	0.008	0.006
SR-421	366.10	368.00	3.8	0.009	0.006
SR-421	368.00	370.00	3.3	0.007	0.012
SR-421	370.00	371.95	10.0	0.024	0.040
SR-421	371.95	373.95	5.9	0.018	0.023
SR-421	373.95	375.90	5.2	0.016	0.011
SR-421	375.90	377.85	9.8	0.010	0.023
SR-421	377.85	379.80	3.1	0.005	0.016
SR-421	379.80	381.75	1.2	0.008	0.010
SR-421	441.00	443.00	2.1	0.006	0.017
SR-421	443.00	445.00	0.5	0.005	0.002
SR-421	445.00	447.00	0.7	0.005	0.001
SR-421	447.00	449.00	0.5	0.006	0.004
SR-421	449.00	450.60	2.1	0.016	0.016
SR-421	450.60	452.15	2.7	0.009	0.019
SR-421	452.15	453.65	2.9	0.013	0.016
SR-421	453.65	455.15	1.9	0.007	0.015
SR-421	455.15	457.10	16.0	0.022	0.082
SR-421	457.10	459.00	4.7	0.013	0.037
SR-421	459.00	461.00	5.0	0.012	0.003
SR-421	461.00	463.00	2.4	0.006	0.004
SR-422	0.00	1.00	98.7	0.104	0.058
SR-422	1.00	3.00	15.9	0.011	0.037
SR-422	3.00	6.20	3.9	0.138	0.008
SR-422	6.20	7.80	59.9	0.049	0.179
SR-422	7.80	9.33	6.0	0.033	0.038
SR-422	9.33	11.50	146.0	0.076	0.374
SR-422	11.50	13.80	<0.5	<0.005	0.003
SR-422	13.80	15.33	44.0	0.143	0.110
SR-422	15.33	16.33	83.4	0.059	0.019
SR-422	16.33	18.73	49.1	0.095	0.035

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-422	18.73	19.80	<0.5	<0.005	0.005
SR-422	19.80	22.00	36.1	0.048	0.040
SR-422	22.00	24.00	39.4	0.059	0.075
SR-422	24.00	26.00	48.9	0.119	0.105
SR-422	26.00	28.00	51.0	0.114	0.112
SR-422	28.00	30.00	221.0	1.120	0.348
SR-422	30.00	31.43	76.5	0.117	0.179
SR-422	31.43	33.25	57.0	0.210	0.054
SR-422	33.25	35.36	62.0	0.083	0.014
SR-422	35.36	36.25	156.0	0.142	0.022
SR-422	36.25	37.40	3.3	0.012	0.015
SR-422	37.40	40.00	5.1	0.027	0.021
SR-422	40.00	41.25	2.0	0.006	0.022
SR-422	41.25	41.59	0.8	<0.005	0.012
SR-422	41.59	43.62	32.3	1.435	0.302
SR-422	43.62	45.00	4.4	0.006	0.019
SR-422	45.00	47.00	22.1	0.104	0.084
SR-422	47.00	49.00	11.6	0.146	0.027
SR-422	49.00	50.93	4.0	0.080	0.019
SR-422	50.93	53.00	5.2	0.052	0.016
SR-422	53.00	55.00	7.1	0.087	0.006
SR-422	55.00	57.00	5.5	0.037	0.010
SR-422	57.00	59.00	3.7	0.016	0.007
SR-422	59.00	61.00	3.9	0.059	0.008
SR-422	61.00	63.00	3.8	0.015	0.006
SR-422	63.00	65.00	19.8	0.086	0.024
SR-422	65.00	67.00	17.0	0.038	0.032
SR-422	99.78	101.24	<0.5	<0.005	0.004
SR-422	101.24	103.20	3.0	0.029	0.005
SR-422	103.20	105.55	2.4	0.051	0.011
SR-422	105.55	107.40	5.4	0.036	0.015
SR-422	107.40	109.74	8.3	0.019	0.023
SR-422	109.74	112.16	220.0	1.100	0.315
SR-422	112.16	114.14	27.1	0.046	0.054
SR-422	114.14	115.90	10.4	0.034	0.035
SR-422	115.90	118.00	5.4	0.006	0.021
SR-422	118.00	120.00	5.8	0.005	0.022
SR-422	120.00	122.55	3.0	<0.005	0.016
SR-422	122.55	125.00	4.1	0.006	0.017
SR-422	125.00	126.00	<0.5	<0.005	0.004
SR-422	126.00	128.55	2.3	<0.005	0.015
SR-422	128.55	130.00	4.8	0.008	0.015
SR-422	130.00	132.00	1.3	<0.005	0.006

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-422	132.00	134.00	0.6	<0.005	0.003
SR-422	134.00	136.56	21.8	0.011	0.042
SR-422	153.00	154.10	14.8	0.013	0.043
SR-422	154.10	156.20	5.9	<0.005	0.029
SR-422	156.20	158.41	0.8	<0.005	0.004
SR-422	158.41	159.52	<0.5	<0.005	0.002
SR-422	159.52	160.90	0.5	0.008	0.004
SR-422	160.90	162.10	13.7	0.009	0.083
SR-422	162.10	164.65	19.4	0.010	0.104
SR-422	164.65	166.60	18.1	0.011	0.094
SR-422	166.60	169.34	19.4	0.010	0.077
SR-422	169.34	170.10	3.7	0.005	0.029
SR-422	170.10	172.00	27.3	0.009	0.063
SR-422	172.00	174.00	14.8	0.010	0.032
SR-422	174.00	175.98	20.8	0.020	0.044
SR-422	175.98	178.00	38.0	0.035	0.073
SR-422	178.00	180.00	45.1	0.050	0.084
SR-422	180.00	182.00	96.0	0.076	0.185
SR-422	182.00	184.00	221.0	1.145	0.322
SR-422	184.00	186.00	30.5	0.022	0.088
SR-422	186.00	188.00	31.2	0.017	0.101
SR-422	188.00	190.23	11.4	0.014	0.030
SR-422	190.23	193.10	19.0	0.024	0.043
SR-422	193.10	193.50	10.9	0.015	0.033
SR-422	193.50	195.10	12.2	0.016	0.031
SR-422	195.10	196.50	19.5	0.027	0.069
SR-422	196.50	197.80	20.2	0.025	0.065
SR-422	197.80	199.70	22.9	0.015	0.059
SR-422	199.70	202.18	9.2	0.011	0.029
SR-422	202.18	203.39	33.8	1.450	0.326
SR-422	203.39	205.75	31.7	0.030	0.043
SR-422	205.75	207.00	25.5	0.021	0.019
SR-422	207.00	208.26	64.5	0.034	0.057
SR-422	208.26	209.26	10.2	0.012	0.008
SR-422	209.26	210.50	15.0	0.106	0.025
SR-422	210.50	211.60	10.3	0.011	0.014
SR-422	211.60	213.00	10.7	0.031	0.007
SR-422	213.00	215.07	20.9	0.021	0.026
SR-422	215.07	216.00	14.2	0.025	0.006
SR-423	0.00	3.00	139.0	0.230	0.146
SR-423	3.00	6.00	18.9	0.240	0.023
SR-423	6.00	8.05	28.2	0.280	0.024
SR-423	8.05	9.30	63.1	0.420	0.174

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-423	9.30	10.50	7.6	0.140	0.016
SR-423	10.50	12.00	5.0	0.100	0.006
SR-423	12.00	13.25	4.6	0.110	0.035
SR-423	13.25	15.00	8.2	0.140	0.014
SR-423	15.00	17.25	7.6	0.190	0.030
SR-423	17.25	19.00	7.9	0.600	0.034
SR-423	19.00	20.30	3.9	0.100	0.010
SR-423	20.30	21.90	10.5	0.090	0.114
SR-423	21.90	24.40	13.4	0.700	0.081
SR-423	24.40	27.00	4.7	0.110	0.017
SR-423	27.00	28.42	3.5	0.030	0.032
SR-423	28.42	30.65	3.3	0.020	0.028
SR-423	30.65	32.40	5.0	0.020	0.032
SR-423	32.40	34.00	3.9	0.130	0.034
SR-423	34.00	35.15	5.1	0.030	0.054
SR-423	35.15	36.45	18.5	0.050	0.132
SR-423	36.45	39.00	1.6	0.010	0.020
SR-423	39.00	40.50	3.2	0.020	0.027
SR-423	40.50	42.00	3.3	0.030	0.039
SR-423	42.00	44.00	11.1	0.020	0.082
SR-423	44.00	46.45	4.0	0.010	0.035
SR-423	46.45	48.50	5.6	0.080	0.014
SR-423	48.50	49.70	6.9	0.010	0.031
SR-423	49.70	51.55	3.7	0.040	0.032
SR-423	51.55	53.40	7.6	0.030	0.037
SR-423	53.40	54.75	65.1	0.130	0.360
SR-423	54.75	56.50	20.2	0.070	0.081
SR-423	56.50	59.00	6.6	0.040	0.031
SR-423	59.00	60.00	18.7	0.050	0.095
SR-423	60.00	60.90	35.3	0.050	0.171
SR-423	60.90	63.00	10.0	0.020	0.051
SR-423	63.00	64.15	19.1	0.020	0.114
SR-423	64.15	65.40	2.9	0.010	0.021
SR-423	65.40	67.00	7.0	0.010	0.032
SR-423	67.00	68.30	3.1	0.010	0.039
SR-423	68.30	70.10	6.5	0.010	0.021
SR-423	70.10	71.30	13.5	0.020	0.096
SR-423	71.30	73.25	4.6	0.010	0.028
SR-423	73.25	74.30	8.2	0.020	0.036
SR-423	74.30	75.60	5.2	0.010	0.027
SR-423	75.60	77.00	4.1	0.010	0.022
SR-423	77.00	79.15	12.1	0.050	0.017
SR-423	79.15	81.00	2.5	0.010	0.012

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-423	81.00	83.00	8.9	0.010	0.032
SR-423	83.00	85.00	10.3	0.010	0.012
SR-423	85.00	87.00	2.3	0.010	0.017
SR-423	87.00	89.00	1.0	0.010	0.020
SR-423	89.00	91.00	2.1	0.010	0.010
SR-423	91.00	93.00	3.4	0.010	0.012
SR-423	93.00	94.70	4.4	0.010	0.031
SR-423	94.70	96.70	4.1	0.010	0.023
SR-423	96.70	98.50	6.5	0.010	0.041
SR-423	98.50	100.50	3.4	0.010	0.020
SR-423	100.50	102.50	4.7	0.010	0.015
SR-423	102.50	104.50	9.0	0.010	0.027
SR-423	104.50	106.50	6.4	0.010	0.025
SR-423	106.50	108.00	9.7	0.010	0.024
SR-423	108.00	109.80	4.5	0.010	0.016
SR-423	109.80	111.60	5.5	0.010	0.011
SR-423	111.60	113.35	3.0	0.010	0.008
SR-423	113.35	115.05	14.7	0.010	0.036
SR-423	115.05	116.75	8.8	0.010	0.016
SR-423	116.75	118.45	2.4	0.010	0.015
SR-423	118.45	120.15	17.7	0.010	0.055
SR-423	120.15	122.00	47.4	0.010	0.063
SR-423	122.00	123.20	43.6	0.050	0.024
SR-423	123.20	124.85	12.7	0.010	0.041
SR-423	124.85	126.85	30.9	0.010	0.030
SR-423	126.85	128.85	51.8	0.010	0.043
SR-423	165.60	167.00	8.4	0.040	0.032
SR-423	167.00	167.85	10.0	0.010	0.042
SR-423	167.85	170.60	12.8	0.010	0.017
SR-423	170.60	172.60	16.1	0.010	0.020
SR-423	172.60	174.10	29.4	0.030	0.031
SR-423	174.10	175.70	12.9	0.010	0.006
SR-423	175.70	176.50	18.8	0.730	0.051
SR-423	176.50	177.70	98.8	0.140	0.005
SR-423	177.70	179.65	71.3	0.050	0.007
SR-423	179.65	181.50	40.0	0.030	0.027
SR-423	181.50	183.00	24.3	0.030	0.008
SR-423	183.00	184.60	43.7	0.180	0.007
SR-423	184.60	185.10	134.0	9.610	0.015
SR-423	187.15	188.70	24.1	0.030	0.022
SR-423	188.70	191.00	10.5	0.010	0.024
SR-423	191.00	193.00	33.6	0.050	0.069
SR-423	193.00	195.00	74.8	0.030	0.053

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-423	195.00	197.00	78.9	0.020	0.018
SR-423	197.00	199.00	9.4	0.010	0.008
SR-423	199.00	201.00	0.5	0.010	0.003
SR-423	201.00	202.40	0.5	0.010	0.003
SR-423	202.40	204.00	0.5	0.010	0.003
SR-423	204.00	206.60	0.5	0.010	0.003
SR-424	0.00	1.00	<0.5	0.010	0.000
SR-424	1.00	3.00	2.0	0.020	0.010
SR-424	3.00	6.00	1.0	0.020	0.010
SR-424	6.00	9.00	<0.5	<0.005	0.000
SR-424	9.00	12.00	<0.5	<0.005	0.000
SR-424	63.20	65.20	<0.5	<0.005	0.000
SR-424	65.20	66.95	<0.5	<0.005	0.000
SR-424	66.95	68.65	1.0	0.010	0.010
SR-424	68.65	70.35	1.0	0.010	0.020
SR-424	70.35	72.00	1.0	0.010	0.010
SR-424	72.00	74.00	<0.5	<0.005	0.000
SR-424	159.10	161.00	5.0	0.040	0.040
SR-424	161.00	162.40	91.0	0.240	0.520
SR-424	162.40	164.00	19.0	0.020	0.380
SR-424	164.00	166.30	<0.5	<0.005	0.000
SR-424	166.30	168.75	1.0	0.070	0.000
SR-424	168.75	171.00	<0.5	0.010	0.000
SR-424	171.00	172.00	6.0	0.010	0.030
SR-424	172.00	173.10	30.0	0.030	0.110
SR-424	173.10	174.10	9.0	0.010	0.050
SR-424	174.10	176.60	<0.5	<0.005	0.000
SR-424	176.60	178.70	<0.5	<0.005	0.000
SR-424	178.70	180.40	<0.5	<0.005	0.000
SR-424	180.40	182.00	1.0	<0.005	0.000
SR-424	182.00	183.15	7.0	0.010	0.020
SR-424	183.15	185.00	1.0	<0.005	0.000
SR-424	185.00	186.10	30.0	0.040	0.130
SR-424	186.10	187.15	54.0	0.050	0.240
SR-424	187.15	189.00	2.0	0.030	0.010
SR-424	189.00	191.00	1.0	0.010	0.000
SR-424	191.00	192.85	2.0	<0.005	0.020
SR-424	192.85	194.65	1.0	<0.005	0.000
SR-424	194.65	196.50	1.0	0.020	0.010
SR-424	196.50	198.65	1.0	0.010	0.000
SR-424	198.65	199.55	7.0	0.020	0.060
SR-424	199.55	201.15	1.0	0.010	0.010
SR-424	201.15	202.40	152.0	0.180	0.600

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-424	202.40	203.65	15.0	0.020	0.210
SR-424	203.65	204.65	1.0	0.010	0.010
SR-424	204.65	205.35	397.0	0.450	1.400
SR-424	205.35	207.00	8.0	0.040	0.040
SR-424	207.00	208.50	1.0	0.010	0.010
SR-424	208.50	210.00	1.0	0.010	0.010
SR-424	210.00	211.45	2.0	0.010	0.010
SR-424	211.45	212.60	99.0	0.100	0.390
SR-424	212.60	213.75	225.0	0.190	0.950
SR-424	213.75	214.70	15.0	0.050	0.070
SR-424	214.70	216.00	1.0	0.010	0.000
SR-424	216.00	217.45	2.0	0.020	0.010
SR-424	217.45	219.00	3.0	0.040	0.010
SR-424	219.00	220.50	26.0	0.050	0.120
SR-424	220.50	222.00	51.0	0.050	0.200
SR-424	222.00	223.50	2.0	0.020	0.000
SR-424	223.50	225.00	8.0	0.260	0.010
SR-424	225.00	226.85	5.0	0.090	0.020
SR-424	226.85	228.00	<0.5	0.010	0.000
SR-424	228.00	229.40	1.0	0.060	0.000
SR-424	229.40	231.00	1.0	0.010	0.000
SR-424	231.00	232.50	1.0	0.030	0.000
SR-424	232.50	234.00	1.0	<0.005	0.000
SR-424	234.00	235.55	<0.5	<0.005	0.000
SR-424	235.55	236.45	<0.5	<0.005	0.000
SR-424	236.45	238.80	<0.5	<0.005	0.000
SR-424	238.80	240.00	<0.5	0.010	0.000
SR-424	240.00	240.75	1.0	<0.005	0.020
SR-424	240.75	243.00	<0.5	<0.005	0.010
SR-424	243.00	243.85	<0.5	<0.005	0.000
SR-424	243.85	246.25	<0.5	<0.005	0.000
SR-424	246.25	248.20	<0.5	<0.005	0.000
SR-424	248.20	250.10	<0.5	<0.005	0.000
SR-424	250.10	252.00	<0.5	<0.005	0.000
SR-424	252.00	252.30	<0.5	<0.005	0.000
SR-424	252.30	256.40	1.0	0.010	0.000
SR-424	256.40	258.00	1.0	0.010	0.000
SR-424	258.00	259.95	<0.5	<0.005	0.000
SR-424	259.95	261.00	1.0	0.010	0.010
SR-424	311.20	313.20	<0.5	<0.005	0.010
SR-424	313.20	315.30	2.0	<0.005	0.000
SR-424	315.30	318.00	1.0	<0.005	0.000
SR-424	318.00	320.00	3.0	0.020	0.000

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-424	320.00	322.00	2.0	0.020	0.000
SR-424	322.00	324.00	20.0	0.020	0.020
SR-424	324.00	325.70	7.0	0.020	0.000
SR-424	325.70	327.45	13.0	0.030	0.010
SR-424	327.45	328.90	1.0	0.010	0.000
SR-424	345.75	347.20	4.0	0.010	0.000
SR-424	347.20	348.50	30.0	0.030	0.050
SR-424	348.50	349.75	14.0	0.020	0.020
SR-424	349.75	352.50	1.0	0.010	0.010
SR-424	352.50	354.55	7.0	0.010	0.000
SR-424	354.55	357.00	1.0	0.010	0.000
SR-424	357.00	360.00	4.0	0.020	0.000
SR-424	360.00	361.70	1.0	<0.005	0.010
SR-424	361.70	363.50	3.0	0.010	0.000
SR-424	363.50	365.05	2.0	0.010	0.000
SR-424	365.05	366.70	2.0	0.020	0.000
SR-424	366.70	368.25	1.0	0.010	0.000
SR-424	368.25	370.25	1.0	0.010	0.000
SR-425	169.15	171.15	0.5	0.010	0.001
SR-425	171.15	172.15	0.7	0.040	0.003
SR-425	172.15	172.95	0.5	0.010	0.002
SR-425	172.95	174.15	1.2	0.030	0.001
SR-425	174.15	175.35	1.5	0.050	0.001
SR-425	175.35	177.35	0.9	0.020	0.001
SR-425	177.35	179.35	0.6	0.010	0.002
SR-425	179.35	181.35	1.0	0.020	0.002
SR-425	181.35	183.35	0.8	0.020	0.001
SR-425	183.35	185.05	0.8	0.020	0.001
SR-425	185.05	187.05	0.5	0.010	0.001
SR-425	187.05	188.85	3.0	0.090	0.003
SR-425	188.85	190.65	1.2	0.010	0.002
SR-425	190.65	192.45	4.7	0.060	0.013
SR-425	192.45	194.25	20.2	0.090	0.025
SR-425	194.25	196.05	11.5	0.080	0.018
SR-425	196.05	197.85	8.5	0.080	0.015
SR-425	197.85	199.70	10.0	0.050	0.040
SR-425	199.70	201.45	6.3	0.090	0.052
SR-425	201.45	203.00	0.7	0.010	0.003
SR-425	203.00	204.60	0.9	0.010	0.002
SR-425	204.60	205.45	2.7	0.030	0.024
SR-425	205.45	206.95	1.5	0.010	0.002
SR-425	206.95	208.35	1.1	0.010	0.001
SR-425	208.35	209.75	1.5	0.020	0.001

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-425	209.75	211.15	8.1	0.030	0.039
SR-425	211.15	212.30	0.5	0.010	0.001
SR-425	212.30	213.45	0.9	0.010	0.004
SR-425	213.45	214.45	7.5	0.030	0.038
SR-425	214.45	216.55	0.5	0.010	0.001
SR-425	216.55	218.65	2.1	0.030	0.001
SR-425	218.65	220.75	0.8	0.010	0.001
SR-425	220.75	223.00	6.3	0.040	0.015
SR-425	223.00	224.25	14.4	0.090	0.038
SR-425	224.25	226.20	3.0	0.020	0.014
SR-425	226.20	228.40	0.5	0.010	0.005
SR-425	228.40	230.00	0.6	0.010	0.001
SR-425	230.00	231.80	2.5	0.040	0.022
SR-425	231.80	232.75	1.3	0.010	0.008
SR-425	232.75	234.85	10.6	0.350	0.055
SR-425	234.85	235.90	14.2	0.080	0.073
SR-425	235.90	237.10	4.0	0.040	0.012
SR-425	237.10	239.00	20.3	0.030	0.096
SR-425	239.00	240.65	25.6	0.050	0.146
SR-425	240.65	242.10	12.8	0.050	0.056
SR-425	242.10	243.80	5.4	0.030	0.036
SR-425	243.80	245.30	1.4	0.010	0.007
SR-425	245.30	247.00	1.7	0.010	0.015
SR-425	247.00	248.10	15.7	0.010	0.091
SR-425	248.10	250.30	6.1	0.010	0.037
SR-425	250.30	252.00	2.4	0.010	0.018
SR-425	252.00	253.60	22.1	0.020	0.089
SR-425	253.60	254.75	40.9	0.030	0.144
SR-425	254.75	255.80	54.4	0.020	0.240
SR-425	255.80	257.30	8.0	0.010	0.038
SR-425	257.30	259.15	4.2	0.010	0.025
SR-425	259.15	260.75	13.1	0.010	0.095
SR-425	260.75	261.90	19.6	0.010	0.130
SR-425	261.90	262.75	20.6	0.020	0.152
SR-425	262.75	264.20	30.6	0.030	0.145
SR-425	264.20	266.15	16.9	0.010	0.064
SR-425	266.15	267.20	18.7	0.010	0.079
SR-425	267.20	268.20	24.3	0.030	0.098
SR-425	268.20	270.00	6.9	0.010	0.033
SR-425	270.00	272.00	5.3	0.010	0.022
SR-425	272.00	272.85	10.6	0.030	0.042
SR-425	272.85	274.20	9.2	0.010	0.029
SR-425	274.20	275.70	5.6	0.010	0.022

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-425	275.70	277.70	10.7	0.010	0.071
SR-425	277.70	279.70	2.8	0.010	0.017
SR-425	279.70	281.70	4.4	0.010	0.024
SR-425	281.70	283.50	14.2	0.050	0.041
SR-425	283.50	285.00	18.7	0.010	0.068
SR-425	285.00	286.45	3.9	0.010	0.017
SR-425	286.45	288.70	4.6	0.070	0.021
SR-425	288.70	290.30	31.3	0.020	0.101
SR-425	290.30	292.45	5.6	0.010	0.022
SR-425	292.45	294.70	5.7	0.010	0.023
SR-425	294.70	296.38	82.8	0.050	0.196
SR-425	296.38	297.05	49.2	0.040	0.133
SR-425	297.05	298.40	43.8	0.010	0.067
SR-425	298.40	299.83	93.2	0.040	0.247
SR-425	299.83	300.55	27.1	0.020	0.093
SR-425	300.55	303.19	0.9	0.010	0.004
SR-425	303.19	305.15	20.8	0.010	0.083
SR-425	305.15	306.66	12.7	0.010	0.049
SR-425	306.66	308.63	5.7	0.010	0.017
SR-425	308.63	310.40	22.3	0.010	0.065
SR-425	310.40	311.82	112.0	0.050	0.362
SR-425	311.82	313.89	17.8	0.020	0.053
SR-425	313.89	315.86	7.3	0.010	0.021
SR-425	315.86	316.73	5.6	0.010	0.031
SR-425	316.73	317.77	16.8	0.010	0.068
SR-425	317.77	319.60	9.3	0.010	0.038
SR-425	319.60	321.45	3.3	0.010	0.016
SR-425	321.45	322.90	10.2	0.010	0.038
SR-425	322.90	324.48	28.8	0.010	0.123
SR-425	324.48	325.87	54.1	0.030	0.186
SR-425	325.87	326.87	34.8	0.010	0.143
SR-425	326.87	328.66	15.2	0.020	0.059
SR-425	328.66	329.62	59.8	0.040	0.201
SR-425	329.62	330.66	22.9	0.010	0.071
SR-425	330.66	331.91	115.0	0.110	0.468
SR-425	331.91	333.60	14.2	0.010	0.082
SR-425	333.60	335.41	2.8	0.010	0.034
SR-425	335.41	337.40	3.1	0.010	0.006
SR-425	337.40	339.59	0.5	0.010	0.004
SR-425	339.59	341.54	0.5	0.010	0.004
SR-425	341.54	342.53	5.7	0.010	0.052
SR-425	342.53	343.42	2.3	0.010	0.018
SR-425	343.42	344.85	2.9	0.010	0.027

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-425	344.85	346.36	3.1	0.010	0.018
SR-425	346.36	348.13	8.8	0.040	0.052
SR-425	348.13	348.95	8.8	0.020	0.035
SR-425	348.95	350.70	11.1	0.020	0.074
SR-425	350.70	352.40	6.4	0.010	0.037
SR-425	352.40	354.00	3.1	0.010	0.018
SR-425	354.00	355.30	16.9	0.010	0.117
SR-425	355.30	356.80	21.1	0.020	0.119
SR-425	356.80	357.95	14.1	0.010	0.100
SR-425	357.95	359.85	34.9	0.010	0.118
SR-425	359.85	361.15	616.0	0.210	1.180
SR-425	361.15	362.10	407.0	0.190	1.035
SR-425	362.10	363.70	301.0	0.220	0.781
SR-425	363.70	364.80	308.0	0.150	0.780
SR-425	364.80	366.00	215.0	0.130	0.746
SR-425	366.00	367.50	22.1	0.010	0.044
SR-425	367.50	368.40	18.5	0.050	0.085
SR-425	368.40	369.95	9.6	0.020	0.034
SR-425	369.95	372.25	8.9	0.010	0.033
SR-425	372.25	373.45	4.2	0.010	0.014
SR-425	373.45	374.75	7.2	0.010	0.031
SR-425	374.75	375.90	33.9	0.050	0.084
SR-425	375.90	377.10	94.1	0.180	0.240
SR-425	377.10	378.45	68.7	0.090	0.238
SR-425	378.45	379.10	19.3	0.020	0.073
SR-425	379.10	380.05	42.1	0.020	0.084
SR-425	380.05	381.00	28.5	0.020	0.149
SR-425	381.00	382.26	37.4	0.020	0.160
SR-425	382.26	383.30	66.3	0.030	0.193
SR-425	383.30	385.05	58.7	0.080	0.290
SR-425	385.05	386.25	221.0	0.100	0.469
SR-425	386.25	387.80	327.0	0.230	0.543
SR-425	387.80	389.35	102.0	0.100	0.283
SR-425	389.35	390.60	88.2	0.050	0.275
SR-425	390.60	392.00	34.8	0.030	0.237
SR-425	392.00	393.65	17.8	0.020	0.081
SR-425	393.65	394.75	17.3	0.010	0.093
SR-425	394.75	396.15	101.0	0.050	0.230
SR-425	396.15	397.55	339.0	0.120	0.794
SR-425	397.55	398.55	309.0	0.240	0.520
SR-425	398.55	399.80	684.0	0.260	1.090
SR-425	399.80	401.00	312.0	0.190	0.564
SR-425	401.00	402.50	64.4	0.080	0.125

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-425	402.50	403.90	49.3	0.090	0.142
SR-425	403.90	404.80	82.4	0.250	0.105
SR-425	404.80	405.75	40.1	0.260	0.048
SR-425	405.75	407.40	221.0	0.330	0.515
SR-425	407.40	408.45	257.0	0.330	0.739
SR-425	408.45	410.20	303.0	0.670	0.521
SR-425	410.20	411.45	114.0	0.150	0.297
SR-425	411.45	413.25	69.9	0.180	0.165
SR-425	413.25	414.65	49.6	0.150	0.095
SR-425	414.65	416.20	89.6	0.300	0.212
SR-425	416.20	417.46	398.0	2.480	0.655
SR-425	417.46	419.07	56.9	0.160	0.198
SR-425	419.07	420.40	109.0	1.100	0.212
SR-425	420.40	421.65	257.0	0.270	0.539
SR-425	421.65	423.35	4.8	0.020	0.012
SR-425	423.35	426.00	1.5	0.010	0.002
SR-425	426.00	427.60	1.3	0.010	0.001
SR-425	427.60	429.90	0.9	0.010	0.001
SR-425	429.90	432.30	1.2	0.010	0.002
SR-425	432.30	433.70	0.5	0.030	0.002
SR-425	433.70	435.65	0.6	0.020	0.004
SR-425	435.65	438.00	1.1	0.040	0.011
SR-426	0.00	3.00	16.0	0.070	0.010
SR-426	3.00	5.25	2.0	0.010	0.010
SR-426	5.25	7.30	8.0	0.040	0.010
SR-426	7.30	8.95	1.0	0.020	0.000
SR-426	8.95	11.45	31.0	0.030	0.040
SR-426	11.45	12.85	2.0	0.010	0.010
SR-426	12.85	14.95	18.0	0.010	0.020
SR-426	14.95	17.55	<0.5	0.010	0.010
SR-426	17.55	19.85	1.0	0.010	0.000
SR-426	19.85	21.00	3.0	0.010	0.010
SR-426	21.00	23.55	1.0	<0.005	0.000
SR-426	23.55	24.45	2.0	0.010	0.000
SR-426	24.45	26.15	2.0	0.010	0.000
SR-426	26.15	27.00	8.0	0.010	0.020
SR-426	27.00	28.60	2.0	0.010	0.010
SR-426	28.60	30.25	1.0	0.010	0.000
SR-426	30.25	32.50	2.0	0.010	0.010
SR-426	32.50	34.20	6.0	0.060	0.020
SR-426	34.20	36.12	1.0	0.020	0.010
SR-426	36.12	37.00	3.0	0.020	0.010
SR-426	37.00	37.95	3.0	0.020	0.020

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-426	37.95	39.65	2.0	0.010	0.010
SR-426	39.65	41.00	4.0	0.010	0.030
SR-426	41.00	42.40	10.0	0.020	0.010
SR-426	42.40	44.25	8.0	0.020	0.030
SR-426	44.25	45.30	12.0	0.020	0.040
SR-426	45.30	46.40	12.0	0.020	0.020
SR-426	46.40	48.00	2.0	0.040	0.010
SR-426	48.00	50.35	11.0	0.100	0.010
SR-426	50.35	52.30	7.0	0.020	0.020
SR-426	52.30	54.43	2.0	0.030	0.010
SR-426	54.43	56.05	1.0	<0.005	0.010
SR-426	56.05	57.36	<0.5	<0.005	0.000
SR-426	57.36	60.00	1.0	<0.005	0.010
SR-426	120.32	121.64	2.0	<0.005	0.010
SR-426	121.64	123.10	3.0	<0.005	0.010
SR-426	123.10	124.85	6.0	0.010	0.040
SR-426	124.85	126.65	4.0	0.010	0.000
SR-426	126.65	128.65	3.0	0.010	0.010
SR-426	128.65	130.90	6.0	0.010	0.030
SR-426	130.90	132.25	5.0	0.010	0.010
SR-426	132.25	134.10	4.0	0.010	0.010
SR-426	134.10	135.52	7.0	0.010	0.030
SR-426	135.52	137.35	15.0	0.010	0.030
SR-426	137.35	138.60	13.0	0.050	0.020
SR-426	138.60	140.72	2.0	0.010	0.000
SR-426	140.72	141.95	2.0	0.010	0.000
SR-426	198.20	200.80	33.0	0.040	0.000
SR-426	200.80	201.90	3.0	0.010	0.000
SR-426	201.90	203.60	1.0	0.010	0.000
SR-426	203.60	205.35	<0.5	0.010	0.000
SR-426	205.35	207.20	<0.5	<0.005	0.000
SR-426	207.20	209.10	<0.5	0.010	0.000
SR-426	209.10	210.70	<0.5	0.010	0.000
SR-426	210.70	213.00	<0.5	<0.005	0.000
SR-427	0.00	3.25	57.0	0.850	0.030
SR-427	3.25	5.35	35.0	0.270	0.020
SR-427	5.35	6.30	21.0	0.110	0.020
SR-427	6.30	7.60	47.0	0.500	0.090
SR-427	7.60	9.50	74.0	0.810	0.120
SR-427	9.50	11.00	6.0	0.080	0.000
SR-427	11.00	12.60	9.0	0.040	0.010
SR-427	12.60	13.95	3.0	0.040	0.000
SR-427	13.95	15.95	3.0	0.020	0.000

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-427	15.95	18.00	<0.5	<0.005	0.000
SR-427	53.45	55.00	1.0	0.010	0.000
SR-427	55.00	56.80	<0.5	<0.005	0.000
SR-427	56.80	58.00	2.0	0.050	0.020
SR-427	58.00	59.00	2.0	0.100	0.010
SR-427	59.00	59.65	5.0	0.050	0.020
SR-427	59.65	60.70	5.0	0.080	0.020
SR-427	60.70	62.45	5.0	0.030	0.010
SR-427	62.45	64.10	13.0	0.090	0.170
SR-427	64.10	65.10	22.0	0.070	0.230
SR-427	65.10	66.10	18.0	0.020	0.180
SR-427	66.10	67.33	37.0	0.120	0.190
SR-427	67.33	68.65	25.0	0.160	0.160
SR-427	68.65	69.92	55.0	0.040	0.400
SR-427	69.92	70.70	33.0	0.130	0.170
SR-427	70.70	71.90	21.0	0.020	0.200
SR-427	71.90	73.00	41.0	0.040	0.290
SR-427	73.00	74.85	12.0	0.140	0.070
SR-427	74.85	75.70	19.0	0.050	0.130
SR-427	75.70	78.00	11.0	0.050	0.050
SR-427	78.00	79.40	2.0	0.010	0.030
SR-427	79.40	80.15	7.0	0.020	0.010
SR-427	80.15	81.45	7.0	0.010	0.040
SR-427	81.45	83.10	8.0	0.020	0.070
SR-427	83.10	84.65	1.0	<0.005	0.010
SR-427	84.65	87.00	<0.5	0.010	0.000
SR-427	87.00	87.75	<0.5	0.010	0.000
SR-427	87.75	89.80	3.0	0.010	0.020
SR-427	89.80	92.25	6.0	0.020	0.040
SR-427	92.25	93.55	4.0	0.010	0.030
SR-427	93.55	95.40	3.0	<0.005	0.020
SR-427	95.40	97.45	7.0	0.010	0.040
SR-427	97.45	99.55	7.0	0.010	0.060
SR-427	99.55	101.20	11.0	0.010	0.090
SR-427	101.20	103.35	12.0	0.020	0.120
SR-427	103.35	105.25	6.0	0.010	0.080
SR-427	105.25	106.60	14.0	0.020	0.100
SR-427	106.60	108.65	12.0	0.010	0.100
SR-427	108.65	109.75	10.0	0.010	0.080
SR-427	109.75	111.90	7.0	0.010	0.050
SR-427	111.90	113.50	4.0	0.010	0.030
SR-427	113.50	114.75	12.0	0.020	0.090
SR-427	114.75	116.40	18.0	0.010	0.120

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-427	116.40	118.15	18.0	0.010	0.120
SR-427	118.15	119.50	29.0	0.020	0.170
SR-427	119.50	120.65	9.0	0.010	0.040
SR-427	120.65	121.70	13.0	0.070	0.020
SR-427	121.70	122.65	14.0	0.030	0.060
SR-427	122.65	124.45	21.0	0.030	0.130
SR-427	124.45	125.55	27.0	0.070	0.090
SR-427	125.55	126.70	16.0	0.060	0.040
SR-427	126.70	128.65	6.0	0.010	0.060
SR-427	128.65	130.00	15.0	0.010	0.120
SR-427	130.00	131.80	15.0	0.010	0.130
SR-427	131.80	133.35	5.0	<0.005	0.030
SR-427	133.35	135.15	18.0	0.010	0.060
SR-427	135.15	136.90	7.0	0.010	0.040
SR-427	136.90	139.05	23.0	0.010	0.140
SR-427	139.05	141.00	21.0	0.010	0.150
SR-427	141.00	142.80	20.0	0.020	0.120
SR-427	142.80	144.85	22.0	0.020	0.160
SR-427	144.85	147.00	5.0	0.010	0.040
SR-427	147.00	148.30	15.0	0.020	0.120
SR-427	148.30	150.00	9.0	0.010	0.070
SR-427	150.00	151.40	9.0	0.010	0.080
SR-427	151.40	153.00	11.0	0.010	0.130
SR-427	153.00	154.00	4.0	0.010	0.020
SR-427	154.00	155.20	4.0	0.010	0.030
SR-427	155.20	156.00	61.0	0.050	0.420
SR-427	156.00	156.67	103.0	0.080	0.300
SR-427	156.67	158.00	116.0	0.100	0.760
SR-427	158.00	158.95	75.0	0.060	0.310
SR-427	158.95	159.80	162.0	0.070	0.670
SR-427	159.80	160.85	154.0	0.080	0.510
SR-427	160.85	162.10	46.0	0.020	0.230
SR-427	162.10	164.00	14.0	0.010	0.060
SR-427	164.00	165.20	254.0	0.120	1.350
SR-427	165.20	166.50	166.0	0.090	0.400
SR-427	166.50	168.00	53.0	0.030	0.130
SR-427	168.00	169.00	150.0	0.090	0.550
SR-427	169.00	170.12	13.0	0.010	0.050
SR-427	170.12	171.20	98.0	0.050	0.230
SR-427	171.20	172.45	143.0	0.080	0.270
SR-427	172.45	174.25	23.0	0.030	0.080
SR-427	174.25	175.30	320.0	0.220	0.830
SR-427	175.30	176.60	284.0	0.210	0.530

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-427	176.60	177.70	87.0	0.070	0.280
SR-427	177.70	179.20	285.0	0.120	0.770
SR-427	179.20	180.40	615.0	0.330	1.740
SR-427	180.40	182.10	753.0	0.510	1.330
SR-427	182.10	182.60	111.0	0.060	0.200
SR-427	182.60	184.00	72.0	0.060	0.100
SR-427	184.00	186.00	3.0	0.040	0.010
SR-427	186.00	187.25	2.0	0.010	0.020
SR-427	187.25	190.30	2.0	0.010	0.000
SR-427	190.30	192.20	<0.5	0.010	0.000
SR-427	192.20	193.65	1.0	<0.005	0.000
SR-427	193.65	195.45	<0.5	<0.005	0.000
SR-427	195.45	197.00	<0.5	<0.005	0.000
SR-427	197.00	198.70	<0.5	<0.005	0.000
SR-427	198.70	200.20	<0.5	<0.005	0.000
SR-427	200.20	202.00	<0.5	<0.005	0.000
SR-427	202.00	203.90	<0.5	<0.005	0.000
SR-427	203.90	205.50	<0.5	<0.005	0.000
SR-427	205.50	207.00	<0.5	<0.005	0.000
SR-428	0.00	3.00	6.0	0.050	0.010
SR-428	3.00	6.00	4.0	0.040	0.010
SR-428	6.00	9.00	2.0	0.030	0.010
SR-428	9.00	12.00	2.0	0.030	0.010
SR-428	12.00	15.00	3.0	0.030	0.000
SR-428	15.00	18.00	7.0	0.110	0.030
SR-428	18.00	21.00	10.0	0.040	0.010
SR-428	21.00	24.00	5.0	0.110	0.010
SR-428	24.00	27.00	6.0	0.220	0.010
SR-428	27.00	30.00	13.0	0.060	0.010
SR-428	30.00	33.00	8.0	0.100	0.010
SR-428	33.00	36.00	5.0	0.130	0.010
SR-428	36.00	39.00	8.0	0.060	0.010
SR-428	39.00	42.00	14.0	0.120	0.010
SR-428	42.00	44.00	6.0	0.150	0.020
SR-428	44.00	45.00	1.0	0.040	0.010
SR-428	45.00	46.00	1.0	0.020	0.020
SR-428	46.00	48.00	1.0	0.010	0.020
SR-428	132.00	134.45	3.0	0.030	0.030
SR-428	134.45	136.15	11.0	0.150	0.080
SR-428	136.15	138.00	6.0	0.080	0.040
SR-428	138.00	140.35	5.0	0.090	0.040
SR-428	140.35	142.00	2.0	0.030	0.010
SR-428	142.00	144.17	<0.5	0.010	0.000

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-428	144.17	145.05	5.0	0.030	0.050
SR-428	145.05	146.22	13.0	0.030	0.060
SR-428	146.22	148.25	30.0	0.030	0.140
SR-428	148.25	149.30	26.0	0.030	0.170
SR-428	149.30	151.20	28.0	0.020	0.140
SR-428	151.20	152.35	33.0	0.020	0.140
SR-428	152.35	154.90	13.0	0.040	0.050
SR-428	154.90	157.30	10.0	0.070	0.040
SR-428	157.30	158.73	13.0	0.190	0.020
SR-428	158.73	160.00	5.0	0.060	0.010
SR-428	160.00	161.20	9.0	0.150	0.030
SR-428	161.20	162.27	21.0	0.160	0.070
SR-428	162.27	164.95	15.0	0.120	0.040
SR-428	164.95	166.36	18.0	0.160	0.040
SR-428	166.36	167.90	91.0	0.150	0.240
SR-428	167.90	168.50	32.0	0.080	0.100
SR-428	168.50	170.00	107.0	0.160	0.320
SR-428	170.00	172.40	28.0	0.050	0.050
SR-428	172.40	174.40	50.0	0.100	0.200
SR-428	174.40	175.85	123.0	0.090	0.520
SR-428	175.85	176.70	51.0	0.050	0.090
SR-428	176.70	177.90	62.0	0.050	0.120
SR-428	177.90	179.00	91.0	0.060	0.220
SR-428	179.00	181.37	13.0	0.020	0.040
SR-428	181.37	182.70	15.0	0.030	0.040
SR-428	182.70	183.95	38.0	0.060	0.070
SR-428	183.95	185.40	18.0	0.080	0.020
SR-428	185.40	186.60	34.0	0.040	0.050
SR-428	186.60	188.35	34.0	0.030	0.050
SR-428	188.35	189.15	35.0	0.030	0.040
SR-428	189.15	190.10	81.0	0.140	0.030
SR-428	190.10	191.00	99.0	0.120	0.030
SR-428	191.00	192.45	79.0	0.080	0.020
SR-428	192.45	194.80	30.0	0.070	0.020
SR-428	194.80	195.60	4.0	0.130	0.010
SR-428	195.60	197.15	15.0	0.070	0.030
SR-428	197.15	198.50	7.0	0.050	0.010
SR-428	198.50	199.80	8.0	0.390	0.010
SR-428	199.80	201.80	5.0	0.120	0.010
SR-428	201.80	203.80	6.0	0.070	0.010
SR-428	203.80	205.75	4.0	0.060	0.020
SR-428	205.75	207.40	2.0	0.050	0.010
SR-428	207.40	208.90	51.0	0.210	0.010

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-428	208.90	210.40	5.0	0.040	0.000
SR-428	210.40	211.90	6.0	0.130	0.000
SR-428	211.90	213.90	9.0	0.030	0.020
SR-428	213.90	215.65	3.0	0.130	0.000
SR-428	215.65	217.40	5.0	0.080	0.000
SR-428	217.40	219.15	4.0	0.090	0.000
SR-428	219.15	221.05	5.0	0.070	0.010
SR-428	221.05	223.00	15.0	0.050	0.030
SR-428	223.00	225.00	50.0	0.040	0.050
SR-428	225.00	226.60	34.0	0.040	0.030
SR-428	226.60	228.20	1.0	<0.005	0.000
SR-428	228.20	229.80	3.0	<0.005	0.010
SR-428	229.80	231.50	8.0	0.010	0.010
SR-428	231.50	232.35	92.0	0.040	0.220
SR-428	232.35	234.00	4.0	0.020	0.010
SR-428	234.00	235.75	14.0	0.020	0.030
SR-428	235.75	237.50	25.0	0.040	0.030
SR-428	237.50	239.25	23.0	0.010	0.040
SR-428	239.25	241.00	3.0	<0.005	0.010
SR-428	241.00	242.70	7.0	0.010	0.060
SR-428	242.70	244.24	64.0	0.100	0.100
SR-428	244.24	245.15	19.0	0.010	0.040
SR-428	245.15	246.80	186.0	0.060	0.200
SR-428	246.80	248.65	18.0	0.010	0.060
SR-428	248.65	250.67	4.0	0.010	0.010
SR-428	250.67	253.35	29.0	0.020	0.050
SR-428	253.35	255.30	2.0	0.010	0.010
SR-428	255.30	257.30	10.0	0.010	0.040
SR-428	257.30	258.65	25.0	0.010	0.060
SR-428	258.65	259.80	24.0	0.010	0.040
SR-428	259.80	261.85	61.0	0.040	0.050
SR-428	261.85	263.75	18.0	0.020	0.030
SR-428	263.75	266.15	20.0	0.030	0.040
SR-428	266.15	268.15	9.0	0.010	0.020
SR-428	268.15	269.65	38.0	0.020	0.040
SR-428	269.65	270.55	<0.5	<0.005	0.000
SR-428	270.55	272.10	38.0	0.020	0.060
SR-428	272.10	273.00	44.0	0.020	0.060
SR-428	273.00	274.55	1.0	<0.005	0.000
SR-428	274.55	276.60	10.0	0.010	0.020
SR-428	276.60	278.70	1.0	<0.005	0.010
SR-428	278.70	280.60	1.0	0.010	0.010
SR-428	280.60	283.00	1.0	<0.005	0.010

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-428	283.00	285.25	2.0	<0.005	0.010
SR-428	285.25	287.10	4.0	<0.005	0.020
SR-428	287.10	289.30	1.0	<0.005	0.010
SR-428	289.30	291.30	<0.5	<0.005	0.010
SR-428	291.30	293.90	1.0	<0.005	0.010
SR-428	293.90	294.85	2.0	0.010	0.020
SR-428	294.85	296.00	2.0	0.010	0.010
SR-428	296.00	297.05	6.0	0.020	0.040
SR-428	297.05	298.45	2.0	0.010	0.020
SR-428	298.45	300.40	1.0	<0.005	0.010
SR-428	300.40	302.40	1.0	<0.005	0.010
SR-428	302.40	303.80	2.0	<0.005	0.020
SR-428	303.80	305.00	1.0	0.010	0.010
SR-428	305.00	307.10	<0.5	<0.005	0.000
SR-428	307.10	309.10	1.0	<0.005	0.000
SR-428	309.10	310.65	2.0	<0.005	0.010
SR-428	310.65	312.65	1.0	<0.005	0.010
SR-428	312.65	314.10	3.0	<0.005	0.010
SR-428	314.10	315.00	7.0	<0.005	0.030
SR-428	315.00	316.00	4.0	0.020	0.020
SR-428	316.00	318.20	2.0	0.010	0.010
SR-428	318.20	320.25	5.0	0.010	0.020
SR-428	320.25	321.85	4.0	<0.005	0.020
SR-428	321.85	324.10	1.0	<0.005	0.010
SR-428	324.10	325.15	15.0	0.010	0.050
SR-428	325.15	326.30	299.0	0.110	0.400
SR-428	326.30	327.90	13.0	0.020	0.040
SR-428	327.90	329.15	10.0	0.040	0.010
SR-428	329.15	330.30	29.0	0.030	0.070
SR-428	330.30	332.10	7.0	0.010	0.010
SR-428	332.10	333.90	18.0	0.030	0.060
SR-428	333.90	335.10	15.0	0.340	0.030
SR-428	335.10	336.90	5.0	0.030	0.020
SR-428	336.90	338.20	16.0	0.020	0.080
SR-428	338.20	339.00	2.0	<0.005	0.010
SR-428	339.00	340.50	2.0	0.060	0.000
SR-428	340.50	342.00	4.0	0.060	0.010
SR-428	342.00	344.00	7.0	0.030	0.030
SR-428	344.00	345.65	6.0	0.010	0.010
SR-428	345.65	347.30	11.0	0.030	0.010
SR-428	347.30	349.00	3.0	0.010	0.000
SR-428	349.00	350.40	9.0	0.020	0.030
SR-428	350.40	351.65	9.0	0.020	0.040

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-428	351.65	352.95	15.0	0.080	0.080
SR-428	352.95	355.00	14.0	0.100	0.060
SR-428	355.00	357.00	21.0	0.040	0.100
SR-428	357.00	359.00	78.0	0.140	0.310
SR-428	359.00	361.10	27.0	0.070	0.090
SR-428	361.10	362.65	9.0	0.030	0.040
SR-428	362.65	364.25	6.0	0.140	0.010
SR-428	364.25	365.40	49.0	0.050	0.180
SR-428	365.40	366.55	6.0	0.070	0.020
SR-428	366.55	368.55	17.0	0.300	0.020
SR-428	368.55	370.60	11.0	0.180	0.010
SR-428	370.60	372.20	43.0	0.300	0.050
SR-428	372.20	373.80	25.0	0.180	0.080
SR-428	373.80	375.40	52.0	0.140	0.080
SR-428	375.40	377.00	9.0	0.040	0.010
SR-428	377.00	379.00	1.0	0.020	0.010
SR-428	379.00	381.00	<0.5	<0.005	0.000
SR-428	381.00	383.00	<0.5	<0.005	0.000
SR-428	440.00	441.40	6.0	0.040	0.030
SR-428	441.40	443.00	11.0	0.010	0.030
SR-428	443.00	444.05	13.0	0.040	0.060
SR-428	444.05	446.00	<0.5	<0.005	0.000
SR-428	446.00	447.50	<0.5	<0.005	0.000
SR-429	0.00	3.00	<0.5	0.010	0.000
SR-429	3.00	6.00	<0.5	0.010	0.000
SR-429	6.00	9.00	<0.5	0.010	0.000
SR-429	9.00	12.00	1.0	0.040	0.000
SR-429	12.00	15.00	<0.5	0.100	0.000
SR-429	15.00	18.00	1.0	0.020	0.000
SR-429	18.00	21.00	1.0	0.090	0.000
SR-429	21.00	24.00	1.0	0.080	0.000
SR-429	24.00	27.00	1.0	0.040	0.000
SR-429	27.00	30.00	1.0	0.030	0.000
SR-429	30.00	33.00	1.0	0.040	0.000
SR-429	33.00	36.00	1.0	0.020	0.000
SR-429	36.00	39.00	1.0	0.040	0.000
SR-429	161.10	163.15	1.0	0.010	0.000
SR-429	163.15	164.65	1.0	<0.005	0.000
SR-429	164.65	166.20	1.0	0.030	0.000
SR-429	166.20	167.60	1.0	0.020	0.000
SR-429	167.60	168.25	1.0	<0.005	0.000
SR-429	168.25	169.85	1.0	0.060	0.000
SR-429	169.85	171.70	2.0	0.020	0.010

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-429	171.70	173.40	1.0	0.010	0.010
SR-429	173.40	175.35	1.0	0.020	0.000
SR-429	175.35	177.70	1.0	0.010	0.000
SR-429	177.70	180.00	1.0	<0.005	0.000
SR-429	180.00	181.85	<0.5	<0.005	0.000
SR-429	181.85	183.60	2.0	0.010	0.000
SR-429	183.60	185.40	1.0	<0.005	0.000
SR-429	185.40	188.05	1.0	<0.005	0.000
SR-429	188.05	189.55	3.0	0.020	0.010
SR-429	189.55	191.00	9.0	0.100	0.010
SR-429	191.00	192.00	4.0	0.050	0.010
SR-429	192.00	194.00	2.0	0.020	0.010
SR-429	194.00	195.50	1.0	0.020	0.010
SR-429	195.50	197.25	2.0	0.010	0.020
SR-429	197.25	198.50	2.0	0.010	0.010
SR-429	198.50	199.80	1.0	<0.005	0.000
SR-429	199.80	201.50	2.0	0.010	0.010
SR-429	201.50	203.20	2.0	<0.005	0.010
SR-429	203.20	204.85	1.0	<0.005	0.010
SR-429	204.85	206.05	1.0	<0.005	0.010
SR-429	206.05	207.25	3.0	0.010	0.010
SR-429	207.25	209.25	4.0	0.010	0.010
SR-429	209.25	211.25	37.0	0.230	0.040
SR-429	211.25	213.20	5.0	0.010	0.020
SR-429	213.20	214.90	1.0	<0.005	0.000
SR-429	214.90	216.60	1.0	<0.005	0.000
SR-429	216.60	218.10	1.0	0.010	0.000
SR-429	218.10	219.95	<0.5	<0.005	0.000
SR-429	219.95	222.10	<0.5	<0.005	0.000
SR-429	222.10	224.25	2.0	0.010	0.000
SR-429	224.25	225.00	16.0	0.100	0.100
SR-429	225.00	226.90	13.0	0.140	0.140
SR-429	226.90	228.15	3.0	0.030	0.040
SR-429	228.15	230.00	21.0	0.160	0.100
SR-429	230.00	231.75	16.0	0.160	0.030
SR-429	231.75	233.65	5.0	0.060	0.030
SR-429	233.65	235.00	5.0	0.010	0.060
SR-429	235.00	237.00	7.0	0.020	0.050
SR-429	237.00	238.83	11.0	0.030	0.050
SR-429	238.83	240.20	21.0	0.070	0.030
SR-429	240.20	242.46	12.0	0.030	0.090
SR-429	242.46	244.00	2.0	0.010	0.030
SR-429	244.00	246.00	2.0	<0.005	0.020

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-429	246.00	248.34	3.0	0.010	0.020
SR-429	248.34	249.90	6.0	0.010	0.140
SR-429	249.90	251.50	2.0	0.010	0.030
SR-429	251.50	253.40	<0.5	<0.005	0.000
SR-429	253.40	255.73	<0.5	<0.005	0.000
SR-429	255.73	258.00	1.0	0.010	0.000
SR-429	258.00	259.20	5.0	0.030	0.010
SR-429	259.20	261.00	10.0	0.050	0.010
SR-429	261.00	263.06	15.0	0.030	0.020
SR-429	263.06	265.07	16.0	0.040	0.030
SR-429	265.07	266.62	19.0	0.330	0.010
SR-429	266.62	268.66	43.0	0.470	0.020
SR-429	268.66	270.89	4.0	0.030	0.000
SR-429	270.89	272.17	1.0	0.010	0.000
SR-429	272.17	272.50	5.0	0.110	0.010
SR-429	272.50	275.00	1.0	0.010	0.010
SR-429	275.00	277.00	1.0	0.030	0.000
SR-429	277.00	279.00	1.0	<0.005	0.000
SR-429	279.00	281.00	<0.5	0.010	0.000
SR-429	281.00	282.37	<0.5	<0.005	0.000
SR-429	282.37	284.44	2.0	0.010	0.040
SR-429	284.44	286.53	<0.5	<0.005	0.000
SR-429	286.53	288.30	1.0	<0.005	0.000
SR-429	288.30	290.15	<0.5	<0.005	0.000
SR-429	290.15	291.60	<0.5	<0.005	0.000
SR-429	291.60	293.15	<0.5	<0.005	0.000
SR-429	293.15	295.20	5.0	0.050	0.010
SR-429	295.20	297.00	3.0	0.010	0.030
SR-429	297.00	298.57	3.0	0.010	0.040
SR-429	298.57	300.30	2.0	<0.005	0.010
SR-429	300.30	302.60	10.0	<0.005	0.060
SR-429	302.60	303.90	18.0	0.010	0.120
SR-429	303.90	305.30	11.0	0.010	0.090
SR-429	305.30	306.85	15.0	0.010	0.130
SR-429	306.85	308.60	1.0	0.010	0.010
SR-429	308.60	310.55	4.0	<0.005	0.040
SR-429	310.55	311.10	15.0	0.010	0.080
SR-429	311.10	312.35	25.0	0.020	0.140
SR-429	312.35	314.15	9.0	<0.005	0.050
SR-429	314.15	315.95	53.0	0.010	0.150
SR-429	315.95	317.75	20.0	0.010	0.090
SR-429	317.75	319.55	12.0	0.010	0.070
SR-429	319.55	321.35	42.0	0.050	0.190

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-429	321.35	323.15	37.0	0.020	0.140
SR-429	323.15	324.95	39.0	0.020	0.130
SR-429	324.95	326.70	19.0	0.010	0.060
SR-429	326.70	328.50	46.0	0.040	0.150
SR-429	328.50	330.35	35.0	0.040	0.100
SR-429	330.35	332.10	29.0	0.020	0.070
SR-429	332.10	333.90	40.0	0.030	0.070
SR-429	333.90	335.70	52.0	0.040	0.150
SR-429	335.70	337.60	98.0	0.050	0.250
SR-429	337.60	339.35	1.0	<0.005	0.010
SR-429	339.35	341.10	<0.5	<0.005	0.000
SR-429	341.10	342.85	<0.5	<0.005	0.000
SR-429	342.85	344.60	3.0	<0.005	0.030
SR-429	344.60	346.25	2.0	<0.005	0.050
SR-429	346.25	347.45	30.0	0.030	0.170
SR-429	347.45	348.65	20.0	0.030	0.130
SR-429	348.65	349.80	6.0	0.010	0.050
SR-429	349.80	351.00	3.0	0.010	0.030
SR-429	351.00	352.30	1.0	0.010	0.030
SR-429	352.30	354.00	2.0	0.010	0.040
SR-429	354.00	356.00	218.0	0.320	0.710
SR-429	356.00	357.40	22.0	0.040	0.050
SR-429	357.40	358.55	35.0	0.040	0.070
SR-429	358.55	360.25	44.0	0.090	0.110
SR-429	360.25	361.35	30.0	0.090	0.110
SR-429	361.35	362.86	9.0	0.080	0.030
SR-429	362.86	364.20	11.0	0.060	0.010
SR-429	364.20	365.95	13.0	0.080	0.010
SR-429	365.95	367.85	13.0	0.040	0.080
SR-429	367.85	369.40	28.0	0.140	0.130
SR-429	369.40	370.95	9.0	0.050	0.030
SR-429	370.95	372.55	34.0	0.080	0.090
SR-429	372.55	373.80	2.0	0.030	0.010
SR-429	373.80	375.70	31.0	0.030	0.080
SR-429	375.70	377.30	50.0	0.170	0.180
SR-429	377.30	378.55	106.0	0.260	0.290
SR-429	378.55	380.45	99.0	0.250	0.270
SR-429	380.45	382.00	48.0	0.130	0.130
SR-429	382.00	383.10	25.0	0.100	0.060
SR-429	383.10	384.45	71.0	0.120	0.150
SR-429	384.45	386.50	128.0	0.210	0.320
SR-429	386.50	388.30	69.0	0.130	0.210
SR-429	388.30	389.55	138.0	0.080	0.410

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-429	389.55	391.00	27.0	0.020	0.090
SR-429	391.00	392.10	20.0	0.020	0.060
SR-429	392.10	394.00	16.0	0.010	0.030
SR-430	0.00	5.00	40.0	0.160	0.070
SR-430	5.00	8.00	36.0	0.150	0.060
SR-430	8.00	10.00	34.0	0.120	0.060
SR-430	10.00	12.15	49.0	0.040	0.040
SR-430	12.15	15.00	73.0	0.100	0.100
SR-430	15.00	17.00	9.0	0.020	0.040
SR-430	17.00	20.00	12.0	0.010	0.000
SR-430	20.00	23.00	6.0	0.020	0.010
SR-430	23.00	24.00	16.0	0.040	0.020
SR-430	24.00	26.00	69.0	0.070	0.200
SR-430	26.00	27.65	128.0	0.060	0.380
SR-430	27.65	30.00	191.0	0.140	0.720
SR-430	30.00	32.80	20.0	0.050	0.030
SR-430	32.80	34.55	62.0	0.040	0.110
SR-430	34.55	35.55	123.0	0.080	0.330
SR-430	35.55	37.20	4.0	0.020	0.010
SR-430	37.20	38.80	19.0	0.030	0.040
SR-430	38.80	40.65	90.0	0.080	0.150
SR-430	40.65	42.00	81.0	0.070	0.140
SR-430	42.00	43.50	114.0	0.150	0.270
SR-430	43.50	45.00	65.0	0.150	0.150
SR-430	45.00	48.00	45.0	0.120	0.100
SR-430	48.00	49.90	59.0	0.070	0.110
SR-430	49.90	51.35	29.0	0.080	0.060
SR-430	51.35	53.00	54.0	0.070	0.110
SR-430	53.00	54.50	46.0	0.140	0.050
SR-430	54.50	56.50	93.0	0.110	0.080
SR-430	56.50	58.00	2.0	0.050	0.000
SR-430	58.00	60.00	1.0	0.060	0.000
SR-430	110.80	112.80	2.0	0.010	0.010
SR-430	112.80	114.80	2.0	0.050	0.010
SR-430	114.80	116.80	2.0	0.030	0.010
SR-430	116.80	117.95	3.0	0.030	0.020
SR-430	117.95	119.10	5.0	0.070	0.030
SR-430	119.10	120.80	8.0	0.160	0.040
SR-430	120.80	122.50	7.0	0.110	0.040
SR-430	122.50	124.20	11.0	0.120	0.030
SR-430	124.20	126.00	11.0	0.020	0.050
SR-430	126.00	127.50	13.0	0.070	0.040
SR-430	127.50	128.95	11.0	0.080	0.050

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-430	128.95	130.40	14.0	0.070	0.050
SR-430	130.40	131.75	11.0	7.700	0.060
SR-430	131.75	133.10	18.0	0.050	0.160
SR-430	133.10	134.50	21.0	0.020	0.140
SR-430	134.50	136.20	10.0	0.020	0.100
SR-430	136.20	137.90	5.0	0.010	0.040
SR-430	137.90	139.60	17.0	0.010	0.160
SR-430	139.60	141.25	17.0	0.010	0.140
SR-430	141.25	142.60	15.0	0.030	0.080
SR-430	142.60	144.00	47.0	0.050	0.180
SR-430	144.00	146.00	45.0	0.040	0.200
SR-430	146.00	148.00	20.0	0.030	0.100
SR-430	148.00	149.95	14.0	0.030	0.100
SR-430	149.95	152.05	3.0	0.020	0.010
SR-430	152.05	154.15	3.0	0.020	0.010
SR-430	154.15	154.90	16.0	0.040	0.120
SR-430	154.90	156.90	2.0	0.010	0.010
SR-430	156.90	158.90	3.0	0.010	0.020
SR-430	158.90	161.00	2.0	0.010	0.020
SR-430	161.00	163.10	3.0	0.010	0.030
SR-430	163.10	165.20	2.0	0.010	0.030
SR-430	165.20	167.30	4.0	0.030	0.020
SR-430	167.30	169.30	4.0	0.020	0.030
SR-430	169.30	170.25	8.0	0.030	0.020
SR-430	170.25	171.85	3.0	0.020	0.030
SR-430	171.85	173.45	4.0	0.010	0.010
SR-430	173.45	175.00	2.0	0.010	0.010
SR-430	175.00	177.00	5.0	0.010	0.020
SR-430	177.00	179.00	4.0	0.010	0.010
SR-430	179.00	180.50	11.0	0.010	0.020
SR-430	180.50	182.00	12.0	0.020	0.050
SR-430	182.00	183.85	2.0	<0.005	0.030
SR-430	183.85	185.70	4.0	<0.005	0.030
SR-430	185.70	187.40	25.0	0.010	0.060
SR-430	187.40	189.60	15.0	0.020	0.010
SR-430	189.60	191.55	19.0	0.040	0.030
SR-430	191.55	193.55	5.0	0.010	0.010
SR-430	193.55	195.55	5.0	0.010	0.010
SR-430	195.55	197.55	3.0	0.010	0.010
SR-430	197.55	199.70	3.0	0.010	0.020
SR-430	199.70	201.15	3.0	<0.005	0.010
SR-430	201.15	202.60	5.0	<0.005	0.020
SR-430	202.60	204.80	4.0	<0.005	0.030

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-430	204.80	207.00	2.0	<0.005	0.010
SR-430	207.00	208.80	3.0	<0.005	0.000
SR-430	208.80	210.60	3.0	0.010	0.010
SR-430	210.60	212.35	6.0	0.010	0.010
SR-430	212.35	213.00	8.0	0.020	0.040
SR-430	213.00	214.50	5.0	0.010	0.020
SR-430	214.50	216.00	6.0	0.010	0.020
SR-430	216.00	217.70	9.0	0.020	0.030
SR-430	217.70	219.40	7.0	0.010	0.020
SR-430	219.40	221.25	2.0	<0.005	0.010
SR-430	221.25	223.10	3.0	<0.005	0.010
SR-430	223.10	225.00	1.0	0.010	0.010
SR-430	225.00	227.00	1.0	<0.005	0.010
SR-430	227.00	229.00	1.0	<0.005	0.010
SR-430	229.00	231.00	1.0	<0.005	0.010
SR-430	231.00	233.00	1.0	<0.005	0.010
SR-430	233.00	234.35	2.0	<0.005	0.010
SR-430	234.35	234.90	32.0	0.010	0.070
SR-430	234.90	236.20	2.0	0.010	0.010
SR-430	236.20	237.55	3.0	<0.005	0.010
SR-430	237.55	238.80	5.0	0.010	0.020
SR-430	238.80	239.80	3.0	0.010	0.010
SR-430	239.80	241.80	5.0	0.010	0.020
SR-430	241.80	243.80	4.0	0.010	0.010
SR-430	243.80	245.90	3.0	0.010	0.020
SR-430	245.90	247.90	16.0	0.020	0.050
SR-430	247.90	249.74	5.0	0.010	0.020
SR-430	249.74	251.64	5.0	0.010	0.010
SR-430	251.64	253.65	6.0	0.010	0.010
SR-430	253.65	254.85	86.0	0.150	0.020
SR-430	254.85	256.70	32.0	0.060	0.040
SR-430	256.70	258.25	16.0	0.100	0.000
SR-430	258.25	259.53	1.0	<0.005	0.000
SR-430	259.53	261.35	18.0	0.020	0.000
SR-430	261.35	262.50	187.0	0.140	0.020
SR-430	262.50	263.50	15.0	0.070	0.010
SR-430	263.50	265.20	24.0	0.060	0.000
SR-430	265.20	267.00	9.0	0.030	0.000
SR-430	267.00	269.00	3.0	0.010	0.000
SR-430	269.00	271.56	2.0	0.030	0.010
SR-430	271.56	274.45	<0.5	<0.005	0.000
SR-430	274.45	276.24	3.0	0.040	0.000
SR-430	276.24	278.40	1.0	0.040	0.000

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-430	278.40	279.23	<0.5	0.010	0.000
SR-430	279.23	282.00	<0.5	0.020	0.000
SR-430	282.00	283.70	3.0	0.020	0.000
SR-430	283.70	285.80	1.0	0.020	0.000
SR-430	285.80	287.75	3.0	0.040	0.000
SR-430	287.75	289.65	1.0	0.060	0.000
SR-430	289.65	291.55	2.0	0.390	0.000
SR-430	291.55	294.00	1.0	0.060	0.000
SR-430	294.00	295.30	1.0	0.020	0.000
SR-430	295.30	297.00	1.0	0.010	0.000
SR-430	297.00	298.65	1.0	0.030	0.000
SR-430	298.65	300.80	1.0	0.030	0.000
SR-430	300.80	303.00	1.0	0.020	0.000
SR-430	303.00	305.00	1.0	0.020	0.000
SR-430	305.00	305.80	2.0	0.040	0.000
SR-430	305.80	307.95	2.0	0.060	0.000
SR-430	307.95	309.45	2.0	0.020	0.010
SR-430	309.45	311.10	1.0	0.020	0.000
SR-430	311.10	313.80	1.0	0.030	0.000
SR-430	313.80	315.75	2.0	0.020	0.000
SR-430	315.75	318.00	1.0	0.030	0.000
SR-430	318.00	319.15	2.0	0.030	0.000
SR-430	319.15	321.00	1.0	0.010	0.000
SR-430	321.00	322.80	2.0	0.030	0.000
SR-430	322.80	324.85	2.0	0.120	0.000
SR-430	324.85	327.00	2.0	0.040	0.000
SR-430	327.00	328.90	9.0	0.040	0.010
SR-430	328.90	330.70	1.0	0.020	0.000
SR-430	330.70	333.40	1.0	0.010	0.000
SR-430	333.40	335.00	3.0	0.010	0.010
SR-430	335.00	337.17	<0.5	<0.005	0.000
SR-430	337.17	339.00	1.0	0.010	0.000
SR-430	339.00	340.75	24.0	0.020	0.000
SR-431	0.00	3.00	2.0	0.030	0.000
SR-431	3.00	6.00	2.0	0.030	0.000
SR-431	6.00	9.00	1.0	0.020	0.000
SR-431	9.00	12.00	1.0	0.010	0.000
SR-431	12.00	15.00	<0.5	<0.005	0.000
SR-431	15.00	18.00	1.0	<0.005	0.000
SR-431	18.00	21.00	<0.5	0.010	0.000
SR-431	21.00	22.80	<0.5	<0.005	0.000
SR-431	146.75	147.65	1.0	0.030	0.000
SR-431	147.65	149.70	4.0	0.040	0.000

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-431	149.70	151.75	<0.5	0.020	0.000
SR-431	151.75	153.05	<0.5	0.010	0.000
SR-431	153.05	154.12	<0.5	0.010	0.000
SR-431	154.12	155.50	<0.5	0.010	0.000
SR-431	155.50	157.47	<0.5	0.010	0.000
SR-431	157.47	159.34	1.0	<0.005	0.010
SR-431	159.34	160.86	1.0	0.010	0.000
SR-431	160.86	162.00	2.0	0.030	0.000
SR-431	162.00	162.40	3.0	0.030	0.010
SR-431	162.40	164.33	16.0	0.360	0.030
SR-431	164.33	165.44	23.0	0.150	0.050
SR-431	165.44	166.44	5.0	0.050	0.060
SR-431	166.44	167.44	1.0	0.020	0.000
SR-431	167.44	169.23	2.0	0.020	0.010
SR-431	169.23	170.38	1.0	0.020	0.000
SR-431	170.38	171.58	2.0	0.020	0.000
SR-431	171.58	173.38	3.0	0.100	0.010
SR-431	173.38	174.42	1.0	0.020	0.000
SR-431	174.42	177.00	1.0	<0.005	0.010
SR-431	177.00	178.89	1.0	<0.005	0.010
SR-431	178.89	180.67	1.0	0.010	0.010
SR-431	180.67	183.00	1.0	0.010	0.020
SR-431	183.00	185.16	2.0	0.010	0.010
SR-431	185.16	186.23	2.0	0.020	0.000
SR-431	186.23	187.36	12.0	0.010	0.030
SR-431	187.36	188.64	12.0	0.010	0.040
SR-431	188.64	190.67	4.0	0.010	0.020
SR-431	190.67	191.80	29.0	0.020	0.060
SR-431	191.80	192.90	13.0	0.010	0.050
SR-431	192.90	194.34	30.0	0.010	0.120
SR-431	194.34	195.55	11.0	0.010	0.040
SR-431	195.55	196.74	9.0	0.010	0.080
SR-431	196.74	197.50	10.0	0.010	0.050
SR-431	197.50	199.72	<0.5	<0.005	0.000
SR-431	199.72	200.66	6.0	0.010	0.050
SR-431	200.66	201.93	6.0	0.020	0.030
SR-431	201.93	203.30	5.0	0.010	0.030
SR-431	203.30	205.20	6.0	0.010	0.040
SR-431	205.20	206.90	7.0	0.010	0.050
SR-431	206.90	208.60	5.0	0.010	0.040
SR-431	208.60	210.00	2.0	0.010	0.030
SR-431	210.00	211.35	2.0	0.010	0.030
SR-431	211.35	213.25	10.0	0.040	0.070

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-431	213.25	215.20	2.0	0.010	0.020
SR-431	215.20	217.15	6.0	0.020	0.050
SR-431	217.15	219.10	4.0	<0.005	0.030
SR-431	219.10	221.05	1.0	<0.005	0.020
SR-431	221.05	223.00	1.0	<0.005	0.010
SR-431	223.00	224.95	3.0	0.010	0.000
SR-431	224.95	226.90	7.0	0.010	0.050
SR-431	226.90	228.75	7.0	0.010	0.060
SR-431	228.75	230.60	5.0	<0.005	0.010
SR-431	230.60	232.90	12.0	0.010	0.070
SR-431	232.90	234.40	3.0	<0.005	0.030
SR-431	234.40	236.45	2.0	<0.005	0.010
SR-431	236.45	238.30	1.0	<0.005	0.010
SR-431	238.30	239.70	1.0	<0.005	0.010
SR-431	239.70	241.00	9.0	0.050	0.020
SR-431	241.00	242.28	20.0	0.020	0.060
SR-431	242.28	243.40	68.0	0.030	0.200
SR-431	243.40	245.75	26.0	0.010	0.090
SR-431	245.75	246.85	15.0	0.010	0.070
SR-431	246.85	248.65	12.0	<0.005	0.060
SR-431	248.65	250.20	17.0	0.010	0.090
SR-431	250.20	251.50	95.0	0.030	0.360
SR-431	251.50	253.50	38.0	0.010	0.170
SR-431	253.50	255.05	26.0	0.010	0.140
SR-431	255.05	256.40	10.0	0.010	0.060
SR-431	256.40	257.50	22.0	0.010	0.160
SR-431	257.50	259.00	26.0	0.010	0.170
SR-431	259.00	260.35	4.0	<0.005	0.030
SR-431	260.35	261.75	15.0	<0.005	0.120
SR-431	261.75	263.20	1.0	<0.005	0.000
SR-431	263.20	264.70	1.0	<0.005	0.000
SR-431	264.70	266.75	7.0	<0.005	0.040
SR-431	266.75	268.55	10.0	0.010	0.060
SR-431	268.55	269.70	7.0	<0.005	0.050
SR-431	269.70	271.85	15.0	0.010	0.070
SR-431	271.85	273.75	15.0	0.010	0.080
SR-431	273.75	275.80	8.0	<0.005	0.050
SR-431	275.80	277.35	4.0	0.010	0.030
SR-431	277.35	279.00	7.0	0.030	0.020
SR-431	279.00	280.50	14.0	0.030	0.020
SR-431	280.50	282.00	3.0	0.010	0.010
SR-431	282.00	283.55	3.0	<0.005	0.020
SR-431	283.55	285.00	4.0	0.010	0.030

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-431	285.00	286.55	9.0	<0.005	0.080
SR-431	286.55	288.60	1.0	<0.005	0.000
SR-431	288.60	290.45	4.0	0.010	0.020
SR-431	290.45	292.70	6.0	0.010	0.040
SR-431	292.70	294.00	9.0	0.010	0.050
SR-431	294.00	295.90	6.0	<0.005	0.040
SR-431	295.90	298.10	1.0	<0.005	0.000
SR-431	298.10	300.00	<0.5	<0.005	0.000
SR-431	300.00	302.95	<0.5	<0.005	0.000
SR-431	302.95	303.90	<0.5	<0.005	0.000
SR-431	303.90	306.00	<0.5	<0.005	0.000
SR-431	306.00	308.00	<0.5	<0.005	0.000
SR-431	308.00	310.00	<0.5	<0.005	0.000
SR-431	310.00	312.00	<0.5	<0.005	0.000
SR-431	312.00	313.40	<0.5	<0.005	0.000
SR-431	313.40	314.80	<0.5	<0.005	0.000
SR-431	314.80	316.75	<0.5	0.010	0.000
SR-431	316.75	318.70	1.0	0.010	0.000
SR-431	318.70	320.65	1.0	0.010	0.000
SR-431	320.65	321.80	<0.5	0.010	0.010
SR-431	321.80	323.40	5.0	0.050	0.000
SR-431	323.40	325.00	6.0	0.110	0.010
SR-431	325.00	326.60	1.0	0.020	0.010
SR-431	326.60	328.25	3.0	0.010	0.020
SR-431	328.25	328.70	4.0	0.010	0.040
SR-431	328.70	330.05	5.0	0.010	0.030
SR-431	330.05	331.55	19.0	0.030	0.120
SR-431	331.55	333.05	2.0	<0.005	0.010
SR-431	333.05	334.60	19.0	<0.005	0.040
SR-431	334.60	335.95	126.0	0.060	0.430
SR-431	335.95	337.25	1.0	<0.005	0.010
SR-431	337.25	338.50	13.0	0.010	0.040
SR-431	338.50	340.20	129.0	0.070	0.260
SR-431	340.20	341.95	95.0	0.050	0.260
SR-431	341.95	343.40	56.0	0.050	0.110
SR-431	343.40	344.80	149.0	0.070	0.470
SR-431	344.80	346.20	41.0	0.020	0.210
SR-431	346.20	348.00	24.0	0.020	0.110
SR-431	348.00	349.80	21.0	0.020	0.100
SR-431	349.80	351.80	15.0	0.030	0.060
SR-431	351.80	353.20	13.0	0.020	0.050
SR-431	353.20	354.70	8.0	0.030	0.030
SR-431	354.70	356.20	77.0	0.080	0.210

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-431	356.20	357.50	172.0	0.070	0.460
SR-431	357.50	358.40	5.0	0.020	0.010
SR-431	358.40	360.40	318.0	0.340	0.710
SR-431	360.40	362.20	113.0	0.080	0.270
SR-431	362.20	364.10	16.0	0.030	0.060
SR-431	364.10	366.00	6.0	0.020	0.020
SR-431	366.00	368.00	16.0	0.020	0.040
SR-431	368.00	369.30	5.0	0.010	0.030
SR-431	369.30	370.70	24.0	0.010	0.100
SR-431	370.70	372.20	10.0	0.020	0.050
SR-431	372.20	373.05	34.0	0.020	0.130
SR-431	373.05	374.80	9.0	0.010	0.020
SR-431	374.80	376.65	28.0	0.020	0.080
SR-431	376.65	378.47	22.0	0.020	0.050
SR-431	378.47	380.50	3.0	0.010	0.010
SR-431	380.50	381.30	47.0	0.010	0.120
SR-431	381.30	383.75	7.0	<0.005	0.020
SR-431	383.75	385.15	102.0	0.050	0.260
SR-431	385.15	386.85	79.0	0.060	0.210
SR-431	386.85	387.90	31.0	0.030	0.120
SR-431	387.90	389.60	38.0	0.080	0.130
SR-431	389.60	391.30	7.0	0.010	0.010
SR-431	391.30	392.60	51.0	0.030	0.160
SR-431	392.60	394.75	44.0	0.060	0.110
SR-431	394.75	396.55	9.0	0.060	0.010
SR-431	396.55	398.15	32.0	0.060	0.070
SR-431	398.15	400.20	2.0	0.020	0.000
SR-431	400.20	402.45	2.0	0.010	0.000
SR-431	402.45	404.40	1.0	0.010	0.000
SR-431	404.40	406.50	1.0	0.010	0.000
SR-431	406.50	408.00	1.0	0.020	0.010
SR-432	101.20	103.15	4.0	0.070	0.010
SR-432	103.15	104.87	3.0	0.070	0.000
SR-432	104.87	106.25	6.0	0.680	0.010
SR-432	106.25	108.00	5.0	0.070	0.000
SR-432	108.00	109.90	3.0	0.220	0.000
SR-432	109.90	111.75	4.0	0.100	0.010
SR-432	111.75	112.80	13.0	0.050	0.010
SR-432	112.80	114.40	13.0	0.150	0.030
SR-432	114.40	115.70	8.0	0.140	0.020
SR-432	115.70	117.70	3.0	0.060	0.010
SR-432	117.70	119.70	6.0	0.100	0.040
SR-432	119.70	121.50	<0.5	0.010	0.000

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-432	121.50	123.15	1.0	<0.005	0.000
SR-432	123.15	124.10	27.0	0.110	0.050
SR-432	124.10	124.90	5.0	0.060	0.000
SR-432	124.90	126.73	17.0	0.090	0.020
SR-432	126.73	128.05	9.0	0.030	0.010
SR-432	128.05	129.38	6.0	0.010	0.000
SR-432	129.38	131.00	1.0	0.010	0.000
SR-432	131.00	132.45	3.0	0.050	0.010
SR-432	132.45	134.40	<0.5	<0.005	0.000
SR-432	169.50	170.85	1.0	0.020	0.000
SR-432	170.85	172.20	3.0	0.020	0.010
SR-432	172.20	173.22	5.0	0.030	0.010
SR-432	173.22	174.40	1.0	<0.005	0.000
SR-432	174.40	177.00	2.0	1.730	0.010
SR-432	177.00	178.50	3.0	0.030	0.010
SR-432	178.50	180.80	1.0	0.030	0.010
SR-432	180.80	182.20	1.0	0.020	0.010
SR-432	182.20	183.00	2.0	0.010	0.020
SR-432	183.00	183.85	<0.5	<0.005	0.010
SR-432	183.85	185.20	1.0	<0.005	0.020
SR-432	185.20	187.25	<0.5	<0.005	0.010
SR-432	187.25	189.00	1.0	0.030	0.020
SR-432	189.00	191.00	1.0	<0.005	0.010
SR-432	191.00	192.40	2.0	<0.005	0.020
SR-432	192.40	193.75	1.0	<0.005	0.010
SR-432	193.75	195.40	2.0	0.010	0.020
SR-432	195.40	196.40	4.0	0.090	0.040
SR-432	196.40	197.80	2.0	0.090	0.030
SR-432	197.80	199.35	3.0	<0.005	0.040
SR-432	199.35	200.40	2.0	<0.005	0.020
SR-432	200.40	201.90	<0.5	<0.005	0.010
SR-432	201.90	203.25	2.0	0.010	0.010
SR-432	203.25	204.70	2.0	0.010	0.020
SR-432	204.70	205.95	2.0	0.010	0.020
SR-432	205.95	207.00	4.0	<0.005	0.030
SR-432	207.00	208.40	5.0	0.010	0.030
SR-432	208.40	210.20	37.0	0.050	0.180
SR-432	210.20	210.90	3.0	0.010	0.030
SR-432	210.90	212.30	5.0	<0.005	0.030
SR-432	212.30	214.50	1.0	<0.005	0.010
SR-432	214.50	215.70	12.0	0.010	0.040
SR-432	215.70	217.10	13.0	0.010	0.040
SR-432	217.10	218.40	44.0	0.010	0.150

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-432	218.40	219.40	33.0	0.050	0.120
SR-432	219.40	220.60	68.0	0.020	0.290
SR-432	220.60	222.20	12.0	0.010	0.050
SR-432	222.20	223.65	5.0	<0.005	0.020
SR-432	223.65	225.35	4.0	<0.005	0.020
SR-432	225.35	227.00	8.0	0.010	0.020
SR-432	227.00	229.30	4.0	0.020	0.020
SR-432	229.30	231.25	1.0	<0.005	0.010
SR-432	231.25	233.10	2.0	<0.005	0.010
SR-432	233.10	235.20	1.0	<0.005	0.010
SR-432	235.20	237.55	3.0	0.010	0.010
SR-432	237.55	239.30	2.0	<0.005	0.020
SR-432	239.30	240.85	2.0	<0.005	0.020
SR-432	240.85	243.00	2.0	<0.005	0.010
SR-432	243.00	244.50	23.0	0.010	0.100
SR-432	244.50	245.50	120.0	0.050	0.410
SR-432	245.50	246.85	49.0	0.010	0.180
SR-432	246.85	248.75	17.0	0.010	0.050
SR-432	248.75	250.00	127.0	0.040	0.360
SR-432	250.00	251.30	70.0	0.020	0.270
SR-432	251.30	253.15	34.0	0.010	0.160
SR-432	253.15	254.20	24.0	0.020	0.120
SR-432	254.20	255.25	37.0	0.010	0.140
SR-432	255.25	256.75	42.0	0.020	0.160
SR-432	256.75	257.55	3.0	0.020	0.020
SR-432	257.55	259.50	19.0	0.010	0.070
SR-432	259.50	261.45	8.0	<0.005	0.030
SR-432	261.45	262.05	98.0	0.020	0.380
SR-432	262.05	263.35	23.0	0.020	0.090
SR-432	263.35	264.55	83.0	0.020	0.500
SR-432	264.55	265.65	48.0	0.010	0.170
SR-432	265.65	266.70	94.0	0.030	0.390
SR-432	266.70	267.60	28.0	0.020	0.150
SR-432	267.60	269.30	16.0	0.010	0.070
SR-432	269.30	271.15	19.0	0.020	0.070
SR-432	271.15	273.00	11.0	0.010	0.090
SR-432	273.00	274.30	11.0	0.010	0.050
SR-432	274.30	275.60	4.0	<0.005	0.020
SR-432	275.60	277.30	12.0	0.010	0.070
SR-432	277.30	279.00	4.0	<0.005	0.030
SR-432	279.00	281.15	1.0	<0.005	0.010
SR-432	281.15	282.65	1.0	<0.005	0.010
SR-432	282.65	284.20	2.0	<0.005	0.010

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-432	284.20	285.75	1.0	<0.005	0.010
SR-432	285.75	288.00	1.0	<0.005	0.010
SR-432	288.00	289.25	3.0	<0.005	0.040
SR-432	289.25	291.45	7.0	<0.005	0.090
SR-432	291.45	292.60	<0.5	<0.005	0.000
SR-432	292.60	293.80	<0.5	<0.005	0.000
SR-432	293.80	295.70	1.0	<0.005	0.010
SR-432	295.70	297.25	4.0	<0.005	0.030
SR-432	297.25	298.70	6.0	<0.005	0.050
SR-432	298.70	300.25	7.0	<0.005	0.020
SR-432	300.25	301.55	12.0	0.020	0.060
SR-432	301.55	303.05	2.0	<0.005	0.020
SR-432	303.05	304.55	<0.5	<0.005	0.010
SR-432	304.55	306.00	1.0	<0.005	0.010
SR-432	306.00	307.55	1.0	<0.005	0.010
SR-432	307.55	308.35	2.0	0.010	0.010
SR-432	308.35	309.85	9.0	0.010	0.010
SR-432	309.85	311.35	2.0	0.010	0.010
SR-432	311.35	312.30	11.0	0.020	0.020
SR-432	312.30	313.90	1.0	0.020	0.020
SR-432	313.90	315.70	2.0	0.040	0.030
SR-432	315.70	317.70	<0.5	0.010	0.000
SR-432	317.70	319.40	9.0	0.040	0.010
SR-432	319.40	321.00	25.0	0.070	0.080
SR-432	321.00	322.70	<0.5	<0.005	0.000
SR-432	322.70	324.00	1.0	0.010	0.000
SR-432	324.00	325.20	<0.5	<0.005	0.000
SR-432	325.20	327.00	1.0	0.010	0.000
SR-432	327.00	329.10	<0.5	<0.005	0.000
SR-432	329.10	330.35	<0.5	<0.005	0.000
SR-432	330.35	331.75	4.0	0.010	0.010
SR-432	331.75	333.13	2.0	0.010	0.010
SR-432	333.13	334.40	3.0	<0.005	0.000
SR-432	334.40	336.30	1.0	<0.005	0.000
SR-432	336.30	337.45	4.0	0.010	0.010
SR-432	337.45	338.60	<0.5	<0.005	0.000
SR-432	338.60	340.30	3.0	0.010	0.010
SR-432	340.30	341.67	9.0	<0.005	0.040
SR-432	341.67	342.85	1.0	<0.005	0.000
SR-432	342.85	344.00	<0.5	<0.005	0.000
SR-432	344.00	345.20	2.0	0.010	0.010
SR-432	345.20	346.30	53.0	0.030	0.250
SR-432	346.30	347.80	96.0	0.060	0.370

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-432	347.80	349.55	102.0	0.050	0.350
SR-432	349.55	350.55	19.0	0.030	0.040
SR-432	350.55	352.55	14.0	0.020	0.050
SR-432	352.55	353.85	24.0	0.040	0.070
SR-432	353.85	355.15	14.0	0.010	0.040
SR-432	355.15	356.00	16.0	0.050	0.050
SR-432	356.00	357.25	9.0	<0.005	0.040
SR-432	357.25	358.30	6.0	0.020	0.020
SR-432	358.30	359.75	58.0	0.020	0.160
SR-432	359.75	361.20	33.0	0.020	0.080
SR-432	361.20	362.30	9.0	0.010	0.030
SR-432	362.30	364.25	59.0	0.070	0.110
SR-432	364.25	365.90	9.0	0.020	0.040
SR-432	365.90	366.95	18.0	0.030	0.060
SR-432	366.95	367.75	424.0	0.220	0.910
SR-432	367.75	368.90	67.0	0.060	0.130
SR-432	368.90	370.10	15.0	0.020	0.050
SR-432	370.10	371.05	328.0	0.210	0.530
SR-432	371.05	372.20	42.0	0.050	0.090
SR-432	372.20	373.50	13.0	0.040	0.040
SR-432	373.50	374.40	5.0	0.010	0.010
SR-432	374.40	375.95	55.0	0.020	0.090
SR-432	375.95	377.10	4.0	0.010	0.010
SR-432	377.10	378.25	14.0	0.020	0.070
SR-432	378.25	379.20	10.0	0.030	0.060
SR-432	379.20	380.60	183.0	0.100	0.430
SR-432	380.60	382.40	22.0	0.030	0.080
SR-432	382.40	383.10	4.0	0.010	0.020
SR-432	383.10	384.25	47.0	0.040	0.130
SR-432	384.25	385.15	1.0	0.010	0.010
SR-432	385.15	386.60	4.0	0.010	0.030
SR-432	386.60	388.15	6.0	0.010	0.040
SR-432	388.15	390.50	16.0	0.020	0.040
SR-432	390.50	393.00	<0.5	<0.005	0.000
SR-432	393.00	393.95	1.0	0.020	0.010
SR-432	393.95	396.00	<0.5	<0.005	0.010
SR-432	396.00	398.50	<0.5	<0.005	0.000
SR-432	398.50	400.25	<0.5	<0.005	0.000
SR-432	400.25	402.25	1.0	0.010	0.010
SR-432	402.25	404.10	1.0	0.010	0.000
SR-432	404.10	406.10	1.0	0.010	0.010
SR-432	406.10	407.20	33.0	0.110	0.080
SR-432	407.20	409.05	100.0	0.710	0.240

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-432	409.05	411.00	39.0	0.090	0.020
SR-432	411.00	412.85	64.0	0.060	0.080
SR-432	412.85	414.35	43.0	0.120	0.100
SR-432	414.35	416.00	3.0	0.110	0.010
SR-432	416.00	417.30	1.0	0.010	0.000
SR-432	417.30	419.15	1.0	0.020	0.010
SR-432	419.15	420.30	<0.5	0.010	0.000
SR-432	420.30	421.80	<0.5	0.010	0.000
SR-433	102.00	103.60	<0.5	<0.005	0.005
SR-433	103.60	105.00	<0.5	<0.005	0.006
SR-433	105.00	106.05	0.5	<0.005	0.003
SR-433	106.05	107.25	<0.5	<0.005	0.001
SR-433	107.25	109.20	<0.5	<0.005	0.001
SR-433	109.20	110.45	0.6	<0.005	0.000
SR-433	110.45	112.00	2.7	0.016	0.082
SR-433	112.00	113.55	7.8	0.008	0.200
SR-433	113.55	114.65	3.3	0.007	0.049
SR-433	114.65	115.80	2.0	0.010	0.050
SR-433	115.80	117.75	3.2	0.012	0.098
SR-433	117.75	119.58	0.6	<0.005	0.003
SR-433	119.58	120.90	0.6	<0.005	0.007
SR-433	120.90	122.00	0.7	<0.005	0.016
SR-433	122.00	123.38	0.5	<0.005	0.006
SR-433	123.38	124.90	<0.5	<0.005	0.008
SR-433	124.90	126.35	0.5	<0.005	0.005
SR-433	126.35	128.00	<0.5	<0.005	0.004
SR-433	128.00	129.25	<0.5	<0.005	0.001
SR-433	129.25	130.80	<0.5	<0.005	0.001
SR-433	130.80	132.50	<0.5	<0.005	0.000
SR-433	132.50	133.75	<0.5	<0.005	0.001
SR-433	133.75	135.17	<0.5	<0.005	0.005
SR-433	135.17	136.77	<0.5	<0.005	0.002
SR-433	136.77	138.55	<0.5	<0.005	0.006
SR-433	138.55	140.40	<0.5	<0.005	0.004
SR-433	140.40	141.90	<0.5	<0.005	0.004
SR-433	141.90	144.00	<0.5	<0.005	0.004
SR-433	144.00	145.60	<0.5	<0.005	0.003
SR-433	145.60	147.60	<0.5	<0.005	0.000
SR-433	147.60	149.15	<0.5	<0.005	0.000
SR-433	149.15	150.90	<0.5	0.010	0.001
SR-433	150.90	152.50	<0.5	0.008	0.001
SR-433	152.50	154.35	<0.5	0.009	0.001
SR-433	154.35	156.00	<0.5	0.019	0.004

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-433	156.00	157.80	<0.5	0.007	0.006
SR-433	157.80	159.30	<0.5	0.011	0.002
SR-433	159.30	161.30	<0.5	0.024	0.002
SR-433	161.30	163.20	<0.5	0.010	0.001
SR-433	163.20	165.00	<0.5	0.005	0.001
SR-433	165.00	166.50	<0.5	0.008	0.001
SR-433	166.50	168.30	<0.5	0.007	0.001
SR-433	168.30	170.10	<0.5	0.006	0.001
SR-433	170.10	171.90	<0.5	0.007	0.001
SR-433	171.90	173.00	<0.5	0.008	0.002
SR-433	173.00	174.15	<0.5	0.006	0.002
SR-433	174.15	176.10	0.7	0.018	0.026
SR-433	176.10	177.90	<0.5	0.008	0.003
SR-433	177.90	179.50	<0.5	0.008	0.002
SR-433	179.50	181.60	<0.5	0.009	0.004
SR-433	181.60	183.40	<0.5	0.014	0.009
SR-433	183.40	185.10	<0.5	0.014	0.006
SR-433	185.10	187.00	<0.5	0.015	0.003
SR-433	187.00	188.55	<0.5	0.009	0.006
SR-433	188.55	190.50	<0.5	0.006	0.003
SR-433	190.50	192.00	<0.5	0.006	0.002
SR-433	192.00	194.10	<0.5	0.007	0.001
SR-433	194.10	195.15	<0.5	0.007	0.004
SR-433	195.15	197.30	<0.5	0.011	0.003
SR-433	214.50	216.40	<0.5	0.017	0.003
SR-433	216.40	217.90	<0.5	0.116	0.013
SR-433	217.90	219.70	0.7	0.009	0.005
SR-433	219.70	221.45	<0.5	0.008	0.003
SR-433	221.45	223.20	<0.5	0.011	0.002
SR-433	223.20	224.50	<0.5	0.019	0.004
SR-433	224.50	226.35	<0.5	0.011	0.006
SR-433	226.35	228.00	<0.5	0.005	0.003
SR-433	228.00	230.00	<0.5	0.009	0.006
SR-433	253.70	256.20	<0.5	0.015	0.002
SR-433	256.20	257.90	<0.5	0.078	0.004
SR-433	257.90	260.12	<0.5	0.021	0.002
SR-433	260.12	262.00	<0.5	0.015	0.001
SR-433	262.00	263.90	<0.5	0.015	0.002
SR-433	263.90	265.60	<0.5	0.015	0.003
SR-433	265.60	267.00	<0.5	0.012	0.003
SR-433	267.00	268.95	<0.5	0.016	0.001
SR-433	268.95	270.75	<0.5	0.019	0.003
SR-433	270.75	272.45	<0.5	0.106	0.006

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-433	272.45	274.00	<0.5	0.025	0.003
SR-433	274.00	275.67	<0.5	0.037	0.005
SR-433	275.67	277.45	<0.5	0.018	0.003
SR-433	277.45	279.00	<0.5	0.031	0.002
SR-433	279.00	280.90	<0.5	0.047	0.009
SR-433	280.90	282.75	<0.5	0.030	0.003
SR-433	282.75	284.60	<0.5	0.027	0.002
SR-433	284.60	285.80	<0.5	0.020	0.001
SR-433	285.80	287.30	<0.5	0.016	0.002
SR-433	287.30	289.00	<0.5	0.021	0.002
SR-433	289.00	291.00	0.5	0.024	0.001
SR-433	291.00	292.60	0.6	0.017	0.001
SR-433	292.60	294.14	0.6	0.010	0.001
SR-433	294.14	295.16	1.7	0.078	0.003
SR-433	295.16	297.00	1.0	0.009	0.001
SR-433	297.00	298.80	0.8	0.006	0.001
SR-433	298.80	300.40	0.5	0.006	0.001
SR-433	300.40	301.80	0.5	0.012	0.001
SR-433	301.80	303.00	<0.5	0.007	0.001
SR-433	326.83	328.05	10.1	0.044	0.002
SR-433	328.05	330.00	<0.5	<0.005	0.001
SR-433	330.00	331.70	<0.5	<0.005	0.000
SR-433	331.70	333.18	0.6	<0.005	0.000
SR-433	333.18	334.30	<0.5	<0.005	0.000
SR-433	334.30	335.60	1.5	<0.005	0.000
SR-433	335.60	337.25	<0.5	<0.005	0.002
SR-433	337.25	339.00	<0.5	0.005	0.000
SR-433	339.00	341.25	0.5	0.007	0.000
SR-433	341.25	343.25	1.8	0.008	0.000
SR-433	343.25	344.70	<0.5	0.007	0.001
SR-433	344.70	346.30	<0.5	0.007	0.003
SR-433	346.30	347.35	<0.5	0.009	0.000
SR-433	347.35	348.90	<0.5	0.008	0.002
SR-433	348.90	350.45	30.5	0.020	0.002
SR-433	350.45	351.50	1.3	0.005	0.001
SR-433	351.50	352.80	1.7	0.007	0.001
SR-433	352.80	354.25	0.6	0.005	0.002
SR-433	354.25	356.30	2.4	0.005	0.003
SR-433	356.30	357.90	1.4	0.006	0.003
SR-433	357.90	359.50	0.8	0.007	0.001
SR-433	359.50	361.15	0.9	<0.005	0.001
SR-433	361.15	362.30	0.5	<0.005	0.002
SR-433	362.30	364.35	<0.5	<0.005	0.005

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-433	364.35	366.00	0.9	<0.005	0.000
SR-433	366.00	368.30	2.0	0.012	0.001
SR-433	368.30	369.35	0.5	<0.005	0.002
SR-433	369.35	371.50	<0.5	<0.005	0.001
SR-433	371.50	373.85	2.2	<0.005	0.001
SR-433	373.85	374.85	6.9	0.033	0.005
SR-433	374.85	377.10	3.2	0.007	0.005
SR-433	377.10	378.40	0.5	<0.005	0.001
SR-433	378.40	380.25	<0.5	<0.005	0.000
SR-433	380.25	382.30	0.5	<0.005	0.001
SR-433	382.30	384.15	<0.5	<0.005	0.000
SR-433	384.15	385.55	<0.5	<0.005	0.000
SR-433	385.55	386.85	<0.5	<0.005	0.000
SR-433	386.85	388.25	<0.5	<0.005	0.000
SR-433	388.25	389.20	1.0	0.006	0.002
SR-433	389.20	390.85	0.7	0.008	0.001
SR-433	390.85	392.35	0.6	0.007	0.002
SR-433	392.35	394.55	0.5	0.006	0.002
SR-433	394.55	396.25	1.3	0.013	0.004
SR-433	396.25	398.30	<0.5	<0.005	0.001
SR-433	398.30	400.00	<0.5	0.009	0.000
SR-433	400.00	402.00	<0.5	<0.005	0.001
SR-433	402.00	403.70	<0.5	<0.005	0.000
SR-433	403.70	405.00	0.8	0.009	0.001
SR-433	405.00	406.75	<0.5	0.005	0.000
SR-433	406.75	408.25	1.4	0.009	0.000
SR-433	408.25	409.40	2.2	0.015	0.001
SR-433	409.40	411.00	0.9	0.006	0.001
SR-433	411.00	412.10	0.8	0.042	0.001
SR-433	412.10	414.00	1.1	0.006	0.001
SR-433	414.00	415.70	1.4	0.007	0.001
SR-433	415.70	417.00	1.8	0.009	0.002
SR-433	417.00	419.70	0.6	0.005	0.001
SR-433	419.70	421.00	0.6	0.007	0.001
SR-433	421.00	422.70	0.9	0.006	0.001
SR-433	422.70	424.25	<0.5	<0.005	0.001
SR-433	424.25	426.00	0.6	0.006	0.000
SR-433	426.00	428.85	4.5	0.008	0.001
SR-433	428.85	431.00	2.1	0.031	0.001
SR-433	431.00	433.25	17.3	0.078	0.001
SR-433	433.25	435.00	5.3	0.007	0.002
SR-433	435.00	436.00	1.8	0.022	0.000
SR-433	436.00	437.10	3.8	0.018	0.004

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-433	437.10	439.45	1.2	0.006	0.000
SR-433	439.45	440.90	2.9	0.008	0.000
SR-433	440.90	441.35	<0.5	0.006	0.000
SR-433	441.35	444.00	1.1	0.007	0.000
SR-433	444.00	446.15	8.1	0.018	0.001
SR-433	446.15	447.70	10.4	0.030	0.030
SR-433	447.70	449.15	2.2	0.007	0.000
SR-433	449.15	451.05	2.8	0.005	0.001
SR-433	451.05	452.50	0.6	<0.005	0.001
SR-433	452.50	454.20	0.6	<0.005	0.000
SR-433	454.20	455.80	0.8	0.014	0.001
SR-433	455.80	457.50	0.6	<0.005	0.001
SR-433	457.50	459.00	0.6	<0.005	0.000
SR-433	459.00	460.40	0.7	0.022	0.001
SR-433	460.40	462.00	0.5	<0.005	0.001
SR-433	462.00	463.60	0.6	<0.005	0.001
SR-433	463.60	464.60	0.6	<0.005	0.003
SR-433	464.60	466.40	1.3	0.026	0.004
SR-433	466.40	468.15	0.8	0.038	0.004
SR-433	468.15	470.00	0.6	0.009	0.004
SR-434	0.00	2.00	7.8	0.374	0.009
SR-434	2.00	4.00	3.4	0.062	0.004
SR-434	4.00	6.00	2.1	0.044	0.005
SR-434	6.00	8.60	1.5	0.021	0.003
SR-434	8.60	11.40	1.5	0.019	0.005
SR-434	11.40	15.00	8.7	0.125	0.005
SR-434	15.00	18.00	18.9	0.316	0.023
SR-434	18.00	20.74	0.9	0.039	0.001
SR-434	20.74	22.70	1.3	0.016	0.003
SR-434	22.70	24.00	0.8	0.008	0.002
SR-434	24.00	26.00	0.7	0.013	0.003
SR-434	26.00	27.64	0.5	0.015	0.004
SR-434	27.64	29.10	0.5	0.018	0.008
SR-434	29.10	31.05	0.5	0.013	0.003
SR-434	31.05	33.00	0.6	0.017	0.009
SR-434	33.00	35.00	0.7	0.023	0.008
SR-434	35.00	37.05	<0.5	0.017	0.003
SR-434	37.05	39.00	<0.5	<0.005	0.003
SR-434	39.00	40.00	<0.5	<0.005	0.001
SR-434	40.00	42.00	<0.5	<0.005	0.004
SR-434	42.00	43.45	0.6	0.005	0.004
SR-434	43.45	44.40	1.1	0.009	0.004
SR-434	44.40	46.38	3.1	0.072	0.008

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-434	46.38	47.60	0.8	0.013	0.001
SR-434	47.60	49.60	5.2	0.077	0.005
SR-434	49.60	52.00	2.3	0.045	0.004
SR-434	52.00	54.00	1.5	0.013	0.002
SR-434	54.00	56.40	1.3	0.014	0.002
SR-434	56.40	59.00	0.9	0.012	0.001
SR-434	59.00	60.77	0.9	0.010	0.003
SR-434	60.77	63.00	0.5	<0.005	0.001
SR-434	63.00	65.00	0.5	0.006	0.001
SR-434	65.00	66.90	0.6	0.006	0.001
SR-434	66.90	69.00	0.9	0.008	0.005
SR-434	69.00	71.00	<0.5	0.005	0.001
SR-434	71.00	73.05	0.5	0.009	0.001
SR-434	73.05	75.00	0.5	0.007	0.003
SR-434	75.00	77.00	<0.5	0.010	0.001
SR-434	77.00	78.95	<0.5	0.011	0.001
SR-434	78.95	81.00	<0.5	<0.005	0.001
SR-434	81.00	84.00	<0.5	<0.005	0.000
SR-434	84.00	85.00	<0.5	0.009	0.000
SR-434	85.00	87.00	<0.5	0.013	0.002
SR-434	87.00	89.00	<0.5	0.007	0.001
SR-434	89.00	90.95	<0.5	0.010	0.003
SR-434	90.95	93.00	<0.5	<0.005	0.001
SR-434	93.00	95.00	0.9	0.015	0.004
SR-434	95.00	96.95	1.7	0.009	0.003
SR-434	96.95	99.00	<0.5	<0.005	0.005
SR-434	99.00	101.00	<0.5	<0.005	0.005
SR-434	101.00	102.75	<0.5	<0.005	0.002
SR-434	102.75	105.00	<0.5	0.005	0.002
SR-434	105.00	107.00	0.9	0.036	0.003
SR-434	107.00	109.15	<0.5	<0.005	0.003
SR-434	109.15	111.00	<0.5	<0.005	0.001
SR-434	111.00	113.00	<0.5	0.009	0.003
SR-434	113.00	115.00	<0.5	<0.005	0.002
SR-434	115.00	117.00	<0.5	0.006	0.003
SR-434	117.00	118.90	<0.5	<0.005	0.001
SR-434	118.90	120.70	<0.5	<0.005	0.002
SR-434	120.70	122.55	<0.5	<0.005	0.003
SR-434	122.55	124.50	<0.5	<0.005	0.001
SR-434	124.50	126.60	<0.5	<0.005	0.003
SR-434	126.60	129.00	<0.5	0.005	0.001
SR-434	129.00	131.00	<0.5	<0.005	0.002
SR-434	131.00	133.00	<0.5	<0.005	0.001

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-434	133.00	135.00	<0.5	<0.005	0.002
SR-434	135.00	137.00	<0.5	<0.005	0.001
SR-434	137.00	139.05	<0.5	<0.005	0.000
SR-434	139.05	141.00	<0.5	<0.005	0.001
SR-434	141.00	142.75	<0.5	<0.005	0.000
SR-434	142.75	143.70	<0.5	<0.005	0.001
SR-434	143.70	145.65	0.8	0.013	0.001
SR-434	145.65	147.55	3.2	0.032	0.004
SR-434	147.55	149.55	1.3	0.129	0.002
SR-434	149.55	151.55	1.7	0.070	0.003
SR-434	151.55	153.00	1.4	0.027	0.001
SR-434	153.00	155.00	<0.5	0.005	0.001
SR-434	155.00	157.00	<0.5	0.009	0.001
SR-434	157.00	159.00	<0.5	0.006	0.001
SR-434	159.00	161.00	<0.5	0.009	0.001
SR-434	161.00	163.00	<0.5	0.012	0.000
SR-434	163.00	165.00	<0.5	0.012	0.000
SR-434	165.00	167.00	<0.5	0.006	0.001
SR-434	167.00	168.75	<0.5	0.016	0.001
SR-434	168.75	170.20	0.7	0.024	0.010
SR-434	170.20	171.65	<0.5	0.033	0.002
SR-434	171.65	172.80	1.5	0.022	0.007
SR-434	172.80	174.60	1.7	0.028	0.009
SR-434	174.60	175.80	2.0	0.113	0.008
SR-434	175.80	177.55	1.7	0.036	0.006
SR-434	177.55	179.15	<0.5	0.011	0.003
SR-434	179.15	180.80	1.3	0.020	0.019
SR-434	180.80	182.35	0.7	0.011	0.006
SR-434	182.35	183.35	0.6	0.007	0.006
SR-434	183.35	185.35	<0.5	<0.005	0.003
SR-434	185.35	186.30	1.3	0.038	0.004
SR-434	186.30	187.60	6.4	0.082	0.016
SR-434	187.60	188.50	6.1	0.069	0.017
SR-434	188.50	189.70	4.2	0.040	0.025
SR-434	189.70	191.00	5.4	0.035	0.032
SR-434	191.00	192.40	1.0	0.045	0.006
SR-434	192.40	194.45	1.8	0.039	0.010
SR-434	194.45	196.45	2.0	0.019	0.012
SR-434	196.45	198.00	2.8	0.018	0.011
SR-434	198.00	199.40	4.7	0.013	0.014
SR-434	199.40	201.15	2.2	0.032	0.008
SR-434	201.15	203.00	7.8	0.035	0.050
SR-434	203.00	204.30	1.9	0.016	0.010

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-434	204.30	206.10	1.6	0.020	0.011
SR-434	206.10	207.85	0.6	0.041	0.005
SR-434	207.85	209.35	4.7	0.013	0.021
SR-434	209.35	210.25	5.2	0.014	0.033
SR-434	210.25	212.50	0.6	0.017	0.007
SR-434	212.50	214.55	6.1	0.018	0.032
SR-434	214.55	216.10	30.0	0.060	0.166
SR-434	216.10	216.80	6.8	0.035	0.082
SR-434	216.80	217.80	25.0	0.030	0.078
SR-434	217.80	219.20	4.6	0.016	0.038
SR-434	219.20	220.60	0.7	0.008	0.010
SR-434	220.60	222.80	3.0	0.013	0.013
SR-434	222.80	223.90	3.9	0.030	0.024
SR-434	223.90	225.00	5.5	0.018	0.031
SR-434	225.00	226.75	6.2	0.021	0.021
SR-434	226.75	227.90	11.0	0.015	0.037
SR-434	227.90	229.30	3.9	0.013	0.028
SR-434	229.30	231.20	2.4	0.035	0.021
SR-434	231.20	232.65	5.6	0.023	0.032
SR-434	232.65	234.00	4.1	0.011	0.026
SR-434	234.00	235.80	9.6	0.020	0.026
SR-434	235.80	237.20	1.3	0.009	0.007
SR-434	237.20	239.40	<0.5	<0.005	0.003
SR-434	239.40	241.05	<0.5	<0.005	0.005
SR-434	241.05	242.40	0.6	0.012	0.006
SR-434	242.40	243.40	<0.5	0.013	0.004
SR-434	243.40	245.20	<0.5	0.012	0.001
SR-434	245.20	246.80	1.0	0.011	0.007
SR-434	246.80	248.50	<0.5	0.005	0.008
SR-434	248.50	250.40	<0.5	<0.005	0.002
SR-434	250.40	252.45	<0.5	<0.005	0.002
SR-434	252.45	255.00	<0.5	<0.005	0.002
SR-434	255.00	256.75	<0.5	<0.005	0.003
SR-434	256.75	257.20	2.5	6.980	0.002
SR-434	257.20	259.00	<0.5	0.006	0.004
SR-434	364.60	365.95	<0.5	<0.005	0.002
SR-434	365.95	367.60	<0.5	0.033	0.004
SR-434	367.60	369.00	<0.5	<0.005	0.003
SR-434	369.00	370.75	<0.5	0.011	0.006
SR-434	370.75	372.80	<0.5	<0.005	0.003
SR-434	372.80	374.20	<0.5	<0.005	0.002
SR-434	374.20	375.70	<0.5	<0.005	0.003
SR-434	375.70	376.55	0.7	0.010	0.007

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-434	376.55	377.30	8.2	0.013	0.069
SR-434	377.30	379.00	<0.5	<0.005	0.004
SR-434	379.00	380.50	0.9	<0.005	0.008
SR-434	380.50	382.50	1.9	0.012	0.016
SR-434	382.50	384.65	<0.5	<0.005	0.007
SR-434	384.65	386.85	1.2	0.006	0.010
SR-434	386.85	389.00	1.8	0.007	0.031
SR-434	389.00	391.00	<0.5	<0.005	0.003
SR-434	391.00	393.00	<0.5	<0.005	0.001
SR-434	393.00	395.00	<0.5	<0.005	0.002
SR-434	395.00	397.00	<0.5	<0.005	0.003
SR-434	397.00	399.00	<0.5	<0.005	0.001
SR-434	399.00	401.00	<0.5	<0.005	0.001
SR-434	401.00	403.00	<0.5	<0.005	0.001
SR-434	403.00	405.00	<0.5	<0.005	0.001
SR-434	405.00	407.05	<0.5	<0.005	0.002
SR-434	407.05	408.65	1.6	0.015	0.008
SR-434	408.65	410.20	2.2	0.008	0.007
SR-434	410.20	411.25	5.5	0.016	0.019
SR-434	411.25	412.70	6.1	0.016	0.022
SR-434	412.70	414.55	6.1	0.070	0.017
SR-434	414.55	416.55	1.1	0.008	0.004
SR-434	416.55	418.55	<0.5	<0.005	0.002
SR-435	100.50	102.00	2.7	0.030	0.013
SR-435	102.00	103.40	29.9	0.048	0.036
SR-435	103.40	105.00	<0.5	<0.005	0.002
SR-435	124.45	125.50	<0.5	0.055	0.002
SR-435	125.50	127.60	8.3	0.073	0.019
SR-435	127.60	129.60	<0.5	0.007	0.001
SR-435	129.60	131.50	<0.5	0.008	0.001
SR-435	131.50	133.00	<0.5	<0.005	0.002
SR-435	133.00	134.30	0.9	<0.005	0.001
SR-435	134.30	135.45	2.3	0.010	0.012
SR-435	135.45	136.60	2.1	0.012	0.003
SR-435	136.60	137.90	<0.5	<0.005	0.002
SR-435	137.90	139.20	<0.5	<0.005	0.001
SR-435	139.20	141.20	<0.5	<0.005	0.001
SR-435	141.20	143.20	<0.5	<0.005	0.001
SR-435	143.20	145.00	7.6	0.033	0.037
SR-435	145.00	146.80	4.7	0.010	0.019
SR-435	146.80	148.60	1.8	0.007	0.004
SR-435	148.60	150.40	0.9	<0.005	0.002
SR-435	150.40	152.10	0.7	<0.005	0.001

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-435	152.10	154.30	2.1	0.005	0.004
SR-435	154.30	155.60	10.8	0.019	0.014
SR-435	155.60	157.60	3.6	0.022	0.007
SR-435	157.60	159.60	5.9	0.014	0.038
SR-435	159.60	160.75	3.0	0.012	0.007
SR-435	160.75	161.75	3.3	0.013	0.042
SR-435	161.75	163.60	0.5	0.006	0.002
SR-435	163.60	165.20	1.6	0.018	0.007
SR-435	165.20	166.75	0.6	0.010	0.005
SR-435	166.75	168.55	8.6	0.014	0.024
SR-435	168.55	170.35	3.4	0.009	0.018
SR-435	170.35	172.25	2.7	0.009	0.014
SR-435	172.25	174.00	<0.5	<0.005	0.002
SR-435	174.00	175.80	<0.5	<0.005	0.002
SR-435	175.80	177.00	1.2	0.009	0.006
SR-435	177.00	178.20	2.0	0.011	0.011
SR-435	178.20	179.00	1.3	0.011	0.004
SR-435	179.00	180.05	10.1	0.019	0.089
SR-435	180.05	181.40	3.3	0.013	0.025
SR-435	181.40	182.78	1.0	0.007	0.005
SR-435	182.78	183.93	2.5	0.021	0.014
SR-435	183.93	185.40	8.1	0.078	0.041
SR-435	185.40	186.60	8.1	0.112	0.021
SR-435	186.60	188.00	8.3	0.051	0.054
SR-435	188.00	189.52	3.5	0.016	0.004
SR-435	189.52	192.27	1.8	0.010	0.002
SR-435	192.27	194.00	1.4	0.012	0.004
SR-435	194.00	194.80	403.0	0.364	0.852
SR-435	194.80	196.30	2.3	0.007	0.011
SR-435	196.30	197.50	9.9	0.073	0.058
SR-435	197.50	199.25	16.3	0.099	0.093
SR-435	199.25	200.78	7.7	0.031	0.029
SR-435	200.78	202.70	1.4	0.011	0.002
SR-435	202.70	204.42	1.0	0.005	0.002
SR-435	204.42	207.00	<0.5	<0.005	0.002
SR-435	207.00	208.65	5.2	0.049	0.024
SR-435	208.65	210.00	8.0	0.058	0.025
SR-435	210.00	211.95	4.2	0.025	0.016
SR-435	211.95	213.00	22.5	0.034	0.106
SR-435	213.00	214.75	2.3	0.011	0.012
SR-435	214.75	217.00	0.8	0.007	0.003
SR-435	217.00	219.27	0.7	0.007	0.005
SR-435	219.27	221.30	<0.5	<0.005	0.001

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-435	221.30	222.45	6.8	0.027	0.038
SR-435	222.45	223.90	8.6	0.034	0.023
SR-435	223.90	224.90	3.7	0.016	0.012
SR-435	224.90	226.80	2.3	<0.005	0.018
SR-435	226.80	228.00	1.0	<0.005	0.005
SR-435	228.00	228.97	2.1	<0.005	0.019
SR-435	228.97	230.50	<0.5	<0.005	0.002
SR-435	230.50	231.75	<0.5	<0.005	0.005
SR-435	231.75	234.00	<0.5	0.005	0.003
SR-435	234.00	236.40	0.6	0.006	0.002
SR-435	236.40	238.30	0.5	<0.005	0.005
SR-435	238.30	240.00	4.1	0.006	0.020
SR-435	240.00	241.00	1.0	0.006	0.013
SR-435	241.00	243.45	1.1	<0.005	0.011
SR-435	243.45	245.95	2.9	0.006	0.025
SR-435	245.95	248.15	0.5	<0.005	0.005
SR-435	248.15	249.56	215.0	0.146	0.426
SR-435	249.56	250.65	20.0	0.025	0.047
SR-435	250.65	252.35	7.9	0.009	0.049
SR-435	252.35	254.05	1.1	0.009	0.005
SR-435	254.05	255.67	10.4	0.043	0.033
SR-435	255.67	257.50	11.7	0.040	0.054
SR-435	257.50	259.50	2.0	0.020	0.003
SR-435	259.50	261.90	0.5	0.006	0.001
SR-435	261.90	263.20	84.6	0.375	0.244
SR-435	263.20	264.65	334.0	0.238	0.747
SR-435	264.65	265.75	185.0	0.163	0.334
SR-435	265.75	266.80	160.0	0.175	0.311
SR-435	266.80	269.05	22.4	0.036	0.053
SR-435	269.05	270.00	162.0	0.148	0.317
SR-435	270.00	271.45	57.2	0.062	0.156
SR-435	271.45	273.30	78.4	0.191	0.209
SR-435	273.30	274.85	9.2	0.028	0.025
SR-435	274.85	276.10	44.3	0.092	0.125
SR-435	276.10	277.30	11.9	0.040	0.043
SR-435	277.30	278.45	25.8	0.020	0.078
SR-435	278.45	279.14	4.9	0.012	0.024
SR-435	279.14	280.25	45.7	0.043	0.179
SR-435	280.25	280.85	10.2	0.019	0.025
SR-435	280.85	282.00	71.1	0.132	0.251
SR-435	282.00	283.75	18.0	0.057	0.085
SR-435	283.75	285.00	23.3	0.032	0.086
SR-435	285.00	285.90	10.0	0.027	0.071

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-435	285.90	286.80	44.4	0.060	0.427
SR-435	286.80	288.14	43.0	0.038	0.121
SR-435	288.14	289.90	10.9	0.031	0.100
SR-435	289.90	291.00	18.4	0.027	0.084
SR-435	291.00	293.25	0.6	<0.005	0.002
SR-435	293.25	294.80	1.9	0.008	0.005
SR-435	294.80	295.70	13.3	0.026	0.063
SR-435	295.70	297.12	127.0	0.286	0.588
SR-435	297.12	298.85	147.0	0.210	0.423
SR-435	298.85	299.75	16.7	0.025	0.073
SR-435	299.75	300.85	23.6	0.036	0.128
SR-435	300.85	302.05	179.0	0.233	0.594
SR-435	302.05	302.95	369.0	0.481	1.030
SR-435	302.95	303.95	63.5	0.077	0.243
SR-435	303.95	305.10	491.0	0.747	1.460
SR-435	305.10	306.20	197.0	0.261	0.561
SR-435	306.20	307.80	197.0	0.269	0.577
SR-435	307.80	309.40	405.0	0.544	1.215
SR-435	309.40	311.00	368.0	0.527	1.080
SR-435	311.00	312.45	727.0	0.908	2.170
SR-435	312.45	313.95	127.0	0.243	0.366
SR-435	313.95	315.60	193.0	0.487	0.584
SR-435	315.60	317.25	226.0	0.463	0.667
SR-435	317.25	318.85	2.1	0.136	0.008
SR-435	318.85	320.15	136.0	0.187	0.406
SR-435	320.15	321.85	1.5	0.018	0.015
SR-435	321.85	323.05	176.0	0.161	0.469
SR-435	323.05	324.80	202.0	0.158	0.502
SR-435	324.80	326.50	189.0	0.298	0.507
SR-435	326.50	327.75	75.1	0.221	0.267
SR-435	327.75	329.00	4.1	<0.005	0.012
SR-435	356.00	358.00	1.1	<0.005	0.004
SR-435	358.00	360.00	3.0	<0.005	0.021
SR-435	360.00	362.00	3.8	<0.005	0.017
SR-435	387.00	388.70	18.7	0.013	0.096
SR-435	388.70	390.70	22.2	0.014	0.092
SR-435	390.70	392.70	37.6	0.027	0.112
SR-435	392.70	394.60	11.3	0.014	0.044
SR-435	394.60	397.00	2.5	0.005	0.009
SR-435	397.00	397.95	19.5	0.021	0.114
SR-435	397.95	398.90	1.5	<0.005	0.005
SR-435	398.90	400.20	29.5	0.018	0.029
SR-435	400.20	402.55	11.1	0.062	0.016

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-435	402.55	404.50	2.7	<0.005	0.005
SR-435	404.50	406.25	1.0	<0.005	0.003
SR-435	406.25	408.00	2.3	0.007	0.003
SR-435	408.00	409.40	3.0	<0.005	0.003
SR-435	409.40	410.50	1.6	<0.005	0.001
SR-435	410.50	412.35	1.1	<0.005	0.002
SR-435	412.35	413.92	6.3	0.847	0.002
SR-435	413.92	415.50	1.2	0.036	0.001
SR-435	415.50	417.45	1.3	0.017	0.001
SR-435	417.45	419.45	2.2	0.038	0.001
SR-435	419.45	420.50	3.4	0.040	0.001
SR-435	420.50	422.10	0.7	0.035	0.004
SR-435	422.10	423.70	2.2	0.006	0.004
SR-435	423.70	425.10	2.7	0.009	0.022
SR-435	425.10	426.60	2.9	<0.005	0.018
SR-436	127.15	128.88	<0.5	<0.005	0.001
SR-436	128.88	130.35	<0.5	<0.005	0.000
SR-436	130.35	131.85	<0.5	<0.005	0.001
SR-436	131.85	133.70	<0.5	<0.005	0.001
SR-436	133.7	134.85	<0.5	<0.005	0.000
SR-436	134.85	136.45	<0.5	0.0	0.000
SR-436	136.45	137.70	<0.5	<0.005	0.003
SR-436	137.7	138.80	0.50	<0.005	0.007
SR-436	138.8	139.90	1.20	0.0	0.026
SR-436	139.9	141.40	<0.5	<0.005	0.001
SR-436	141.4	143.10	<0.5	<0.005	0.001
SR-436	143.1	145.00	<0.5	<0.005	0.001
SR-436	145	146.10	0.60	<0.005	0.001
SR-436	146.1	147.57	<0.5	0.0	0.000
SR-436	147.57	149.25	<0.5	<0.005	0.001
SR-436	149.25	150.90	<0.5	<0.005	0.000
SR-436	150.9	152.20	<0.5	<0.005	0.001
SR-436	152.2	153.20	1.40	0.0	0.007
SR-436	153.2	154.90	<0.5	<0.005	0.001
SR-436	154.9	156.60	<0.5	<0.005	0.001
SR-436	156.6	158.30	<0.5	<0.005	0.000
SR-436	158.3	160.00	<0.5	<0.005	0.001
SR-436	160	161.75	<0.5	<0.005	0.001
SR-436	161.75	162.80	0.50	<0.005	0.001
SR-436	162.8	164.80	<0.5	<0.005	0.001
SR-436	164.8	166.80	<0.5	0.0	0.001
SR-436	166.8	168.80	<0.5	<0.005	0.000
SR-436	168.8	170.30	<0.5	<0.005	0.001

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-436	170.3	171.40	<0.5	<0.005	0.001
SR-436	171.4	172.85	<0.5	<0.005	0.001
SR-436	172.85	174.20	1.10	0.0	0.016
SR-436	174.2	176.00	<0.5	<0.005	0.005
SR-436	176	177.65	<0.5	<0.005	0.002
SR-436	177.65	179.20	<0.5	<0.005	0.001
SR-436	179.2	181.20	<0.5	<0.005	0.005
SR-436	181.2	183.00	2.30	0.0	0.006
SR-436	183	185.30	<0.5	<0.005	0.001
SR-436	185.3	187.60	<0.5	<0.005	0.000
SR-436	187.6	189.65	<0.5	<0.005	0.001
SR-436	189.65	192.00	<0.5	<0.005	0.001
SR-436	192	193.15	3.80	0.0	0.027
SR-436	193.15	194.30	19.70	0.0	0.103
SR-436	194.3	195.55	3.30	0.0	0.028
SR-436	195.55	196.70	7.40	0.0	0.057
SR-436	196.7	197.70	56.60	0.0	0.574
SR-436	197.7	199.15	2.20	0.0	0.033
SR-436	199.15	200.15	4.80	0.0	0.012
SR-436	200.15	201.65	45.40	0.0	0.237
SR-436	201.65	203.30	1.40	0.0	0.012
SR-436	203.3	204.60	22.70	0.0	0.137
SR-436	204.6	206.50	2.80	0.0	0.006
SR-436	206.5	208.10	1.90	0.0	0.006
SR-436	208.1	209.60	2.20	0.0	0.001
SR-436	209.6	211.80	0.90	0.0	0.001
SR-436	250.3	252.30	0.80	0.0	0.006
SR-436	252.3	254.00	4.60	0.0	0.021
SR-436	254	256.00	12.50	0.0	0.052
SR-436	256	258.00	48.40	0.1	0.122
SR-436	258	260.20	3.00	0.0	0.004
SR-436	260.2	262.00	<0.5	<0.005	0.001
SR-436	334.65	336.40	0.70	0.0	0.001
SR-436	336.4	337.95	1.60	0.0	0.001
SR-436	337.95	339.85	1.20	0.0	0.000
SR-436	339.85	340.85	0.80	<0.005	0.001
SR-436	340.85	342.15	1.20	0.0	0.001
SR-436	342.15	344.10	1.30	0.0	0.001
SR-436	344.1	345.70	2.30	0.0	0.002
SR-436	345.7	347.15	2.40	0.0	0.002
SR-436	347.15	348.50	0.60	0.0	0.000
SR-436	348.5	349.80	2.30	0.1	0.004
SR-436	349.8	351.22	1.20	0.0	0.005

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-436	351.22	352.50	0.50	0.0	0.001
SR-436	352.5	354.00	1.40	0.0	0.005
SR-436	354	354.80	4.70	0.0	0.006
SR-436	354.8	356.25	<0.5	0.0	0.001
SR-436	373.65	375.00	<0.5	0.0	0.000
SR-436	375	376.25	<0.5	0.0	0.000
SR-436	376.25	377.20	<0.5	0.0	0.002
SR-436	377.2	379.10	1.40	0.0	0.001
SR-436	379.1	380.60	<0.5	<0.005	0.001
SR-436	380.6	382.30	<0.5	0.0	0.001
SR-437	51.00	54.00	9.3	0.013	0.015
SR-437	54.00	56.00	3.9	0.011	0.005
SR-437	56.00	58.00	6.2	0.018	0.010
SR-437	58.00	60.00	10.3	0.014	0.014
SR-437	60.00	61.85	8.1	0.033	0.009
SR-437	61.85	63.00	7.8	0.013	0.021
SR-437	63.00	65.30	8.4	0.021	0.009
SR-437	65.30	67.00	8.1	0.015	0.021
SR-437	67.00	68.75	19.1	0.022	0.022
SR-437	68.75	70.80	13.1	0.027	0.017
SR-437	70.80	72.65	6.5	0.130	0.007
SR-437	72.65	74.65	11.1	0.028	0.019
SR-437	74.65	76.65	13.2	0.035	0.010
SR-437	76.65	78.60	40.0	0.057	0.022
SR-437	78.60	80.70	7.2	0.030	0.007
SR-437	80.70	82.70	14.2	0.036	0.020
SR-437	82.70	84.55	6.9	0.037	0.009
SR-437	84.55	86.50	12.6	0.071	0.013
SR-437	86.50	88.50	54.3	0.078	0.039
SR-437	88.50	90.60	3.2	0.036	0.005
SR-437	90.60	92.50	36.0	0.131	0.036
SR-437	92.50	94.50	22.4	0.055	0.016
SR-437	94.50	96.45	17.3	0.078	0.011
SR-437	96.45	98.50	15.7	0.145	0.019
SR-437	98.50	100.45	10.7	0.102	0.010
SR-437	100.45	102.45	8.3	0.125	0.004
SR-437	102.45	104.30	4.7	0.057	0.005
SR-437	104.30	106.30	3.7	0.078	0.013
SR-437	106.30	108.35	15.6	0.047	0.005
SR-437	108.35	110.40	27.3	0.048	0.007
SR-437	110.40	112.80	9.6	0.039	0.021
SR-437	112.80	114.75	1.3	0.019	0.004
SR-437	114.75	116.75	4.8	0.043	0.007

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-437	116.75	118.70	8.8	0.066	0.016
SR-437	118.70	120.80	19.0	0.122	0.058
SR-437	120.80	122.00	14.2	0.035	0.015
SR-437	122.00	124.60	1.2	0.019	0.005
SR-437	124.60	126.65	0.7	0.005	0.001
SR-437	126.65	128.60	0.9	0.006	0.000
SR-437	128.60	130.60	1.0	0.024	0.008
SR-437	130.60	132.55	1.1	0.060	0.006
SR-437	132.55	134.45	<0.5	0.006	0.004
SR-437	134.45	136.50	<0.5	<0.005	0.003
SR-437	136.50	138.50	<0.5	0.006	0.002
SR-437	138.50	140.50	0.9	0.018	0.001
SR-437	140.50	142.60	6.1	0.024	0.018
SR-437	142.60	144.60	1.1	0.010	0.008
SR-437	144.60	146.50	0.7	0.007	0.004
SR-437	146.50	148.45	0.5	0.006	0.001
SR-437	148.45	150.45	1.0	0.006	0.002
SR-437	150.45	152.50	5.3	0.073	0.007
SR-437	152.50	154.50	9.3	0.038	0.009
SR-437	154.50	156.50	10.1	0.027	0.009
SR-437	156.50	158.50	8.7	0.090	0.004
SR-437	158.50	160.50	7.5	0.174	0.002
SR-437	160.50	162.50	9.9	0.069	0.004
SR-437	162.50	164.50	44.4	0.067	0.069
SR-437	164.50	166.50	52.5	0.076	0.053
SR-437	166.50	168.30	5.1	0.052	0.012
SR-437	168.30	170.30	98.0	0.172	0.026
SR-437	170.30	172.20	9.3	0.054	0.018
SR-437	172.20	174.00	3.4	0.022	0.009
SR-437	174.00	176.00	5.0	0.080	0.026
SR-437	176.00	178.00	4.3	0.019	0.021
SR-437	178.00	180.00	4.0	0.019	0.021
SR-437	180.00	182.10	4.1	0.024	0.025
SR-437	182.10	184.15	7.1	0.028	0.039
SR-437	184.15	186.10	4.0	0.026	0.036
SR-437	186.10	188.10	4.2	0.026	0.030
SR-437	188.10	190.70	6.7	0.023	0.035
SR-437	190.70	192.75	4.1	0.008	0.001
SR-437	192.75	195.10	3.0	0.009	0.001
SR-437	195.10	196.90	2.0	0.006	0.012
SR-437	196.90	198.90	1.5	0.009	0.009
SR-437	198.90	201.00	1.0	0.011	0.005
SR-437	201.00	203.00	1.4	0.011	0.010

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-437	203.00	205.00	0.6	0.007	0.005
SR-437	205.00	207.00	0.7	0.009	0.006
SR-437	207.00	209.00	0.8	0.010	0.004
SR-437	209.00	211.00	1.0	0.021	0.001
SR-437	211.00	213.00	1.9	0.024	0.000
SR-437	213.00	214.45	0.7	0.013	0.001
SR-437	214.45	216.65	1.0	0.077	0.001
SR-437	216.65	218.70	0.9	0.017	0.000
SR-437	218.70	220.70	0.8	0.014	0.000
SR-437	220.70	222.70	5.1	0.029	0.001
SR-437	222.70	224.60	2.2	0.019	0.003
SR-437	224.60	226.70	1.9	0.017	0.003
SR-437	226.70	228.70	2.3	0.013	0.001
SR-437	228.70	230.65	1.7	0.015	0.002
SR-437	230.65	232.65	2.8	0.023	0.010
SR-437	232.65	233.55	3.8	0.019	0.026
SR-437	233.55	235.00	<0.5	0.006	0.006
SR-437	235.00	237.00	4.8	0.024	0.006
SR-437	237.00	239.00	2.5	0.018	0.003
SR-437	239.00	241.00	1.8	0.017	0.003
SR-437	241.00	242.30	2.6	0.019	0.007
SR-437	242.30	244.30	2.6	0.024	0.020
SR-437	244.30	245.40	2.2	0.020	0.027
SR-437	245.40	246.70	5.7	0.028	0.034
SR-437	246.70	248.70	1.0	0.015	0.002
SR-437	248.70	250.65	1.4	0.013	0.002
SR-437	250.65	252.00	1.1	0.012	0.002
SR-437	252.00	253.60	2.3	0.021	0.005
SR-437	253.60	255.05	15.9	0.034	0.103
SR-437	255.05	256.00	63.0	0.147	0.570
SR-437	256.00	257.05	<0.5	0.009	0.001
SR-437	257.05	258.90	0.8	0.012	0.002
SR-437	258.90	260.40	1.0	0.022	0.004
SR-437	260.40	261.80	4.3	0.015	0.014
SR-437	261.80	262.80	7.0	0.029	0.034
SR-437	262.80	264.30	7.5	0.027	0.058
SR-437	264.30	265.25	5.4	0.015	0.040
SR-437	265.25	266.10	6.5	0.012	0.046
SR-437	266.10	267.67	0.9	0.006	0.003
SR-437	267.67	269.20	2.0	0.008	0.009
SR-437	269.20	270.70	1.0	0.021	0.004
SR-437	270.70	272.10	2.3	0.009	0.010
SR-437	272.10	273.75	19.2	0.030	0.089

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-437	273.75	274.90	5.3	0.014	0.005
SR-437	274.90	276.05	8.5	0.034	0.041
SR-437	276.05	277.75	0.8	0.007	0.002
SR-437	277.75	279.60	<0.5	0.012	0.002
SR-437	279.60	280.80	<0.5	0.007	0.001
SR-437	280.80	282.09	0.7	0.013	0.001
SR-437	282.09	284.18	2.0	0.011	0.032
SR-437	284.18	285.90	1.3	0.009	0.008
SR-437	285.90	288.00	<0.5	0.008	0.002
SR-437	288.00	289.70	1.1	0.008	0.003
SR-437	289.70	291.85	1.3	0.010	0.014
SR-437	291.85	293.80	1.0	0.010	0.017
SR-437	293.80	295.80	1.6	0.009	0.031
SR-437	295.80	297.85	10.1	0.007	0.016
SR-437	297.85	299.88	10.4	0.009	0.086
SR-437	299.88	301.75	1.0	0.011	0.016
SR-437	301.75	302.40	0.6	0.013	0.007
SR-437	302.40	304.15	1.3	0.005	0.004
SR-437	304.15	306.00	0.6	0.006	0.003
SR-437	306.00	308.20	2.6	0.008	0.030
SR-437	308.20	310.15	0.8	0.008	0.011
SR-437	310.15	312.00	1.8	0.013	0.019
SR-437	312.00	313.55	0.7	0.019	0.005
SR-437	313.55	315.00	1.4	0.008	0.004
SR-437	315.00	317.15	<0.5	0.007	0.004
SR-437	317.15	318.60	<0.5	0.011	0.002
SR-437	318.60	320.55	<0.5	0.008	0.002
SR-437	320.55	321.95	0.5	0.009	0.001
SR-437	321.95	324.00	0.7	0.006	0.007
SR-437	324.00	325.55	1.2	0.005	0.001
SR-437	325.55	327.25	0.5	0.009	0.001
SR-437	327.25	329.40	0.8	0.006	0.006
SR-437	329.40	331.35	3.9	<0.005	0.001
SR-437	331.35	333.35	1.3	0.005	0.020
SR-437	333.35	334.05	1.4	0.005	0.010
SR-437	334.05	335.25	0.8	<0.005	0.007
SR-437	335.25	337.20	<0.5	<0.005	0.008
SR-437	337.20	338.90	<0.5	<0.005	0.001
SR-437	338.90	340.70	0.9	<0.005	0.001
SR-437	340.70	342.70	0.5	<0.005	0.002
SR-437	342.70	344.80	<0.5	<0.005	0.001
SR-437	344.80	346.85	<0.5	<0.005	0.002
SR-437	346.85	348.90	<0.5	0.005	0.002

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-437	348.90	351.00	0.7	0.007	0.002
SR-437	351.00	352.80	0.6	0.041	0.002
SR-437	352.80	354.90	2.1	0.021	0.003
SR-437	354.90	356.00	0.8	0.007	0.003
SR-437	356.00	357.35	0.8	0.005	0.002
SR-437	357.35	358.95	2.4	0.012	0.005
SR-437	358.95	359.80	0.5	0.017	0.004
SR-437	359.80	361.50	0.7	0.022	0.007
SR-437	361.50	362.50	<0.5	0.031	0.003
SR-437	362.50	364.90	<0.5	0.008	0.001
SR-437	364.90	366.90	3.5	0.014	0.010
SR-437	366.90	368.58	3.3	0.034	0.006
SR-437	368.58	370.75	<0.5	0.009	0.002
SR-437	370.75	372.00	<0.5	0.006	0.002
SR-437	372.00	373.15	<0.5	0.005	0.001
SR-437	373.15	375.38	<0.5	0.012	0.004
SR-437	375.38	377.45	<0.5	0.006	0.001
SR-437	377.45	379.45	1.5	0.012	0.005
SR-437	379.45	381.30	0.5	0.008	0.005
SR-437	381.30	383.35	<0.5	0.008	0.001
SR-437	383.35	384.32	2.8	0.009	0.001
SR-437	384.32	385.80	0.7	0.009	0.002
SR-437	385.80	387.70	0.6	0.024	0.005
SR-437	387.70	389.85	1.6	0.012	0.006
SR-437	389.85	391.70	0.5	0.008	0.002
SR-437	391.70	393.90	0.9	0.007	0.001
SR-437	393.90	396.00	<0.5	0.020	0.002
SR-437	396.00	397.80	0.5	0.016	0.001
SR-437	397.80	400.00	0.5	0.013	0.004
SR-437	400.00	401.45	5.0	0.009	0.003
SR-437	401.45	402.40	369.0	0.136	0.047
SR-437	402.40	404.35	4.2	0.007	0.002
SR-437	404.35	406.85	29.9	0.008	0.001
SR-437	406.85	407.70	5.3	0.006	0.001
SR-437	407.70	409.15	7.7	0.015	0.005
SR-437	409.15	410.80	0.6	0.009	0.001
SR-437	410.80	412.20	0.6	0.012	0.000
SR-437	412.20	413.40	<0.5	0.005	0.001
SR-437	413.40	415.50	<0.5	0.006	0.001
SR-437	415.50	417.30	<0.5	0.006	0.001
SR-437	417.30	419.20	<0.5	0.005	0.000
SR-437	419.20	421.25	<0.5	<0.005	0.001
SR-437	421.25	422.40	<0.5	<0.005	0.000

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-437	422.40	423.35	<0.5	0.008	0.001
SR-437	423.35	424.80	1.5	0.014	0.004
SR-437	424.80	426.50	1.0	0.019	0.002
SR-437	426.50	428.50	0.5	0.015	0.002
SR-437	428.50	429.95	0.9	0.008	0.003
SR-437	429.95	431.30	0.7	0.007	0.003
SR-437	431.30	432.80	<0.5	0.007	0.003
SR-437	432.80	434.15	<0.5	0.012	0.002
SR-437	434.15	435.40	<0.5	0.019	0.003
SR-437	435.40	436.70	0.5	0.014	0.002
SR-437	436.70	438.15	1.5	0.020	0.002
SR-437	438.15	440.00	<0.5	<0.005	0.002
SR-437	440.00	441.65	<0.5	<0.005	0.002
SR-437	441.65	443.45	<0.5	0.008	0.003
SR-437	443.45	445.25	<0.5	0.007	0.003
SR-437	445.25	446.35	1.7	0.031	0.008
SR-437	446.35	448.40	0.5	0.005	0.002
SR-437	448.40	450.35	0.9	0.007	0.002
SR-437	450.35	452.35	0.5	0.011	0.002
SR-437	452.35	454.60	<0.5	0.005	0.001
SR-437	454.60	456.00	0.7	0.015	0.002
SR-437	456.00	457.05	<0.5	0.007	0.001
SR-437	457.05	459.40	<0.5	<0.005	0.001
SR-437	459.40	461.30	0.9	0.014	0.007
SR-437	461.30	463.40	<0.5	<0.005	0.001
SR-437	463.40	465.00	<0.5	<0.005	0.002
SR-438	45.00	46.85	<0.5	0.010	0.001
SR-438	46.85	48.70	<0.5	0.013	0.001
SR-438	48.70	51.00	<0.5	0.018	0.001
SR-438	51.00	52.90	<0.5	0.027	0.001
SR-438	52.90	55.70	<0.5	0.020	0.000
SR-438	55.70	56.50	0.5	0.013	0.000
SR-438	56.50	58.30	<0.5	0.008	0.001
SR-438	58.30	60.00	0.6	0.028	0.010
SR-438	60.00	61.75	<0.5	0.019	0.000
SR-438	61.75	63.90	<0.5	0.010	0.000
SR-438	63.90	66.00	<0.5	0.022	0.000
SR-438	66.00	67.85	0.8	0.021	0.001
SR-438	67.85	69.95	<0.5	0.034	0.001
SR-438	69.95	71.55	<0.5	0.032	0.001
SR-438	71.55	73.45	<0.5	0.020	0.001
SR-438	73.45	75.00	<0.5	0.012	0.001
SR-438	75.00	77.45	<0.5	0.059	0.001

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-438	77.45	79.00	<0.5	0.070	0.002
SR-438	79.00	81.00	<0.5	0.042	0.001
SR-438	81.00	82.80	<0.5	0.041	0.001
SR-438	82.80	84.20	<0.5	0.024	0.001
SR-438	84.20	85.05	7.0	0.136	0.004
SR-438	85.05	86.00	0.7	0.121	0.002
SR-438	86.00	87.70	0.5	0.100	0.005
SR-438	87.70	89.50	<0.5	0.088	0.003
SR-438	89.50	91.05	<0.5	0.021	0.001
SR-438	91.05	93.00	0.5	0.077	0.006
SR-438	93.00	94.75	1.0	0.025	0.001
SR-438	94.75	96.25	21.0	0.097	0.061
SR-438	96.25	97.95	9.9	0.086	0.054
SR-438	97.95	99.05	8.6	0.084	0.053
SR-438	99.05	101.05	1.2	0.016	0.002
SR-438	101.05	102.40	3.2	0.037	0.010
SR-438	102.40	104.65	1.3	0.018	0.005
SR-438	104.65	107.00	<0.5	0.014	0.002
SR-438	107.00	109.10	<0.5	0.013	0.001
SR-438	109.10	111.00	<0.5	0.017	0.000
SR-438	111.00	112.40	1.1	0.030	0.001
SR-438	112.40	113.75	0.9	0.029	0.001
SR-438	113.75	115.85	3.5	0.043	0.002
SR-438	115.85	117.95	1.1	0.030	0.001
SR-438	117.95	120.00	1.0	0.045	0.001
SR-438	120.00	121.30	1.0	0.029	0.003
SR-438	121.30	123.00	3.4	0.021	0.004
SR-438	123.00	124.90	2.0	0.028	0.005
SR-438	124.90	126.60	1.6	0.013	0.002
SR-438	126.60	128.15	1.7	0.016	0.002
SR-438	128.15	129.15	1.6	0.011	0.002
SR-438	129.15	132.00	1.7	0.013	0.004
SR-438	132.00	133.85	2.6	0.029	0.003
SR-438	133.85	135.55	1.3	0.049	0.002
SR-438	135.55	137.00	<0.5	0.011	0.002
SR-438	137.00	138.85	<0.5	0.005	0.000
SR-438	138.85	141.00	<0.5	0.017	0.001
SR-438	141.00	142.80	<0.5	0.005	0.001
SR-438	142.80	144.25	<0.5	0.019	0.002
SR-438	144.25	146.30	<0.5	0.005	0.001
SR-438	146.30	148.15	<0.5	0.006	0.002
SR-438	171.30	173.30	<0.5	<0.005	0.001
SR-438	173.30	174.00	3.3	0.017	0.011

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-438	174.00	175.40	<0.5	0.010	0.001
SR-438	175.40	176.80	<0.5	0.008	0.011
SR-438	176.80	178.80	0.8	0.005	0.008
SR-438	197.00	198.95	0.5	<0.005	0.011
SR-438	198.95	200.10	0.8	0.027	0.005
SR-438	200.10	201.25	0.9	0.033	0.004
SR-438	201.25	201.85	<0.5	0.011	0.002
SR-438	201.85	203.85	<0.5	<0.005	0.003
SR-438	221.25	223.25	<0.5	0.005	0.003
SR-438	223.25	225.00	1.2	0.038	0.013
SR-438	225.00	227.10	1.3	0.032	0.012
SR-438	227.10	228.55	<0.5	<0.005	0.008
SR-438	228.55	230.00	0.5	0.005	0.005
SR-438	230.00	231.50	10.7	0.075	0.038
SR-438	231.50	233.00	33.5	0.251	0.247
SR-438	233.00	234.60	1.5	0.015	0.009
SR-438	234.60	236.20	<0.5	<0.005	0.001
SR-438	236.20	237.85	<0.5	<0.005	0.004
SR-438	237.85	239.35	18.5	0.059	0.145
SR-438	239.35	240.85	20.4	0.080	0.087
SR-438	240.85	242.35	3.8	0.028	0.041
SR-438	242.35	243.85	21.7	0.064	0.177
SR-438	243.85	245.35	4.9	0.068	0.032
SR-438	245.35	246.85	8.1	0.055	0.068
SR-438	246.85	248.35	8.0	0.038	0.051
SR-438	248.35	249.85	13.8	0.030	0.081
SR-438	249.85	251.70	8.8	0.025	0.040
SR-438	251.70	252.45	2.5	0.010	0.019
SR-438	252.45	253.95	14.9	0.026	0.074
SR-438	253.95	255.45	23.6	0.064	0.103
SR-438	255.45	257.05	9.9	0.024	0.055
SR-438	257.05	258.85	<0.5	0.007	0.004
SR-438	258.85	260.65	0.5	0.604	0.001
SR-438	260.65	262.45	<0.5	<0.005	0.001
SR-438	262.45	264.25	<0.5	<0.005	0.006
SR-438	264.25	266.05	<0.5	0.005	0.001
SR-438	266.05	267.75	0.7	0.203	0.005
SR-438	267.75	269.05	59.7	0.145	0.186
SR-438	269.05	270.30	25.5	0.131	0.086
SR-438	270.30	270.85	6.7	0.040	0.004
SR-438	270.85	272.35	5.8	0.058	0.005
SR-438	272.35	273.85	6.4	0.166	0.005
SR-438	273.85	275.35	28.5	0.196	0.108

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-438	275.35	276.00	62.6	0.112	0.267
SR-438	276.00	277.50	25.7	0.145	0.134
SR-438	277.50	279.00	23.5	0.040	0.110
SR-438	279.00	280.60	7.7	0.008	0.039
SR-438	280.60	282.55	0.8	0.010	0.005
SR-438	282.55	284.55	<0.5	0.006	0.001
SR-438	284.55	286.50	<0.5	0.005	0.010
SR-438	286.50	288.30	<0.5	<0.005	0.002
SR-438	288.30	290.75	2.8	0.012	0.011
SR-438	290.75	292.40	1.7	0.007	0.016
SR-438	292.40	294.00	5.8	0.043	0.033
SR-438	294.00	295.65	1.1	0.008	0.012
SR-438	295.65	297.25	0.5	0.006	0.004
SR-438	297.25	299.00	0.6	0.005	0.006
SR-438	299.00	300.00	5.7	0.007	0.019
SR-438	300.00	301.00	0.7	0.006	0.005
SR-438	301.00	302.00	2.3	0.007	0.041
SR-438	302.00	304.00	<0.5	0.012	0.007
SR-438	304.00	305.50	9.0	0.006	0.048
SR-438	305.50	306.85	8.2	0.015	0.052
SR-438	306.85	308.65	51.1	0.081	0.269
SR-438	308.65	309.95	3.2	<0.005	0.007
SR-438	309.95	311.10	17.3	0.017	0.071
SR-438	311.10	312.55	7.1	0.017	0.033
SR-438	312.55	314.75	9.5	0.011	0.055
SR-438	314.75	317.00	<0.5	<0.005	0.004
SR-438	317.00	319.05	1.8	0.006	0.012
SR-438	319.05	320.10	460.0	0.493	1.085
SR-438	320.10	321.05	31.6	0.029	0.087
SR-438	321.05	322.60	792.0	0.690	1.690
SR-438	322.60	323.70	1415.0	2.450	3.230
SR-438	323.70	325.55	395.0	0.304	0.641
SR-438	325.55	326.80	14.0	0.032	0.041
SR-438	326.80	327.85	15.1	0.008	0.033
SR-438	327.85	329.45	1.2	<0.005	0.004
SR-438	329.45	330.85	15.9	0.010	0.052
SR-438	330.85	333.00	2.0	0.005	0.011
SR-438	333.00	335.00	<0.5	0.006	0.010
SR-438	335.00	337.00	0.5	<0.005	0.006
SR-438	337.00	339.00	0.9	<0.005	0.011
SR-438	339.00	340.65	3.2	<0.005	0.026
SR-438	340.65	341.15	2.3	0.016	0.006
SR-438	341.15	343.15	0.5	<0.005	0.004

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-438	343.15	345.15	1.3	0.006	0.011
SR-438	345.15	347.15	<0.5	<0.005	0.002
SR-438	347.15	349.15	0.5	<0.005	0.007
SR-438	349.15	351.15	1.9	0.022	0.010
SR-438	351.15	353.15	0.9	0.009	0.005
SR-438	353.15	355.15	<0.5	<0.005	0.005
SR-438	355.15	357.15	0.8	<0.005	0.014
SR-438	357.15	358.90	9.3	0.005	0.025
SR-438	358.90	360.32	26.7	0.028	0.033
SR-438	360.32	362.05	22.4	0.008	0.030
SR-438	362.05	364.50	14.3	0.014	0.021
SR-438	364.50	366.25	25.4	0.019	0.041
SR-438	366.25	367.85	12.0	0.010	0.030
SR-438	367.85	369.35	10.5	0.016	0.026
SR-438	369.35	371.25	0.7	<0.005	0.004
SR-438	371.25	373.20	1.4	<0.005	0.004
SR-438	373.20	375.00	8.2	<0.005	0.006
SR-438	375.00	376.80	4.1	0.009	0.007
SR-438	376.80	379.90	9.7	0.021	0.025
SR-438	379.90	381.15	156.0	0.117	0.473
SR-438	381.15	383.00	17.7	0.013	0.084
SR-438	383.00	384.35	33.8	0.016	0.119
SR-438	384.35	385.55	104.0	0.042	0.115
SR-438	385.55	386.70	26.4	0.022	0.047
SR-438	386.70	389.00	15.8	0.021	0.067
SR-438	389.00	390.30	20.7	0.026	0.093
SR-438	390.30	391.40	19.9	0.020	0.095
SR-438	391.40	393.00	28.0	0.024	0.104
SR-438	393.00	394.60	12.3	0.011	0.039
SR-438	394.60	396.00	56.8	0.063	0.050
SR-438	396.00	397.80	18.1	0.012	0.017
SR-438	397.80	399.90	72.3	0.064	0.253
SR-438	399.90	401.40	3.5	0.006	0.010
SR-439	0.00	3.00	11.7	0.005	0.001
SR-439	3.00	6.00	2.3	0.009	0.001
SR-439	6.00	9.00	5.4	0.034	0.003
SR-439	9.00	12.00	6.0	0.043	0.004
SR-439	12.00	13.50	9.5	0.013	0.005
SR-439	13.50	14.50	45.9	0.139	0.006
SR-439	14.50	15.90	6.6	0.067	0.004
SR-439	15.90	18.00	204.0	0.273	0.042
SR-439	18.00	19.40	74.9	0.067	0.095
SR-439	19.40	21.40	191.0	0.085	0.040

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-439	21.40	24.00	1.9	0.015	0.006
SR-439	24.00	26.00	1.6	0.009	0.003
SR-439	26.00	28.00	0.7	0.009	0.001
SR-439	28.00	30.00	3.2	0.010	0.000
SR-439	30.00	32.40	2.9	0.028	0.001
SR-439	32.40	34.80	3.5	0.011	0.001
SR-439	34.80	36.15	7.7	0.015	0.003
SR-439	36.15	37.65	6.8	0.009	0.001
SR-439	37.65	38.65	9.7	0.010	0.001
SR-439	38.65	40.10	138.0	0.098	0.011
SR-439	40.10	42.00	37.2	0.028	0.004
SR-439	42.00	43.50	89.7	0.071	0.008
SR-439	43.50	45.00	89.9	0.072	0.008
SR-439	45.00	46.95	35.0	0.030	0.005
SR-439	46.95	48.55	3.9	0.015	0.002
SR-439	48.55	50.05	27.1	0.052	0.005
SR-439	50.05	50.90	135.0	1.055	0.103
SR-439	50.90	52.25	79.4	0.391	0.009
SR-439	52.25	54.00	17.7	0.064	0.004
SR-439	54.00	56.00	8.2	0.032	0.002
SR-439	56.00	57.35	2.4	0.013	0.002
SR-439	57.35	59.00	2.9	0.016	0.001
SR-439	59.00	60.10	2.0	0.005	0.001
SR-439	60.10	61.90	6.2	0.032	0.001
SR-439	61.90	63.55	9.1	0.272	0.005
SR-439	63.55	65.35	0.8	<0.005	0.001
SR-439	65.35	67.45	5.4	0.020	0.001
SR-439	67.45	68.60	1.2	0.020	0.001
SR-439	68.60	71.10	2.6	0.011	0.001
SR-439	71.10	72.60	3.0	0.008	0.001
SR-439	72.60	74.70	0.7	<0.005	0.001
SR-439	74.70	76.25	<0.5	0.007	0.001
SR-439	76.25	77.35	<0.5	<0.005	0.001
SR-439	77.35	78.45	<0.5	0.006	0.001
SR-439	78.45	80.00	1.5	0.035	0.001
SR-439	80.00	81.00	0.9	<0.005	0.001
SR-439	81.00	82.50	1.5	0.012	0.001
SR-439	82.50	84.00	4.6	0.048	0.002
SR-439	84.00	85.50	10.2	0.080	0.005
SR-439	85.50	86.90	24.6	0.104	0.007
SR-439	86.90	87.90	17.6	0.071	0.006
SR-439	87.90	89.75	17.4	0.094	0.009
SR-439	89.75	91.10	7.9	0.046	0.003

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-439	91.10	93.00	15.6	0.061	0.004
SR-439	159.00	160.50	<0.5	0.007	0.001
SR-439	160.50	162.15	<0.5	<0.005	0.001
SR-439	162.15	163.85	126.0	0.266	0.043
SR-439	163.85	165.25	158.0	0.131	0.105
SR-439	165.25	167.30	41.3	0.035	0.076
SR-439	167.30	169.40	98.6	0.055	0.071
SR-439	169.40	171.20	98.0	0.045	0.139
SR-439	171.20	172.00	54.4	0.027	0.092
SR-439	172.00	173.50	56.7	0.052	0.174
SR-439	173.50	175.00	19.3	0.030	0.085
SR-439	175.00	176.50	27.0	0.016	0.197
SR-439	176.50	178.00	42.3	0.028	0.187
SR-439	178.00	179.50	30.4	0.041	0.175
SR-439	179.50	181.05	14.5	0.027	0.048
SR-439	181.05	182.15	32.4	0.025	0.070
SR-439	182.15	183.30	5.7	0.022	0.053
SR-439	183.30	185.35	4.0	0.021	0.028
SR-439	185.35	186.20	5.2	0.090	0.039
SR-439	186.20	187.90	5.5	0.105	0.058
SR-439	187.90	189.30	23.5	0.124	0.093
SR-439	189.30	191.35	8.6	0.083	0.053
SR-439	191.35	192.80	14.8	0.116	0.037
SR-439	192.80	194.40	10.8	0.108	0.018
SR-439	194.40	196.30	2.1	0.046	0.013
SR-439	196.30	198.00	3.2	0.038	0.015
SR-439	198.00	200.05	2.0	0.034	0.014
SR-439	200.05	201.60	1.2	0.027	0.023
SR-439	201.60	202.80	1.5	0.033	0.008
SR-439	202.80	204.00	1.3	0.040	0.009
SR-439	204.00	205.10	0.5	0.036	0.004
SR-439	205.10	207.00	<0.5	0.028	0.001
SR-439	207.00	208.85	0.5	0.029	0.001
SR-439	522.00	523.35	<0.5	<0.005	0.000
SR-439	523.35	525.35	<0.5	<0.005	0.000
SR-439	525.35	527.35	<0.5	<0.005	0.000
SR-439	527.35	529.35	<0.5	<0.005	0.003
SR-439	529.35	531.35	<0.5	0.006	0.001
SR-439	531.35	533.35	<0.5	<0.005	0.001
SR-439	533.35	535.35	<0.5	<0.005	0.001
SR-439	535.35	537.35	<0.5	0.005	0.000
SR-439	537.35	539.35	<0.5	<0.005	0.000
SR-439	539.35	541.90	<0.5	0.022	0.000

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-439	541.90	542.65	2.1	0.035	0.001
SR-439	542.65	544.05	0.9	0.009	0.000
SR-439	544.05	545.45	0.9	0.012	0.000
SR-439	545.45	546.90	<0.5	<0.005	0.000
SR-439	588.00	589.10	<0.5	0.006	0.000
SR-439	589.10	590.55	<0.5	<0.005	0.000
SR-439	590.55	592.50	<0.5	0.006	0.000
SR-439	592.50	594.10	<0.5	0.007	0.000
SR-439	594.10	596.15	<0.5	<0.005	0.000
SR-440	132.00	133.75	<0.5	0.005	0.000
SR-440	133.75	135.65	0.5	0.030	0.003
SR-440	135.65	137.40	0.6	0.011	0.002
SR-440	137.40	139.00	0.7	0.020	0.004
SR-440	139.00	140.25	2.6	0.032	0.003
SR-440	140.25	142.10	9.2	0.047	0.004
SR-440	142.10	143.50	1.3	0.015	0.002
SR-440	143.50	144.50	<0.5	0.047	0.001
SR-440	144.50	145.60	5.0	0.073	0.002
SR-440	145.60	147.85	<0.5	0.012	0.001
SR-440	147.85	150.00	<0.5	0.021	0.001
SR-440	150.00	151.70	<0.5	0.015	0.001
SR-440	188.15	189.80	<0.5	0.018	0.002
SR-440	189.80	191.05	0.6	0.017	0.001
SR-440	191.05	192.95	<0.5	0.012	0.002
SR-440	192.95	195.00	<0.5	0.006	0.001
SR-440	195.00	196.55	<0.5	0.007	0.000
SR-440	196.55	198.00	<0.5	<0.005	0.001
SR-440	198.00	199.90	<0.5	0.007	0.001
SR-440	199.90	201.75	<0.5	0.008	0.001
SR-440	201.75	203.50	<0.5	0.007	0.001
SR-440	203.50	205.25	<0.5	0.007	0.000
SR-440	205.25	207.00	<0.5	0.006	0.001
SR-440	207.00	208.20	<0.5	0.010	0.003
SR-440	223.25	225.00	<0.5	0.007	0.003
SR-440	225.00	226.70	0.9	0.008	0.006
SR-440	226.70	228.00	1.0	0.011	0.007
SR-440	228.00	229.60	1.0	0.009	0.009
SR-440	229.60	231.00	1.7	0.006	0.011
SR-440	231.00	232.40	2.6	0.008	0.018
SR-440	232.40	234.35	2.9	0.016	0.040
SR-440	234.35	236.30	5.7	0.006	0.053
SR-440	236.30	237.85	4.0	0.015	0.030
SR-440	237.85	239.20	1.4	0.013	0.020

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-440	239.20	240.20	2.9	0.031	0.026
SR-440	240.20	241.85	0.6	0.008	0.012
SR-440	241.85	243.80	0.8	0.005	0.015
SR-440	243.80	245.90	1.0	0.008	0.017
SR-440	245.90	247.75	<0.5	0.005	0.002
SR-440	247.75	249.00	0.5	0.006	0.015
SR-440	249.00	251.00	2.1	0.012	0.030
SR-440	251.00	252.10	4.5	0.009	0.028
SR-440	252.10	252.85	18.9	0.013	0.158
SR-440	252.85	254.15	6.9	0.010	0.067
SR-440	254.15	255.70	6.5	0.009	0.059
SR-440	255.70	256.80	3.7	0.018	0.046
SR-440	256.80	258.38	32.5	0.019	0.121
SR-440	258.38	260.45	4.9	0.006	0.033
SR-440	260.45	262.05	15.8	0.024	0.070
SR-440	262.05	263.60	14.8	0.013	0.045
SR-440	263.60	265.30	8.3	0.012	0.043
SR-440	265.30	266.95	14.4	0.012	0.064
SR-440	266.95	267.95	17.0	0.017	0.098
SR-440	267.95	269.65	2.5	0.010	0.014
SR-440	269.65	271.10	9.9	0.014	0.055
SR-440	271.10	273.00	0.7	<0.005	0.008
SR-440	273.00	274.70	7.0	0.020	0.059
SR-440	274.70	276.40	16.5	0.016	0.066
SR-440	276.40	278.45	4.0	0.011	0.030
SR-440	278.45	279.50	6.6	0.007	0.043
SR-440	279.50	280.65	5.7	0.007	0.036
SR-440	280.65	281.90	6.3	0.006	0.039
SR-440	281.90	283.90	11.0	0.021	0.057
SR-440	283.90	285.60	6.7	0.017	0.042
SR-440	285.60	286.60	3.6	0.053	0.020
SR-440	286.60	287.60	10.8	0.017	0.058
SR-440	287.60	289.05	2.9	0.009	0.014
SR-440	289.05	290.10	3.2	0.007	0.018
SR-440	290.10	291.40	8.3	0.005	0.045
SR-440	291.40	292.85	39.9	0.065	0.247
SR-440	292.85	295.40	0.6	0.009	0.004
SR-440	295.40	297.80	<0.5	<0.005	0.002
SR-440	297.80	299.80	<0.5	0.006	0.004
SR-440	299.80	301.35	<0.5	<0.005	0.002
SR-440	301.35	302.90	2.4	0.026	0.026
SR-440	302.90	304.80	1.6	0.028	0.007
SR-440	304.80	306.05	0.9	0.009	0.002

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-440	306.05	307.60	<0.5	0.021	0.002
SR-440	307.60	309.40	0.7	0.011	0.010
SR-440	309.40	310.60	0.9	0.014	0.002
SR-440	310.60	312.00	<0.5	0.031	0.002
SR-440	312.00	313.90	<0.5	0.022	0.002
SR-440	313.90	315.60	<0.5	0.007	0.002
SR-440	315.60	317.25	<0.5	0.010	0.001
SR-440	317.25	318.65	<0.5	0.010	0.001
SR-440	318.65	319.75	3.9	0.115	0.026
SR-440	319.75	321.00	0.8	0.018	0.007
SR-440	321.00	323.20	<0.5	0.015	0.003
SR-440	323.20	325.25	<0.5	0.005	0.002
SR-440	325.25	327.35	<0.5	<0.005	0.001
SR-440	327.35	329.00	<0.5	<0.005	0.002
SR-440	329.00	331.00	<0.5	<0.005	0.002
SR-440	331.00	333.00	<0.5	<0.005	0.002
SR-440	333.00	334.90	0.0	<0.005	0.002
SR-440	334.90	336.90	<0.5	<0.005	0.002
SR-440	336.90	337.85	<0.5	<0.005	0.003
SR-440	337.85	339.00	<0.5	<0.005	0.004
SR-440	339.00	340.55	<0.5	<0.005	0.005
SR-440	340.55	342.20	2.0	0.007	0.015
SR-440	342.20	343.95	3.2	0.010	0.024
SR-440	343.95	345.00	2.8	0.007	0.017
SR-440	345.00	346.25	1.5	0.005	0.015
SR-440	346.25	348.10	105.0	0.195	0.771
SR-440	348.10	350.05	0.8	0.005	0.008
SR-440	350.05	351.95	<0.5	<0.005	0.003
SR-440	351.95	353.80	1.5	0.006	0.011
SR-440	353.80	355.75	<0.5	<0.005	0.003
SR-440	355.75	357.80	<0.5	<0.005	0.003
SR-440	357.80	359.70	<0.5	<0.005	0.002
SR-440	411.00	413.00	<0.5	<0.005	0.003
SR-440	413.00	415.00	<0.5	<0.005	0.004
SR-440	415.00	417.00	0.5	<0.005	0.004
SR-440	417.00	419.00	<0.5	<0.005	0.004
SR-440	419.00	420.00	<0.5	<0.005	0.004
SR-440	420.00	423.00	6.2	0.005	0.007
SR-440	423.00	425.00	1.7	<0.005	0.006
SR-440	425.00	426.50	0.8	0.013	0.004
SR-440	426.50	427.60	1.0	0.008	0.005
SR-440	427.60	429.40	4.5	0.006	0.020
SR-440	429.40	431.60	3.1	0.010	0.015

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-440	431.60	433.65	1.9	0.005	0.003
SR-440	433.65	435.40	<0.5	<0.005	0.001
SR-440	435.40	437.10	2.5	0.030	0.007
SR-440	437.10	439.55	4.4	0.028	0.016
SR-440	439.55	441.45	1.1	0.017	0.003
SR-440	441.45	442.65	<0.5	0.008	0.002
SR-440	442.65	444.55	<0.5	0.005	0.012
SR-440	444.55	447.00	<0.5	0.005	0.002
SR-440	447.00	449.60	<0.5	0.034	0.001
SR-440	449.60	451.55	<0.5	0.029	0.007
SR-440	451.55	454.00	<0.5	0.017	0.002
SR-440	454.00	456.00	<0.5	0.043	0.021
SR-440	456.00	458.40	<0.5	0.017	0.005
SR-440	458.40	460.00	<0.5	0.005	0.002
SR-441	0.00	1.00	25.5	0.646	0.026
SR-441	1.00	2.00	26.9	2.450	0.036
SR-441	2.00	3.00	6.9	0.591	0.006
SR-441	3.00	6.00	20.7	0.770	0.015
SR-441	6.00	7.15	14.4	0.599	0.009
SR-441	7.15	9.00	2.9	0.235	0.004
SR-441	9.00	10.90	2.5	0.138	0.002
SR-441	10.90	12.90	5.0	0.412	0.007
SR-441	12.90	14.30	4.3	0.036	0.006
SR-441	14.30	16.25	10.4	0.038	0.011
SR-441	16.25	18.05	39.7	0.066	0.026
SR-441	18.05	20.05	16.1	0.029	0.027
SR-441	20.05	22.10	2.6	0.005	0.006
SR-441	22.10	24.00	2.9	0.013	0.005
SR-441	24.00	25.50	17.8	0.018	0.013
SR-441	25.50	27.00	1.6	0.007	0.004
SR-441	27.00	28.95	1.5	0.010	0.006
SR-441	28.95	30.95	1.2	0.015	0.007
SR-441	30.95	33.00	3.6	0.043	0.005
SR-441	33.00	34.50	<0.5	<0.005	0.001
SR-441	34.50	35.85	0.5	0.006	0.001
SR-441	35.85	37.10	1.1	<0.005	0.001
SR-441	37.10	38.50	0.7	<0.005	0.002
SR-441	38.50	40.55	1.9	0.007	0.015
SR-441	40.55	41.65	2.4	0.012	0.011
SR-441	41.65	43.70	5.2	0.027	0.009
SR-441	43.70	45.65	4.8	0.017	0.017
SR-441	45.65	47.80	1.3	0.008	0.002
SR-441	47.80	49.35	19.0	0.036	0.088

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-441	49.35	50.25	24.7	0.026	0.079
SR-441	50.25	51.40	1.2	0.007	0.011
SR-441	51.40	52.40	4.9	0.013	0.008
SR-441	52.40	54.15	13.3	0.013	0.016
SR-441	54.15	55.15	8.6	0.020	0.025
SR-441	55.15	56.70	3.8	0.006	0.011
SR-441	56.70	57.75	1.3	0.024	0.004
SR-441	57.75	58.85	2.2	0.014	0.005
SR-441	58.85	59.50	4.4	0.024	0.009
SR-441	59.50	60.90	3.6	0.017	0.008
SR-441	60.90	61.85	2.0	0.021	0.004
SR-441	61.85	63.85	8.0	0.065	0.002
SR-441	63.85	64.70	9.5	0.011	0.004
SR-441	64.70	66.30	4.2	0.051	0.003
SR-441	66.30	68.00	2.6	0.034	0.007
SR-441	68.00	69.30	5.6	0.032	0.006
SR-441	69.30	70.20	5.9	0.045	0.006
SR-441	70.20	71.65	3.0	0.018	0.011
SR-441	71.65	72.55	2.2	0.023	0.014
SR-441	72.55	74.55	9.9	0.082	0.020
SR-441	74.55	75.85	1.5	0.059	0.002
SR-441	75.85	77.05	1.1	0.021	0.006
SR-441	77.05	78.00	2.4	0.053	0.039
SR-441	78.00	79.80	2.2	0.062	0.018
SR-441	79.80	81.80	0.6	0.031	0.005
SR-441	81.80	84.00	2.4	0.014	0.008
SR-441	84.00	85.50	<0.5	0.005	0.008
SR-441	85.50	87.30	1.4	0.014	0.011
SR-441	87.30	88.50	6.6	0.029	0.004
SR-441	88.50	90.10	0.8	0.013	0.009
SR-441	90.10	91.40	4.4	0.037	0.015
SR-441	91.40	92.40	10.9	0.031	0.127
SR-441	92.40	94.60	0.9	0.007	0.001
SR-441	94.60	96.00	1.0	0.012	0.002
SR-441	96.00	96.80	1.9	0.103	0.001
SR-441	96.80	98.65	5.1	0.045	0.002
SR-441	98.65	100.15	3.9	0.058	0.001
SR-441	100.15	102.00	2.2	0.158	0.011
SR-441	102.00	103.45	5.2	0.058	0.011
SR-441	103.45	105.25	3.3	0.054	0.000
SR-441	105.25	107.30	2.8	0.085	0.002
SR-441	107.30	109.35	3.3	0.047	0.004
SR-441	109.35	111.30	13.3	0.044	0.004

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-441	111.30	114.00	1.3	0.019	0.004
SR-441	114.00	115.70	<0.5	0.008	0.003
SR-441	322.00	324.00	<0.5	<0.005	0.000
SR-441	324.00	326.00	<0.5	<0.005	0.000
SR-441	326.00	328.00	0.7	<0.005	0.009
SR-441	328.00	330.00	<0.5	<0.005	0.000
SR-441	330.00	332.00	0.5	<0.005	0.002
SR-441	332.00	334.05	<0.5	0.013	0.001
SR-441	334.05	335.95	<0.5	<0.005	0.001
SR-441	335.95	337.95	0.8	0.006	0.000
SR-441	337.95	340.00	2.0	<0.005	0.000
SR-441	340.00	341.95	<0.5	<0.005	0.001
SR-441	341.95	343.95	1.4	0.008	0.000
SR-441	343.95	345.95	0.7	<0.005	0.000
SR-441	345.95	348.00	0.5	<0.005	0.000
SR-441	348.00	350.00	3.5	0.008	0.001
SR-441	350.00	352.00	2.4	0.008	0.000
SR-441	352.00	354.00	0.9	0.030	0.000
SR-441	354.00	356.00	1.4	0.019	0.000
SR-441	356.00	358.00	4.1	0.208	0.000
SR-441	358.00	360.00	6.1	0.024	0.001
SR-441	360.00	362.00	3.3	0.009	0.000
SR-441	362.00	364.00	0.7	0.009	0.001
SR-441	364.00	366.00	<0.5	0.020	0.000
SR-441	366.00	368.00	0.6	0.010	0.001
SR-441	368.00	370.05	1.5	0.018	0.002
SR-441	370.05	372.00	2.8	<0.005	0.001
SR-441	372.00	374.00	3.0	<0.005	0.001
SR-441	374.00	376.00	2.9	0.006	0.000
SR-441	376.00	378.00	2.1	0.009	0.000
SR-441	378.00	380.00	4.2	<0.005	0.000
SR-441	380.00	382.05	<0.5	<0.005	0.000
SR-441	382.05	384.00	<0.5	<0.005	0.000
SR-441	384.00	386.00	1.3	<0.005	0.000
SR-441	386.00	388.05	1.0	0.006	0.001
SR-441	388.05	390.00	<0.5	<0.005	0.000
SR-441	390.00	391.05	<0.5	<0.005	0.000
SR-441	391.05	393.00	<0.5	<0.005	0.000
SR-441	393.00	395.00	3.9	0.048	0.001
SR-441	395.00	397.00	2.4	0.010	0.000
SR-441	397.00	399.00	<0.5	0.009	0.000
SR-441	399.00	401.00	<0.5	0.010	0.000
SR-441	401.00	403.20	<0.5	0.014	0.000

San Rafael Project - Drilling Results

Hole	From (m)	To (m)	Ag (g/t)	Au (g/t)	Cu (%)
SR-441	403.20	404.55	1.1	0.006	0.000
SR-441	404.55	406.15	<0.5	<0.005	0.009